




# PRODUCT CATALOGUE

2019/20



**Egersund  
Trading**  
Part of AKVA group

### BASIC OFFSHORE COVERALL

Prod.no 71064



Coverall antifiame, fl. yellow/red. 50mm grey antifiame reflex on arms and legs and 20mm over the shoulders. With knee pockets.

ISO EN 11612  
Weight: 350 g/m<sup>2</sup>  
Size: 44 - 70

### LIGHT OFFSHORE COVERALL

Prod.no 953-2182557



Light coverall antifiame. Fl. yellow/red with 50mm reflex on shoulders, legs and arms. Knee pockets.

ISO EN 11612  
Weight: 220g/m<sup>2</sup>  
Size: S - XXL

### OFFSHORE QUILTED COVERALL

Prod.no 938-9353 (Incentra)  
Prod.no 940-88355 (Wenaas)



938-9353: Antifiame and water repellent quilted coverall.  
940-88355: The same type coverall, but w/zipper on legs, and belt in waist.

ISO EN 14116 index1 EN 343, 1149  
Weight: 300 g/m<sup>2</sup>  
Size: XS - XXXL  
40° vask

### OFFSHORE COVERALL

Prod.no 938-858754624



Coverall antifiame red or orange. Two chest pockets, two back pockets, two front pockets and ruler pocket. 50 mm reflex on arms, legs and shouldres.

ISO EN 11612  
Weight: 350 g/m<sup>2</sup>  
Sizes: 46 - 64

### OFFSHORE COVERALL (LIGHT)

Prod.no 938-US-6303



Offshore coverall, light model. Antifiame, orange or red, With 50 mm reflex on arms, legs and shouldres. 2 chest pockets with Velcro on flaps.

ISO EN 11642, 11612  
Weight: 220 g/m<sup>2</sup>  
Sizes: 46 - 64

### ANTIFIAME RED / YELLOW HV

Prod.no 938-777754924 (jacket)  
Prod.no 938-202754924 (trousers)



Jacket antifiame with 5 cm reflex around sleeves and over shoulders.

Trousers antifiame with 5cm refelfx around legs.

ISO EN 1149-5  
IEC 61482-2  
Weight: 350 grams / m<sup>2</sup>  
Sizes: 44 - 64

### BASIC COVERALL (RED)

Prod.no 940-89870



Basic coverall with zipper in front. Chest pocket, mobile- and sleeve pocket, back-, and folding rule pocket. Pleat in back. Not antifiame. Material: 65% poly / 35% cotton.

Weight: 245 g/m<sup>2</sup>  
Size: 46 - 64

### QUILTED LONG JACKET

Prod.no 938-37125



100% polyester, 280 g/m<sup>2</sup>  
Detachable lining.  
EN ISO 20471, kl 3

Sizes: S - XXL

### QUILTED RAIN JACKET OFFSHORE

Prod.no 953-1206016230 orange

Prod.no 953-1206016330 gul



Collar with fleece on the inside.  
Reflex on arm and over shoulders.  
Flamme retardert.  
Temperature resistant material.  
Elastomer-coated polyester 255g/m<sup>2</sup>.  
Standard ISO 14116 index 1 and EN 343

Sizes: S - XXL

### RAIN JACKET OFFSHORE

Prod.no 938-FR-LR55 Gul



Microflex flame retardant jacket,  
Quality: 50% polyester,  
50% polyurethane,  
Waterproof: 8000 mm water column,  
Weight: 170 g / m<sup>2</sup>, Wash: 40 ° C  
Standard ISO 14116 kl.3 and  
EN 343, 471

Sizes: S - XXXL

### RAIN TROUSERS OFFSHORE

Prod.no 938-FR-LR59



Microflex flame retardant harness pants, elastic braces, Quality: 50% polyester, 50% polyurethane, Waterproof: 8000 mm water column, Weight: 170 g / m<sup>2</sup>, Wash: 40 ° C  
Standard ISO 14116 kl.3 and  
EN 343, 471

Sizes: S - XXXL

### CHALLENGER REGATTA OFFSHORE VEST 150N

Prod.no 957-206500

#### RECHARGE KIT

Prod.no 957-19017



Solas approved. Comfortable lifejacket to wear in work situations and provides good buoyancy in an emergency situation.

Recharge kit for Regatta Offshore vest, 33 gram (necessary 2 kit pr. vest).



## TROUSERS WENAAS

Prod.no 71202

### SHORTS

Prod.no 930-BPC 254 90  
(black)



Pants and shorts with side pockets. Black

Fabric: 65% polyester, 35% cotton  
Trousers weight: 310 g/m<sup>2</sup>

Trousers sizes: 46 - 64  
Shorts sizes: 46 - 62

## UNIFORM



We offer complete uniform in cooperation with Uniformspartner.  
Hat, jacket and trousers.  
Socks and ties.  
Custom made and tailored according to measurements and carriers rank.

## UNIFORM SHIRT LONG SLEEVE

Prod.no 71205 (white)

Prod.no 71201 (khaki)



Poly/cotton. Shoulder pads.

Sizes: S - XXXL

## UNIFORM SHIRT SHORT SLEEVE

Prod.no 71200 (khaki)

Prod.no 71204 (white)



Poly/cotton. Shoulder pads.

Sizes: S - XXXL

## DISTINCTIONS

Prod.no 71209-3 (Captain)

Prod.no 71209-4 (Chief Officer)

Prod.no 71209-5 (1st Officer)

Prod.no 71209-6 (2nd Officer)



CAPTAIN



CHIEF OFFICER



1ST OFFICER



2ND OFFICER

## DISTINCTIONS

Prod.no 71209-7 (Chief Engineer)

Prod.no 71209-8 (1st Engineer)

Prod.no 71209-9 (2nd Engineer)

Prod.no 71209-13 (3rd Engineer)



CHIEF ENGINEER



1ST ENGINEER



2ND ENGINEER



3RD ENGINEER

## DISTINCTIONS

Prod.no 71209-11

(Chief Electrician)

Prod.no 71209-10 (Electrician)

Prod.no 71209-12 (Steward)



CHIEF ELECTRICIAN



ELECTRICIAN



STEWARD

### PROTECTIVE SHOE

Prod.no 938-UE10013



For general use, indoors and outdoors. Sliding protection, Nailing trunk, toe cap, Water repellent. Shoe certificate: EN ISO 20345

Sizes: 35 - 48

### FORMA SPIDER 2 SAFETY SHOES, S3

Prod.no 940-72-820



Shoes with simple tightening mechanism. TPU / PU sole. Aluminum toe cap for better protection. Soft nail protection. ESD approved.

Sizes: 37 - 48

### FORMA SECOR BEAT SAFETY SHOES S3 ESD

Prod.no 940-14234



Lowshoe Secor Beat - waterproof, with protective toe and nail protection.

Sizes: 36 - 48

### HAIX FIRE BOOT

Prod.no 940-2000-1190-10



Full gain and waterproof/breathable fire boot. EN 15090: 2012, F2A HI3 CI AN SRC

Size: 41-48

### DUNLOP PROTOMASTER RAINBOOTS S5 SRA

Prod.no 940-53400



PVC rain boots with steel toe and nail protection. Antistatic.

Sizes: 36 - 48

### BOOTS WITH NO LINING

Prod.no 940-6102-122



Upper of leather. Comfortable PU / PU sole. Light, spacious, metal-free and antistatic. Composite toe cap. Soft nail protection. Removable insole. EN ISO 20345: 2011, S3 SRC

Sizes: 36 - 48

### FILT SOLES

Prod.no 938-B115



Sizes: 36 - 48

### KNEEPADS PAIR

Prod.no 938-KPS290



### **MOLDEX SPARK PLUG EAR PROTECTION**

Prod.no 938-7800



Foam plugs. Comfortable for long time use. Box of 200 pairs. SNR 35 EN 352-2

### **PELTOR 3 EAR MUFFS**

Prod.no 938-H540A-411  
with headband  
Prod.no 938-H540P3E-413  
ear muffs for helmet  
Prod.no 938-HY54 Spare set



Ear muffs with head bail developed for extremely noisy environments. Double shield reduces the resonance. Maximum muting of high and low frequency sounds. EN 352-1.

### **OFFSHORE BAG**

Prod.no 940-10160



Carrying straps, shoulder strap, ID card pocket on inside of bag. Black PVC. 60X30X30 cm

### **CENTURION COOLCAP S28**

Prod.no 940-28-100



Cap with short shadow and protection. Breathable. EN 812

### **V-GARD MSA HELMET**

Prod.no 940-912-520



Light safety helmet produced in ABS plastic weighing 350g. Drain for rain, fitting for earmuffs, short brim and low in the neck. Comfortable perspiration absorption band in front and back. Certified according to EN 397.

### **HEAD LIGHT FOR HELMET**

Prod.no 2577801



Model: H6  
Light: 200LM  
Batteri: 3xAAA  
Light lenght: 120 meters  
Burn time: 60 hours

## HALF GAS MASK

Prod.no 938-7000



Half gas mask EasyLock filter system.

Sizes: S, M, L

## WHOLE GAS MASK

Prod.no 938-9000



Whole gas mask Easylock filter system.

Sizes: S, M, L

## STORAGE BOX

### FOR WHOLE GAS MASK

Prod.no 938-999501



## FILTER

*can be used on both, Half gas and Whole gas masks, and are sold pr. pair:*

Prod.no 938-9020 – EasyLock Particle filter P2 RD

Prod.no 938-9100 – EasyLock Gas filter A1

Prod.no 938-9200 – EasyLock Gas filter A2

Prod.no 938-9400 – EasyLock Gas filter A1B1E1K1

Prod.no 938-9230-12 – EasyLock Combi filter A2P3 RD

Prod.no 938-799501 – Storage box for one half mask



## SHORT TERM MASK P2

Prod.no 938-8006180

Prod.no 938-8006181 w/ valve



An affordable option from the Italian quality manufacturer BLS

- Optimized fit
- Noseclip for better fit
- Double strap in synthetic rubber, founded
- Protects against solid and liquid particles
- For single use

Packed: 20 pcs pr. box



### SAFETY GLASSES SGI GROLLS

Prod.no 938-SILPSI

Prod.no 938-SILPSF



Protective goggles for general use. Highest mechanical protection (F). Highest optical class (1) Adjustable nose pads.

Antiripe / Antidugg / Anti UV / Anti-static Polycarbonate Lenses.

EN 166 F / EN 170

### SAFETY GLASSES SGI GROLLS

Prod.no 938-30518 Clear lens anti dew

Prod.no 938-30519 Grey lens anti dew



Brass setting. Soft pvc nose pads. Anti scratch, anti dew, Anti UV polycarbonated lens. Is delivered with storage bag

EN 166, 170, 172

Weight: 34 g.

### UVEX GOGGLE

Prod.no 938-30500



Comprehensive spectacle in soft PVC

- Highest mechanical protection (B)
- Highest optical class (1)
- Anti scratch / anti-fog polycarbonate lenses

EN 166 B

### EYEGLOSS POLISH STATION

Prod.no 938-B410



Eyeglass polish station with 400 pcs polishing cloth + 250 ml spray bottle.

### DISPOSABLE COVERALL

Prod.no 938-PB-CHF5S-WH (M-XXL)

Prod.no 938-TYV-CHFSS-WH (S)



Disposable light coverall with hood. Elasticated hood, arms, legs and life.

Sizes: S - XXL

### SHOE COVER

Prod.no 73881



Disposable shoe cover. 50MY. 2000 pr. box.



### **BULLSKIN GLOVES**

Prod.no 955-103.4190



Gloves for dry work and light mechanical industry. EN 420, 388, 3134 cat. 2.

Sizes: 9 - 12

### **GOATSKIN GLOVES**

Prod.no 938-442110



Powerful goatskin work glove for work in dry environments. Construction industry, Indoor, Forestry, Roofing, Outdoor, Workshop Reinforced fingers, Reflex, Silicone-free. EN 388

Sizes: 7 - 12

### **GLOVES**

Prod.no 955-115.9001



Produced for extreme working conditions within the oil and gas industry, the mining industry and related industries. Shock absorbing very high cut protection ACC. A 388 Cut level 5. Good, breathable properties. Can be washed in the machine. EN 420, 388

Sizes: 9 - 11

### **GLOVE GOATSKIN UNLINED**

Prod.no 938-OF-2100



Smooth goatskin glove for precision work in dry environments.

Certificate: EN 388

Sizes: 8 - 11

### **ODIN® PERFORMANCE PIG LEATHER GLOVE**

Prod.no 940-6-6290



Leather inside the hands and fingers. Nylon with stretch on top.

EN 420, 388 cat2

Sizes: 6 - 11

### **SEMI QUILTED WATER REPELLENT GLOVES**

Prod.no 955-107.8105



MicroSkin Shield® with Spandex® handrail, Velcro, unlined

Flexible and good fit. Good grip and high sensitivity. Machine washable. Drip Dry. Suitable for: Mounting work and other tasks with extremely high requirements for finger sensitivity, flexibility and grip.

Sizes: 8 - 11

### **GLOVE NITILECOATED NYLON, BLACK**

Prod.no 938-UNI400



For handling of small objects in the dirty environment. Nitrile coating withstands oil and grease. Knitted nylon. Flexible and durable. Half Dipped micro-porous nitrile.

EN 388 - 4121 Mechanical Protection

Sizes: 7 - 11

### **NITRILE GLOVES (FOR CHEMICAL)**

Prod.no 938-RNF16



Resistant to grease, oil, detergents and certain solvents. EN 388, 374 cat. 3.

Sizes: S - XXL

### **JANUS PRO LONGS ANTIFL/ ANTISTAT**

Prod.no 947-4451-888



EN ISO 11612

Sizes: S - XXL

### **JANUS PRO SWEATER ANTIFL/ ANTISTAT**

Prod.no 947-4451-890



EN ISO 11612

Sizes: S - XXL

### **THERMO JACKET ANTIFLAME**

Prod.no 70490



EN ISO 14116

Sizes: S-XXL

### **T-SHIRT**

Prod.no 71206-1 (navy)



Profile T-shirt in combed cotton. Pre shrunk.

Quality: 100% combed cotton.  
Single jersey knitted.  
30 thread.

Sizes: S - XXL

### **JANUS PRO HOOD ANTIFL/ ANTISTAT**

Prod.no 947-4451-875



EN ISO 11612

Sizes: One size

### **WOOL SOCK - 2 PACK**

Prod.no 938-966-15



Extra warm and comfortable sock.  
2 pairs per pack.

Sizes: 35-38, 39-42, 43-46, 47-50

### **THINSULATE HAT**

Prod.no 938-310000099



Knitted hat in acryl. Quilted with Thinsula.

Sizes: One size

## CEDERROTH EYE RINS 2X0,5LTR

Prod.no 938-725200



Contains: 2 x 500ml Eye rinse.

## PLUM EYE WASH BOTTLE

Prod.no 938-4604



- Specially developed eye cup as head flushing liquid directly into the eye
- For single use
- Suitable for mobile workplaces, where there is no access to eye irrigation
- Durability 3.5 years

## SNÖGG COMBI MEDICINE CASE

Prod.no 946-021040



Contains everything you need on the site.

## PLASTER ROLL REFILL SOFT 1 GLUEFREE

Prod.no 73039



SOFT1 is a blood absorbent, skin-friendly, cross-elastic and glueless patch that provides great flexibility in ledd.SOFT1 glueless patch is abrasive and does not attach to the skin, hair or wounds. SOFT1 glueless patch notes even if the skin is dirty or wet.

Height: 500 cm  
Width: 6 cm

## SNÖGG COMBI REFILL FOR MEDICINE CASE

Prod.no 946-024505



Complete content for Combi medicine case.

## ELASTIC HARNESS W/ EKSTRA PADDING

Prod.no 938-UN50113



Attachment point in the back and chest. Separate regulation for bones and shoulders. Strap on leg and shoulders for extra comfort. Fall indicator. Quick links.

Size: One size

Standards: EN 361 - Harness

## FALLSAFE VEST KL.2 EN471

Prod.no 938-UN50117



Electric insulating harness with support belt and coated couplings. Attachment point in back and chest. Separate regulation for legs and shoulders. Quick links. 120 kg work load.

## HARNESS WITH PES COATING

Prod.no 938-FS233



Harness with PES coating. Attachment point on chest. Made for dirty work Areas such as paint, oil, industry and the like. All metal parts in aluminum and stainless steel.

Size: One size

Standards: EN 361 - Body Straps

## TECHNICAL HARNES FOR CLIMBING/RESCUE

Prod.no 938-UN50112



Focal point in the back and chest. Fixing point for hanging work and rescue / evacuation. Support Belt. Separate regulation for bones and shoulders.

Size: One size

Standards: EN 358 - Belts for positioning and position limitation and support straps, EN 361 and EN 813

## SHOCK ABSORBER

Prod.no 938-UN50212



Shock absorber with elastic Y line 1,5m Including 1 pcs 20mm karabiner for attachment to harness, 2 pcs 60mm karabiner for attachment to structures. Can be used at heights where attachment point is at minimum 5,75m above underlying level.

## FALLARREST BLOCK

Prod.no 938-UN50410



Low weight approx. 1.8kg. Fall indicator. 6 meter 17mm Kevlar / Polyester crank strap. 120 kg workload.

Standards: EN 360 - Fallarrest - Self-supporting catches

## FALLARREST BLOCK

Prod.no 938-UN50408



Very robust block of components in stainless steel AISI. Fall indicator. 140 kg workload. 5,9kg.

Standards: EN 360 - Fallarrest block - Self-supporting catches

## WORK POSSITIONING

Prod.no 938-UN50301



Work positioning rope 2m. Use as addition to fallarrest to support the user in work position, can be used with harness UN50212 or other work positioning belt.



## TRIPOD WITH ADJUSTABLE HEIGHT, 147-230CM.

Prod.no 938-UN50505



Tri-pod with adjustable height 147cm - 230cm. 500kg capacity and 22kN breaking force.

## FALL ARREST BLOCK W/INT. RESCUE WINCH 100KG CAP

Prod.no 938-UN50412



Fallarrestblock 25m with integrated rescuewinch, 100kg capacity. To be used in confined spaces where quick rescue is essential. Can also be attached on the UN50505 tri-pod with bracket UN50513

## BRACKET FOR UN50412 TO BE USED ON UN50505 TRI-POD

Prod.no 938-UN50513



Bracket for UN50412 to be used on UN50505 tri-pod

## FALLSAFE VEST KL.2 EN471

Prod.no 938-FS7130-30



HV vest, EN 471 kl. 2  
Suitable for FS2018, FS2002, FS2025  
Standards: EN 471 Kl.2

## RESCUE DEVICE FOR 1 PERSON

Prod.no 938-FS905-15



Descend/rescue device for 1 person, example crane operators. 15m  
Fits easily to harness.

## PULLEY FOR RESCUE 2 MTR

Prod.no 938-FS 910-2M



Pulley to use under rescue of personel, makes it possible to lift the person single handed to safely release the person from his fallarrest.

## NEIL ROBERTSON STRETCHER FERNO 6090040

Prod.no 70894



Neil Robertson stretcher designed for use in difficult or unconventional rescue circumstances where a patient needs to be lowered or lifted to safety.

Length 147cm - Width 95cm - max capacity 136 kg

### CLIMBING HELMET WITH HEADBAND

Prod.no 940-9773-50



Light helmet approved for industry use, rescue, climbing etc.  
EN 12492

Color: white

### KNIFE STAINLESS BLADE

Prod.no 20131



Knife - 95mm blade length -  
205mm total length - Stainless

### STEEL SLING W/CARABINE HOOK

Prod.no 938-UN50808



At Work fastening sling steel wire  
Art. UN50808 1m  
• 1 Carbine hook 18mm

### ATTACHMENT POINT H BEAM

Prod.no 938-UN50806



At Work attachment point H-beam  
Art. UN50806  
• Adjustable 95 - 400mm  
• Aluminium

### ATTACHMENT SLING, WEBBING

Prod.no 938-UN50802



### ELASTIC TOOL HOLDER

Prod.no 938-UN50902



### BACK PACK FOR FALL ARREST EQUIPMENT

Prod.no 938-UN51005



Shipped back pack has Univern  
logo in front.

## PROMASK FULL FACE MASK F/AIRLINE

Prod.no 938-5512781



Full mask for compressed air.  
Natural rubber. Comes with hose  
already attached.

## REGULATOR FOR KESAF AIRLINE AND FULL FACE MASK

Prod.no 938-5062580



Regulator with belt

## HOSE 30MTR AIRLINE

Prod.no 938-5061130



Hose 30 mtr incl. connections.

## HOSE ADAPTER

Prod.no 938-5064551



Hose Adapter for AFU300 / AFU600

## AIRFILTER 2 PERSONS


Prod.no 938-AFU600



Cleans the air from the compres.  
EN 1839

938-2004890 Coalescing Element - (AFU 600) no. 20  
AFU600 filter that should be changed after a while  
938-2004881 Filter Element no. 6  
938-2004886 Charcoal Filter no. 14  
938-2004884 Pre-filter no. 17

See next page for illustration.



**Egersund  
Trading**  
Part of AKVA group

**Egersund Trading AS**

Tlf.: 55 08 85 00

[trading@egersundgroup.no](mailto:trading@egersundgroup.no)

[www.egersundtrading.no](http://www.egersundtrading.no)