

CATALOGUE

23-25 Paarden Eiland Road, Paarden Eiland, 7405
Cape Town, South Africa

Tel: +27 (021) 511-1889

Fax: +27 (021) 511-7910

Email Address: info@jdship.com

Web Address: www.jdship.com

INDEX


FLAGS	3
LADDERS	4-5
REEFER POWER	5-6
ROPES	7-10
PROTECTIVE AND SAFETY WEAR	10
BOILERSUITS	10-14
OFFICERS UNIFORM	15-18
CHEFS UNIFORM	18-19
GLOVES	20-22
SOCKS	23
FOOTWEAR	23-31
JACKETS	32-33
RAINSUITS	33
VESTS / BIBS	34-35
RESPIRATORY	35-38
EAR PROTECTION	38-39
HEAD PROTECTION	40
DUSTCOATS	41
EYE PROTECTION	41-43
FALL ARREST	44-45
PEAK CAPS	45
REFRIGERANTS & GASES	45-47
CONTAINER LASHING EQUIPMENT	47-49
CONTAINER DESICCANTS	50
LIFESAVING EQUIPMENT	51-56
BATTERIES	57
BEARINGS	57
BOLT AND NUTS	57
CABLES	57
CHEMICAL PRODUCTS	58
CLEANING PRODUCTS	58
FILTRATION PRODUCTS	58
LUBE OIL	59
MEDICAL PRODUCTS	59
PROMOTIONAL PRODUCTS	59
SAFETY SIGNS	60
STEEL PRODUCTS	60
TIMBER AND BOARDS	60
VALVES	61
WELDING PRODUCTS	61
WOODEN CRATES AND PALLETS	61

FLAGS

CODED FLAGS



Alpha Flag: A blue and white International Code Flag A (or Alpha flag), at least 1 meter (3.3 feet) high and visible from all directions. Flown from a vessel. Available in all sizes.



Numeric Flag: There are forty flags to each set of these nautical flags, including the alphabet, numerals, repeaters and a code-answering pennant. All are in approved colours, sewn throughout, and are made with absolutely the finest flag workmanship. Available in all sizes.

GENERAL FLAGS




Country Flag – Land: General Country Flags. Available in all sizes.



Country Flag – Sea: General Country Flags which is used at sea for identification. Available in all sizes.

LADDERS




Pilot Ladder: Spreaders Available - Polymer, Aluminium and Wooden. Steps Available - Polymer, Aluminium, Wooden and Rubber. Available in various lengths. Manufactured to the client's specification.



Embarkation Ladder: Steps Available - Polymer, Aluminium, Wooden and Rubber. Available in various lengths. Manufactured to the client's specification.



Aluminium Extension Ladder: Nests. Manufactured in accordance with SABS 1304. Non slip PVC feet. Replaceable 'D' rungs. Pole rung and safety chain fitted standard. Available in closed heights of 3.3 metres extendable to 6 metres and 4.8 metres extendable to 9 metres.



Steps: Available in Aluminium, Polymer, Rubber and Wooden. Used to manufacture Pilot and Embarkation Ladders.



Spreaders: Available in Aluminium, Polymer and Wooden. Used to manufacture Pilot Ladders.

REEFER POWER



Generators: Kipor Ultra Silent. Customised to your specifications. Can be loaded onto Trailer. Hydraulic Spotlights can also be fitted. Available in 16 kVa, 20 kVa, 25 kVa, 35 kVa, 45 kVa, 60 kVa & 100 kVa



Distribution Board: Available in 8, 12 or 24 Plug. Complete with 5 Metre Power Cable. Customized Power Cables available from 10 to 75 Metres.



Extension Cables: Texoprene 4x4. Available in 10, 20, 30, 40 and 50 Metres. Customized sizes also available.



Mennekes 3 Way Splitter Box / Pigtails: Used to Split Cables with Plugs or Connectors on each end.



Mennekes Connectors: In-line connectors feature dead-front construction for safety and use split brass solid sleeves. Connected to either end of Texoprene 4x4 Cable. Customized lengths for your specific needs.



Mennekes Plugs: In-line plugs feature non-metallic housings with locking rings and gaskets for watertight protection. Connected to either end of Texoprene 4x4 Cable. Customized lengths for your specific needs.



Mennekes Switched Socket with Interlock: Interlock mechanism prohibits the switch from being turned "ON" unless the plug is fully inserted. The plug cannot be removed unless the switch is in the "OFF" position.

ROPES



Manilla Rope: 3 Strand. Strongest natural fiber rope made from the finest abaca fiber available. A highly abrasion resistant, low stretch rope with good knot holding characteristics. In order to maintain strength, must be stored in a dry, cool place. Available in all sizes and weight.



Polypropylene Rope: General purpose rope for a variety of marine applications. Good chemical resistance. Very little water absorption. High abrasion resistance and longer working life as opposed to split film. Non torque construction. Polypropylene rope will float and maintain its flexibility and strength in both wet and dry conditions. Available in all sizes and weight.



Nylon Rope: 3 Strand. General purpose rope for dynamic loading. Nylon has excellent stretch and recovery characteristics, and is used in many anchoring and mooring applications. When new, nylon ropes can stretch up to 35% of their length before break. Stretch characteristics will reduce relative to the amount of use and can lose 10% of its tensile strength when wet.



Polyester Rope: 3 Strand. General purpose sinking rope that remains flexible and easy to handle when wet. Polyester has excellent UV and abrasion resistant properties and will not shrink or lose strength when wet.



Polyethylene Rope: 3 Strand. General purpose, UV resistant floating rope. Polyethylene has an excellent resistance to abrasion, as well as to shock loading. The rope performs well on line haulers and is particularly well suited for small, individual trap fishing applications. The ropes have a smooth, slippery finish and are easy to handle. Polyethylene does not have the same tenacity as Poly steel and when used in a similar application, a larger diameter polyethylene rope should be used. General purpose, UV resistant floating rope.



Polysteel Rope: 3 Strand. General purpose, UV resistant floating rope. A low cost, low weight (floating), UV resistant, and a high quality tensile synthetic rope, manufactured from extruded copolymer fibers, whose properties result in ropes that size for size are almost triple the strength of traditional manila natural fiber ropes, and almost 50% stronger than conventional tape polypropylene ropes. These ropes have a very good abrasion resistance and are manufactured in various colors, and to different specifications depending on their particular use and customer requirements.


Fire retardant options available on request.



Anchor Braid: 100% 8 plait high tenacity polyester. This rope is specifically designed and built for strength, stretch & longevity and is perfect for mooring applications



Basket Braid: Flat polyethylene braid. General purpose flat polyethylene braid perfect for nets.



Mixed Braid: Flat polyester/polyethylene braid. General purpose rope perfect for repairing nets.



Nylon Braid: Round or flat constructions. General purpose braid




Polyester Braid: Round or flat constructions. General purpose braid.



Polyethylene Braid: Round or flat constructions. General purpose braid.



Sheet Line: This rope is perfect for a Laser mainsheet.



Shock Cord: High stretch elastomer covered with a polyester braid. This cord is primarily designed for securing objects.



Ski Rope: Flat polyethylene braid. General purpose flat polyethylene braid perfect for water sports because of its floating characteristics.

PROTECTIVE AND SAFETY WEAR

BOILERSUITS



Disposable Boilersuit: White. Available in all sizes.



JDS Uniform Boilersuit: 8 Pockets + Arm Pocket for Pens. Easy Hip access area to body. Long or Short Sleeve. Lapels for Epaulettes. Velcro Strip for Name Tag. 100% Cotton. Elastic Waist. Zip up. Available in Royal Blue, Pale Blue, Navy Blue, Grey, Black, Green, White or Orange.



JDS Uniform Boilersuit - High Visibility: 8 Pockets + Arm Pocket for Pens. Easy Hip access area to body. Long or Short Sleeve. Reflectors on Shoulders, Arms and Legs. Lapels for Epaulettes. Velcro Strip for Name Tag. 100% Cotton. Elastic Waist. Zip up. Available in Royal Blue, Pale Blue, Navy Blue, Grey, Black, Green, White or Orange. Available in Flame Retardant Material.



JDS Uniform Conti Suit: Jacket - 4 Pockets + Arm Pocket for Pens. Trouser - 6 Pockets. Long or Short Sleeve. 100% Cotton. Elastic Waist. Velcro Strip for Name Tag. Lapels for Epaulettes. Zip up. Available in Royal Blue, Navy Blue, Grey, Black or Pale Blue.



JDS Working Boilersuit - High Visibility: 7 Pockets. Long or Short Sleeve. 100% Cotton. Zip up. Reflectors on Shoulders, Arms and Legs. Available in Royal Blue, Green, Pale Blue, Navy Blue or Orange.



JDS Uniform Rigger Boilersuit: 7 Pockets + Arm Pocket for Pens. Easy Hip access area to body. Long or Short Sleeve. 100% Cotton. Elastic Waist. Double flap bottom for Rigger Boots. Zip up. Available in Red only. Available in Flame Retardant Material.



JDS Uniform Rigger Boilersuit - High Visibility: 7 Pockets + Arm Pocket for Pens. Easy Hip access area to body. Long or Short Sleeve. Reflectors on Shoulders, Arms and Legs. 100% Cotton. Elastic Waist. Double flap bottom for Rigger Boots. Zip up. Available in Red only. Available in Flame Retardant Material.



JDS Working Boilersuit – High Visibility:

7 Pockets. Long or Short Sleeve. 100% Cotton. Button up. Available in Royal Blue, Green, Pale Blue, Navy Blue or Orange.



JDS Working Conti Suit - Mr. Engineer

Denim: Jacket - 3 Pockets. Trouser - 4 Pockets. Long Sleeve. 100% Cotton. Elastic Waist. Button up. Available in Denim Blue only.


OFFICERS UNIFORM



Officers Socks: Available in Black or Navy Blue. 100% cotton.



Officers Tie: Available in Black or Blue.



Epaulettes: Soft and Hard. Available in all Officers Rankings including Cadet, all Engineer Rankings including Cadet, Electrician, Purser and Pilot.



JDS Officers Belt: Black.
Available in Leather or Netting.



JDS Officers Jersey: Black or Navy Blue. 100% Wool. Lapels for Epaulettes. Available in all sizes.



JDS Uniform Jacket: Trev Wool. Black. Complete with ranking on lower sleeve. Available in all sizes.



Lounge Shirt: White. Long Sleeve or Short Sleeve. 100% cotton. Available in all sizes.



Officers Shirt: White. Long Sleeve or Short Sleeve. Lapels for Epaulettes. 100% cotton. Available in all sizes.



Officers Beret: Available in Black.



Officers Shoes: Black or White. Available in all sizes.



Officers Hat: Available in White.



Officers Trousers: Radford Style.
Available in Black or White. 100%
Hi-tech Poly.

CHEFS UNIFORMS



JDS Chefs Apron: White or Denim.
Available in Half or Full sizes.



JDS Chefs Hat: White. Available in Mushroom.



JDS Chefs Jacket: White. 100% cotton. 10 Buttons. Available in all sizes.



JDS Chefs Trouser: Blue and White Check or Black. 100% cotton. Elastic waste. 3 Pockets. Available in all sizes.

GLOVES



Candy Stripe Glove: Candy Premium quality chrome double reinforced leather palm, Denim back with green leather reinforced thumb index and palm.



Cotton Glove: 100% cotton. Very soft, breathe freely, warm, and protective.



Pigskin Leather Glove: Tan. Natural cowhide split leather glove, patch back, double patch palm inside, without lining.



Nitrile Industrial Glove: Green. Protects against Chemical Acids and Oil Detergents.



Polka Dot Glove: White. A budget priced glove, suitable for general handling tasks and light site work. Polka dots provide a positive grip, ideal for handling slippery or smooth items, provides users with good all round protection. Polka dots available in mixed colours.



PVC Glove: Maroon, Blue and Brown. Protects against Chemical Acids and Oil Detergents.



PVC Glove - Elbow Length: Maroon.
Protects against Chemical Acids and Oil
Detergents.



PVC Glove - Shoulder Length: Maroon.
Protects against Chemical Acids and Oil
Detergents.



Cold Store PVC Glove: Orange. Fur lined.
Protects against Chemical Acids and Oil
Detergents.



Ninja HPT Glove: 15 Gauge Nylon shell with
Hydropellant Technology coating HPT process
creates soft, spongy, durable coating that
repels Liquids to provide firm wet and dry grip.

SOCKS




Industrial Socks: On the go. For all purpose Industrial and Outdoor purposes. Half Hose. Available in Grey or Navy Blue.

FOOTWEAR



Jallatte Jalaska Rigger Boot: Upper : Natural full grain AP23™ leather. Oil and water-repellent. Sole : Dual density Softane™ with progressive shock absorber. Standard : EN 345-1 S3 with steel midsole and toecap (200 Joule). Performance Jallatte®'s renowned AP23™ leather is unaffected by spilled or splashed liquids. The Softane™ outsole's multi-directional, self-cleaning sole patterns guarantee excellent adherence on oils and hydrocarbons. The Softane™ sole has a built in progressive heel shock absorber which is effective through a range of impact profiles. Comfortable, flexible and built to last.



Bova Maverick Boot: A rugged hard-wearing Safety Boot. Black. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Padded bellows tongue for extra comfort, Energiser top sock for additional comfort, Genuine leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 4-13



Bova Neoflex Boot: A high-wearing unisex safety boot with all-leather upper and bellows tongue. Black or Richmond. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Energiser top sock for additional comfort, Engineered with a rear reflective tab, Full Grain leather upper, Steel or kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 3-15



Bova Neogrip Shoe: A durable high-flex safety shoe with leather upper and tongue. Black or Richmond. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Energiser top sock for additional comfort, Engineered with a rear reflective tab, Full Grain leather upper, Steel or kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 5-13



Bova Chef Shoe: A unisex slip-on safety shoe, ideal for food preparation environments. Black. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Energiser top sock for additional comfort, Padded quarter topline for additional comfort and support, Full Grain leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 4-12



Bova Chelsea Boot: A lace-free unisex safety boot, popular in the agricultural sector. Black or Brown. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Elastic side gussets for extra comfort, EVA cushioned top sock for additional comfort, Engineered with two pull straps for ease of pulling the boot on, Full Grain leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 3-13



Bova Rigger Boot: A tailor-made safety boot for the oil industry. Black or Tan. Double density PU/Rubber sole, Heat resistant up to 300 degrees Celsius, Steel toe cap, Generous styled upper for increased foot space, EVA cushioned top sock for additional comfort, Lowered upper height reduces calf irritation, Full Grain leather upper, Standard with steel midsole, SANS/ISO 20345, NON-CONDUCTIVE. Sizes 5-13



Bova Hiker Boot: An ultra-comfortable unisex safety boot in supple leather. Perfect for work and recreation. Black or Walnut. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Extra wide Steel toe cap, Generous styled upper for increased foot space, Engineered with a Poron insert at the heel and ball of foot for additional comfort, Double Poron/EVA cushioned top sock for additional comfort, Approved by the Podiatry Association of South Africa, Full Grain leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 3-13



Bova Munich Boot: A hard-wearing safety boot with anti-fatigue engineering. Black or Brown. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Extra wide Steel toe cap, Generous styled upper for increased foot space, Engineered with a Poron insert at the heel for additional comfort, Double Poron/EVA cushioned top sock for additional comfort, Approved by the Podiatry Association of South Africa, Full Grain leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 5-13



Bova Trainer Shoe: A versatile lace-up safety shoe in a comfy sport style. Black or Walnut. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Extra wide Steel toe cap, Padded Tongue for Extra Comfort, Full Grain leather upper, Steel or kevlar penetration resistant midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 4-12



Sisi Madonna Shoe: An active safety shoe engineered specifically for women. Black with Purple Trim. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Generous styled upper for increased foot space, EVA cushioned top sock for additional comfort, Four pair eyelet lace up, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 3-8



Sisi Angelina Shoe: A hard-wearing, stylish women's safety shoe with sporty pink trim. Grey with Pink Trim. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Padded bellows tongue for extra comfort, Generous styled upper for increased foot space, EVA cushioned top sock for additional comfort, Five pair eyelet lace up, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 3-8



Bova Radical Shoe: A durable working safety shoe with genuine leather upper. Black. Double density PU/PU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Padded bellow's tongue for extra comfort, Energiser top sock for additional comfort, Genuine leather upper, Steel or kevlar penetration resistant midsole option available, SANS/ISO 20345, ANTISTATIC. Sizes: 4-13



Bova Dakota Boot: A hard-wearing safety boot with superior anti-cut and anti-scuff properties. Black. Double density PU/TPU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Padded bellows tongue for extra comfort, Poron/EVA cushioned top sock for additional comfort, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 5-12



Bova Hawk Shoe: A comfortable safety shoe ideal for exposure to sharp glass or metal shavings. Black. Double density PU/TPU sole, Heat resistant up to 95 degrees Celsius, Steel toe cap, Padded bellows tongue for extra comfort, Poron/EVA cushioned top sock for additional comfort, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, ANTISTATIC. Sizes 5-12



Bova Smelters Velcro Boot: A Kevlar-lined boot for smelting environments. With Velcro straps. Black. Double density PU/Rubber sole, Heat resistant up to 300 degrees Celsius, Aluminium toe cap, The vamp lining and the quarter padding are cut from a special Kevlar blend material in order to reflect all radiant heat away from the foot, Heat resistant Kevlar stitching which withstands temperatures up to 425 degrees Celsius radiant heat, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, NON-CONDUCTIVE. Sizes 5-13



Bova Welders Boot: A welder-specific safety boot with spat covering for extra burn defence. Black. Double density PU/Rubber sole, Heat resistant up to 300 degrees Celsius, Steel toe cap, Padded collar and 1/2 padded bellows tongue for extra comfort, protection and ankle support, Engineered with a spat covering to prevent hot metal burns and exposure to sparks, Full Grain leather upper, Kevlar midsole available, SANS/ISO 20345, NON-CONDUCTIVE. Sizes 5-13



Rebel FX2 Boot: The most affordable, quality safety boot! The FX2 Safety Boot is ISO 20345 and SABS approved, and is a high quality and affordable safety boot which is best described as the best hard working economy boot available. Highly durable full leather upper. Lightweight dual density polyurethane sole, extremely slip resistant. Taibrelle moisture wicking lining. Nickel-free D-rings. Unisex sizes: 2 - 14. Black or Brown



Rebel FX2 Shoe: The most affordable, quality safety shoe! The FX2 Safety Shoe is ISO 20345 and SABS approved, and is a high quality and affordable safety shoe which is best described as the best hard working economy shoe available. Highly durable full leather upper. Lightweight dual density polyurethane sole, extremely slip resistant. Taibrelle moisture wicking lining. Nickel-free D-rings. Unisex sizes: 2 - 13. Black.



Rebel Thazo Ladies Boot: The Thazo boot is ISO 20345 and SABS approved. It is slim, ultra-comfortable and elegant. The high quality materials used include a full grain cow leather upper, side zip for fitting, and a lightweight, dual density polyurethane sole. High performance style. Full grain cow leather upper. Easy fitting design. YKK zip on boot. Lightweight dual density polyurethane sole. Taibrelle moisture wicking lining. Ladies sizes: 2 - 8. Black



Rebel Chukka Boot: The benchmark in quality workboots! The Chukka Boot is ISO 20345 and SABS approved, and has a range of high quality features, including premium leather and very comfortable soles, all while setting the standard for true quality safety footwear suitable for those always on the move. Highly durable full leather upper. Padded bellows tongue for comfort and protection against sparks and shavings. Lightweight dual density polyurethane sole. Ultra-comfortable inner sole. Maxi-grip outer sole – ensuring high durability and slip resistance. Taibrelle moisture wicking lining. Rustproof brass D-rings. Unisex sizes: 2 - 16. Black or Brown




Rebel Hiker Hi Boot: The benchmark in quality workboots! The Hiker Hi is ISO 20345 and SABS approved, and has a range of premium features, including full grain, high quality, waxy leather throughout, and very comfortable soles, all while setting the standard for true quality safety footwear suitable for those always on the move. If you're looking for superior quality and the best comfort, these are for you. Full grain high quality waxy leather upper. Lightweight dual density polyurethane sole. Ultra-comfortable inner sole. Maxi-grip outer sole – ensuring high durability and slip resistance. Taibrelle moisture wicking lining. Rustproof brass D-rings. Unisex sizes: 2 - 14. Black or Brown



Rebel Stealth Chelsea Boot: Tough enough to tread on toes of steel! Our REBEL Safetygear S1 safety footwear boasts state-of-the-art composite toe caps, beating steel in performance, with no compromise on comfort and support. The Stealth Chelsea boot is ISO 20345 and SABS approved. Features include 100% metal free design, with a composite toe cap, a full grain leather with "easy-pull-on" tabs, and a wide fitting last, for added comfort. This is the epitome of comfort in a safety shoe! Full grain leather with "easy-pull-on" tabs. Non-metallic composite toe cap. Wide fitting last, for added comfort. The epitome of comfort in a shoe. Lightweight construction ensures wearer comfort. Dual-density PU Sole for increased durability. Unisex sizes: 4 - 14. Black or Brown



Rebel Expedition Hi Boot: Adventure wear workboots designed to go anywhere. Our Adventure wear range offers you high performance outdoor styling. The Expedition Hi is ISO 20345 and SABS approved. This safety boot features a quality Nubuck leather upper, a rubber toe-bumper, an EVA/rubber and anti-penetration nail guard sole, and a steel shank for torsional rigidity. Nubuck leather upper. Rubber toe-bumper for added scuff protection. EVA/Rubber outsole for high durability and comfort. Tailbrelle moisture wicking lining. Steel shank for torsional rigidity. Hygienic removable cushioned innersole with anti-microbial properties. Anti-penetration nail guard sole. Hydroseal waterproof lining. Unisex sizes: 4 - 13. Black or Brown



Rebel Classic Work Shoe: Our Classic Workboots offer you a classic styled, formal shoe that doesn't compromise on industrial safety features. This Classic Shoe is ISO 20345 and SABS approved. It features a carbon steel toe cap, ultra-comfortable REBEL Safetygear footbed inner sole, and a high quality, full grain cow leather upper. High quality, full grain cow leather upper. Classic styled, formal shoe that doesn't compromise on industrial safety features. EN-ISO 20345 approved carbon steel toe cap. Light weight and comfortable dual density polyurethane sole. Ultra-comfortable REBEL Safetygear footbed inner sole. Taibrelle moisture wicking lining. Unisex sizes: 4 - 13. Black



Rebel Enduro-Max Shoe: Sports shoe technology in a safety boot. The Enduro-Max is ISO 20345 and SABS approved. This versatile safety shoe offers superb ventilation with a durable mesh and Nubuck leather upper, the moulded TPU sole insert gives torsional rigidity and lateral medial support, while the dual density EVA/Rubber sports shoe outsole offers impeccable comfort and traction. Durable Mesh and Nubuck leather upper offering superb ventilation. Rubber toe-bumper for added scuff protection. Moulded TPU sole insert for torsional rigidity and lateral medial support. Dual density EVA/Rubber sports shoe outsole offering superb comfort and traction. Breathable and abrasion resistant Taibrelle lining. Unisex sizes: 4 - 13. Black/Grey



Rebel Chemitrak S3 Boot: A quality chemical, water and heat resistant, anti-penetration workboot. The Chemitrak S3 Boot is ISO 20345 and SABS approved. These specialized workboots have been designed to keep your feet safe in the harshest of conditions. The full grain, high quality S2 (water resistant), black treated waxy cow leather offers high resistance to chemicals, heat, flame, oil and mould. Full grain, high quality S2 (water resistant) – black treated waxy cow leather: – high resistance to chemicals, heat, flame, oil and mould. 100% natural nitrile rubber sole – heat resistant up to 300°C (Degrees Celsius). Anti-penetration steel midsole. Breathable and abrasion resistant blue Taibrella lining. Wide profile carbon steel toe cap #459. Nickel-free D-rings. Hydroseal waterproof lining. Unisex sizes: 4 - 13. Black



Rebel Jigga Boot: A quality heat resistant safety boot. The Jigga is ISO 20345 and SABS approved. A perfect shoe suited for high temperature applications, this boot features a full grain, high quality Barton print leather upper, a dual density PU rubber heat-resistant sole, has a max high temperature application of 300°C (degrees Celsius), and is oil and acid resistant. Full grain high quality Barton print leather upper. Breathable and abrasion resistant Taibrelle lining. Dual density PU/Rubber heat-resistant sole. High temperature application maximum exposure of 300°C. Oil and acid resistant. Excellent wearing properties – longer life sole. Increased resistance to penetration. Unisex sizes: 4 - 13. Black



Rebel Hi-Top Boot: The new REBEL Safetygear Platinum Collection offers you the latest safety innovations in safety footwear products that are also built to look genuinely good and offer extreme comfort. The Hi-Top boot is ISO 20345 approved. This stylish Workboot offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance. Unisex sizes: 4 - 13. Brown



Rebel Lo-Top Shoe: The new REBEL Safetygear Platinum Collection offers you the latest safety innovations in safety footwear products that are also built to look genuinely good and offer extreme comfort. The Lo-Top shoe is ISO 20345 approved. This stylish safety shoe offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance. Unisex sizes: 4 - 13. Charcoal



Rebel Crazy Horse Boot: The new REBEL Safetygear Platinum Collection offers you the latest safety innovations in safety footwear products that are also built to look genuinely good and offer extreme comfort. The Crazy Horse boot is ISO 20345 approved. This stylish Workboot offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance. Unisex sizes: 4 - 13. Brown



Wayne Gripper Boot: PVC uppers for optimum flexibility and abrasion resistance, Available with or without steel toe cap, PVC sole for durability, The cleated sole design provides maximum slip resistance, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Optimal toe-spring for walking and kneeling, PVC Sole, PVC Upper, Sizes: UK 5 – 13



Caterpillar Holton Boot: Black, Brown or Honey. Full Grain Leather/Nubuck. Taibrelle Textile Lining With Moisture Wicking Properties. Outer Material: Leather. Inner Material: Textile. Sole: Gum Rubber. Closure: Lace-Up. Heel Type: no-heel. Material Composition: Leather. Ortholite Anti-Bacterial Cushioned Insole. Goodyear Flex Welt. Rubber Sole. Steel Toe. Sizes: UK 4 – 12



Caterpillar Propane Boot: Black or Brown. Upper: Pull Up Leather. Lining: Nylon Mesh. Sock Liner: Removable, Perforated EVA with gel Technology Insert. Midsole: Poured PU. Outsole: T870 Ultra Work Compound. Construction: Poured. Safety Features: Electrical Hazard, Slip Resistant, Steel Toe. Sizes: UK 4 – 12

JACKETS



Bunny Jacket - High Visibility: Yellow, Orange or Navy Blue. Polyester Cotton with Cotton Woven on the inside to ensure maximum comfort. Removable Sleeves. Reflective Tape on Chest and Arms. EN471 Standard.



Bunny Jacket - High Visibility: Yellow. Polyester with Cotton Woven on the inside to ensure maximum comfort. Reflective Tape on Chest and Arms. 100% Waterproof. EN471 Standard.



Two Tone Rain Jacket - High Visibility: Yellow & Navy or Orange & Blue. Made from ISO denure twill polyurethane oxford breathable fabric with encapsulated vinyl. Reflective Tape on Chest, Shoulders and Arms. Includes a detachable lining and a hood in the collar. 100% Waterproof. EN471 Standard.



Rain Jacket - High Visibility: Orange or Yellow. Made from ISO denure twill polyurethane oxford breathable fabric with encapsulated vinyl Reflective Tape on Chest, Shoulders and Arms. Includes a detachable lining and a hood in the collar. 100% Waterproof. EN471 Standard.

RAINSUITS



Two Tone Rainsuit - High Visibility: Lime & Black, Orange & Black or Navy Blue . Made from ISO denure Oxford Non breathable fabric with a PVC Coating. Has a 25mm wide silver open bead Reflective Fabric on Chest, Shoulders, Arms and Legs. Has high visibility knitted lining and a hood in the collar. 100% Waterproof. EN471 Standard.



Econo Rainsuit - High Visibility: Yellow or Orange. Basic Rainsuit with Reflective Tape on Chest, Shoulders, Arms and Legs. EN471 Standard.

VESTS / BIBS



JDS Vest - High Visibility: Yellow or Orange. Reflective Tape on Shoulders and Chest. 4 Pockets. Can be custom made. EN471 Standard.




Vest - High Visibility: Yellow, Orange, Navy Blue, Black, Green or Red. Reflective Tape on Shoulders and Chest. Card Holder. EN471 Standard.



Two Tone Vest - High Visibility: Yellow & Orange or Yellow & Green. Reflective Tape on Shoulders and Chest. Card Holder. EN471 Standard.



Poly Vest: High Visibility. Reflective Tape on Shoulders and Chest. Card Holder. Poly. Zip up. EN471 Standard. Available in Lime, Orange, Navy Blue, Black, Green, Pink or Red. Flame Retardant Material in Lime and Flame Retardant Reflective Tape also available to order.



Airtex Mining Bib: High Visibility. Cross and Stripe Reflective Tape. Available in Lime or Orange.

RESPIRATORY



A2 Cartridge: Respiratory Replacement Cartridge for Gas or Vapour Protection.



ABEK1 Cartridge: Respiratory Replacement Cartridge for Acid and Ammonia Gas or Vapour Protection.



FFP1 Respiratory Mask: Respiratory Mask for Dust Protection



FFP1 Respiratory Mask with Valve: Respiratory Mask for Dust Protection.



FFP2 Filter: Respiratory Replacement Filter for Dust Protection.



FFP2 OV Respiratory Mask with Valve: Respiratory Mask for Welding Protection.



FFP2 Respiratory Mask: Respiratory Mask for Dust Protection.



FFP2 Respiratory Mask with Valve: Respiratory Mask for Dust Protection.



Full Face Mask: Respiratory Mask for full Face and Gas or Vapour Protection.



Half Mask: Respiratory Mask for Gas or Vapour Protection.



Half Mask – Thermoplastic:
Respiratory Mask for Spray Painting Protection.

EAR PROTECTION




Foam Earplug – Corded: Used for Ear Protection.



Perflex Earplug: Used for Ear Protection.



Re-useable Earplug – Corded: Used for Ear Protection.



Quiet Earplug – Corded: Used for Ear Protection.



Over-the-Head Earmuff: Used for Ear Protection. NRR is 30 decibels. Noise entering the ear is 62 dBA



Over-the-Head Earmuff: Used for Ear Protection. NRR is 25 decibels. Noise entering the ear is 67 dBA



Hard Hat Earmuff: Used for Ear Protection. Attaches to Hard Hat. NRR is 23 decibels. Noise entering the ear is 69 dBA

HEAD PROTECTION



Face Shield: Clear Visor. Used for Head and Face Protection.



Earmuff Hard Hat: Available in all colours. Grade 1 Quality. Complete with an inner lining (Leather or Stazon), Chin Straps and Clips for Earmuffs. Sweat Towel Bands for Inner Lining are Optional. Used for Head and Ear Protection.



Hard Hat: Available in all colours. High Viz Orange & Yellow also available. Grade 1 Quality. Complete with an inner lining (Leather or Stazon) and Chin Straps. Sweat Towel Bands for Inner Lining are Optional. Used for Head Protection.

DUSTCOATS



JDS Ladies Dust Coat: Available in all sizes. 100% Cotton. Assorted colours.



JDS Mens Dust Coat: Available in all sizes. 100% Cotton. Assorted colours.

EYE PROTECTION



Raven Avenger: Used for Eye Protection.



Raven Concorde: Used for Eye Protection.



Raven Euro-Spec: Used for Eye Protection.



Raven One Euro: Used for Eye Protection.



Raven Wraparound: Used for Eye Protection.



Welding Goggle: Used for Eye Protection



Uvex Ultra Vision: Used for Eye Protection.
Clear. Anti Fog. Foam Backed. Acelate Lens.



Uvex Black Night Mouth Shield for Uvex Ultra Vision: Used for Mouth Protection



Uvex Over Spec: Used for Eye Protection. Clear Lens.



Uvex Skylite: Used for Eye Protection. Grey Lens.



Uvex Ultrasonic: Used for Eye Protection. Clear Lens. Anti Fog. Polycarbonate Lens.




Sperian A800: Used for Eye Protection. Anti-Scratch or Anti-Fog Coating. Clear, Silver or Grey Lens. Clear or Grey Frame



Sperian XV100: Used for Eye Protection. Anti-Scratch or Anti-Fog Coating or Uncoated. Clear, Silver or Grey Lens. Clear or Grey Frosted Frame

FALL ARREST




Reo Kidney Belt: Unique kidney protection belt. Double elastic straps with Velcro fasteners. Heavy duty elastic for extra support. Black

Reo Back Belt with straps: Unique back support system. Double elastic straps with Velcro fasteners. Heavy duty elastic for extra support



Full Body Harness: For working at height. Full Shock Absorption. Heavy duty webbing. SABS - EN 358:1992. SABS - EN 354/355:1992. Do not remove sleeve from shock absorption lanyard. Replace if used in fall arrest situation. Safety blocks available.



Restrain Belt: For working at height. Restraining lanyard with webbing hook. Waist belt with webbing. NB. NOT FOR SALE AS A FALL ARREST DEVICE



Elasticated Kidney Belt: Double elastic straps with Velcro fasteners. Available in Black.

PEAK CAPS



Peak Cap: High Visibility. Reflective Tape around Cap. Available in Lime or Orange.

REFRIGERANTS & GASES



Freon R134a Gas: R134a is an extremely common refrigerant used in a wide range of refrigeration and air conditioning applications, including medium and high temperature refrigeration (both domestic and commercial), residential & light air conditioning, automotive air conditioning and industrial applications such as centrifugal chillers. It is also a common component in many HFC refrigerant blends and is used in some propellant applications




Freon R23 Gas: R23 is used in very low temperature refrigeration systems. The most common application is in cascade refrigeration systems in the range -40°C to -80°C . R23 can also be used to replace R13 in some equipment



Freon R404a Gas: R404A is an HFC blend that is widely used in low and medium temperature refrigeration applications, such as those used in commercial refrigeration. Whilst it has become the widely accepted alternative to CFC R502, R404A is coming under greater scrutiny due to its high Global Warming Potential, leading to an increased focus on lower GWP alternatives such as R407A, R407F and R442A



Freon R22 Gas: R22 is suitable for a wide range of refrigeration and air conditioning applications across a wide range of temperatures. Therefore it became the most common refrigerant in many applications after the phase out of CFCs.



Carbon Dioxide Gas: Carbon dioxide (CO_2) is a liquefied, colourless gas that can asphyxiate in high concentrations. There are many different sources of CO_2 . It can be obtained from natural CO_2 springs, limestone kilns, fermentation processes and gas streams from chemical and petrochemical plants. It can also be captured from the gas streams emitted by power plants.




Nitrogen Gas: Nitrogen (N_2) makes up the major portion of the earth's atmosphere, accounting for 78.08% of total volume. It is a colourless, odourless, tasteless, non-toxic and almost totally inert gas. It can be an asphyxiant in high concentrations.

CONTAINER LASHING EQUIPMENT



Left Locking Twistlocks: Housing – Ductile Iron, Cone – Drop Forged & Finish – Hot Deep Galvanised. Min Break Load – 40 Ton




Semi-Automatic Twistlocks: Housing – Ductile Iron, Cone – Drop Forged & Finish – Hot Deep Galvanised. Min Break Load – 50 Ton



Bottom Twistlocks – 45/55 degrees: Housing – Ductile Iron, Cone – Drop Forged & Finish – Hot Deep Galvanised. Min Break Load – 30 Ton



Bottom Twistlocks Foundation – 45/55 degrees: Cast Steel & Natural Colour / Painted. Min Break Load – 30 Ton



Bridgefittings: High Tensile Steel & Hot Deep Galvanised. Min Break Load - 50 Ton



Lashing Rod: High Tensile Steel & Hot Deep Galvanised. Min Break Load - 50 Ton



Turnbuckle for Lashing Rod: High Tensile Steel & Hot Deep Galvanised. Min Break Load - 50 Ton



D-Ring: Drop Forged + Steel Plate Foundation & Natural Colour / Painted. Min Break Load - 36 Ton

CONTAINER DESICCANT



STO DRI super-absorbent container desiccant keeps your cargo dry and prevents moisture damage. It is manufactured in South Africa specifically for use in export containers.

Why use STO DRI ? Condensation inside a container arises due to significant temperature variations that cause a damaging moisture-release cycle, which can result in mould, rust on metal parts, collapse packaging or cargo damage. STO DRI effectively and efficiently prevents moisture damage.

Typical Usage

- Coffee beans
- Spices
- Bulk packaged grains
- Cocoa beans
- Cashew nuts
- Soya beans
- Tobacco

STO DRI Benefits

- Absorbs more than 200% moisture relative to its weight
- Highly efficient and market leader in cost effectiveness
- Dimethyl fumarate free which complies with EU Directive 2009/251/EC
- 100% recyclable packaging
- Can be disposed of as normal trade waste
- 12 Strips per carton, 2x 550g sachets per strip

LIFESAVING EQUIPMENT



Fire Blanket: Flame stop fire blanket with ENGLISH text. Packed in a hard box



Fire Extinguisher: Portable fire extinguisher with ABC dry powder. British Standards Institution (BSI) approval of store powder and cartridge type. Suitable for Class A, B, C & electrical hazards. Ideal for industrial, commercial and domestic environment. Colour coded for instant recognition. Available in 6kg & 9kg.



Fire Hose Standard: Width: 1.5", 2" or 2.5". Coupling: Storz C, Storz 38 or Storz 65. Material: Aluminium or Brass. Colour: White. Length: 10, 15, 20 or 25 metre. Other Couplings or Lengths available on request.



Fire Hose Heavy Duty: Synthetic Polydur. Width: 2" or 2.5". Coupling: Storz C or Storz 65. Material: Brass. Colour: Red. Length: 15, 20 or 25 metre. Other Couplings or Lengths available on request.



Handflare: Approved according to EC. Distress signal for lifeboats and liferafts that conforms to SOLAS 74/88. It is also suitable for small vessels and leisure crafts. The Handflare, is equipped with a pull-wire igniter, which is both simple and reliable.



Parachute Signal Rocket: Approved according to EC. Distress signal for ships (bridge), lifeboats and liferafts that conforms to SOLAS 74/88. The parachute signal rocket, consists of 2 main components. Available in Red or White.




Smoke Signal: Approved according to EC. Distress signal for lifeboats and liferafts that conforms to SOLAS 74/88. Floating smoke buoy for marking purposes. The smoke signal, is equipped with a pull-wire igniter. The smoke duration is 3 minutes.



Light-Smoke Signal (MOB): with Lithium Battery. SOLAS. Approved according to EC. Equipment for marking a lifebuoy in man-overboard situations. The smoke signal will be activated by a pull wire igniter and the electric lights will be switched on by a tilt switch. The smoke signal emits dense orange smoke for a total of 15 minutes. The signal is safe on oil or petrol covered water. The signal is manufactured of seawater resistant aluminium and plastic



Line-Throwing Device: Approved according to EC. Establishing of line connection in sea distress situations. Available with one Rocket or without.



Floating Line for Lifebuoy: High tenacity Polypropylene multifilament, 2% UV. Diameter: 8 mm. Lengths: 30, 45 or 60mt



Lifebuoy Light: Approved according to EC. Lifebuoy marker conforming to SOLAS 74/88. The lifebuoy light is a dry cell powered light equipped with a tilt switch for automatic function. It burns for two hours with a light intensity of at least 2 candela and is safe on oil- or petrol covered waters.



Lifebuoy: Approved according to MED. Complies with latest requirement of SOLAS'74/96 and LSA Code. Available in 2.5kg or 4.3kg



Hydrostatic Release Unit for Liferafts: with Shackle. Hammar H20. Approved according to USCG and EC. The Hammar H20 is a hydrostatic release unit for all types of liferafts. It is made of glass fibre and reinforced nylon that enables liferafts to surface and inflate when a ship is sinking.



Hydrostatic Release Unit for EPIRB: Hammar H20. Approved according to MCA. Hammar H20 hydrostatic release units HE-0100/HE-0102 for EPIRB



Viking Inflatable SOLAS Lifejacket:

Buoyancy: 180 Newton, symmetrical. Approved according to SOLAS MSC 48(66) incl. 2010 amendments and EU-directive 96/98/EC. According to regulations, all lifejackets comes with a light, whistle, reflective tape, lifting strap, buddy line and two automatic inflation systems with mounted a crotch strap.



Viking Lifejacket for Offshore: Designed for tough marine and offshore work applications, combining superior in-water performance, durability and a comfortable, ergonomic design. A low-profile compact cover – in a choice of Cordura® or wipeclean fabrics for a durable, yet comfortable, exterior of the jacket. The uniquely designed buoyancy chamber with integrated cleat-attachment system ensures best in-water performance and efficient recovery. Convenient re-packing solutions are available. Available at 180 N, 275 N Symetric and 275 asyetric.



Souwester Lifejacket: The ZERO SOUWESTER is a multi-purpose jacket used for boating yet also a very popular paddling jacket. It is short and has large openings for arms - so perfect for paddling. It is a fully approved jacket with its own NRCS number. Bright Orange for good visibility. Whistle included. Two convenient pockets. 50 - 65N. Various Sizes.



Lifejacket Light: Water activated. Approved according to EC and USCG. All Daniamant Lifejacket lights are designed to deliver, as a minimum standard, the 0.75cd output specification and 8 hour duration required by IMO SOLAS regulations.



Life raft Throw Overboard: Type DK+. Approved according to SOLAS LSA-code, EC directive 96/98/EC and USCG. Throw overboard life raft. The throw overboard life raft is released from its cradle and thrown overboard, or slides automatically when released. Once waterborne, the life raft inflates on a hard pull of the painter line and is then ready for boarding. Delivered in a square or round fibre-glass container. Available in 4, 6, 8, 10, 12, 16, 20, 25 or 35 Persons



Emergency Escape Breathing Device (EEBD): Approved according to SOLAS-EC. Delivered in orange stowage container. The M-20.2 has an operating time of 15-32 minutes depending on the user's level of activity and is specifically designed for maritime use. It is maintenance free for 15 years, and do not require any periodic hydrostatic testing. Moreover it simply require visual inspection every second year conducted onboard by ship's personnel.

BATTERIES AND CHARGERS




Batteries and Chargers: We supply a wide range of Batteries and Chargers to suit any application in the market like 1.5V, 4.5V, 9V, 12V, 18V, AA, AAA, C, D, CR1220, CR1616, CR2016, CR2025, CR2032, CR2430, CR2450, etc and from brands like Duracell, Energizer, Eveready, Panasonic, Cartronic, Toshiba, etc.

BEARINGS



Bearings: We supply a wide range of Bearings to suit any application in the market like Ball Bearings, Roller Bearings, Super Precision Bearings, Rod Ends & Spherical Plain Bearings, Miniature Bearings, Linear Way Systems, Ball Screws, Bearing Units, Needle Bearings, Plummer Blocks & Sleeves, Slewing Rings, Split Roller, Steel Balls & Rollers, Bearing Pullers & Heaters, Wheel Bearings, Wheel Bearing Kits, Belt Tensioner Bearings, Gearbox Bearing, etc from Brands like NSK, IKO, TIMKEN, NTN, HKT, Rollix, SNR, TR, QM, etc

BOLTS AND NUTS



Bolts and Nuts: We supply a wide range of Bolts to suit any application in the market like High Tensile, Plough, Mild Steel, Brass, Metric Fine, Imperial, Nib, Coach, Cup Squares, Hook, Eye, Stainless Steel, Gate Hangers, Fence Straining, "U", Center, Cap Screws, Gutter, Grub Screws, Threaded Rods, etc and Nuts like High Tensile, Mild Steel, Nyloc, Stainless Steel, Castle, Metric Fine, Imperial, Cleveloc, Wing, Dome, "T", Speed, Long, Durloc, Brass, Flange, Push-On Fix, etc

CABLES



Cable: We supply a wide range of Cables to suit any application within the market like PH30/120, SIHF, PVC/PVC, Indoor Telephone, Welding, PVC Cabtyre, Instrumentation, Ripcord, RG59, RG59+Power, DEF Spec PVC, SWA Power, Panel Wire Silicone, Panel Wire PVC, YSLCY JZ / YSLY JZ, H07RN-F / Rubber, Mylar Foil Screened, GP wire, Surfix, CAT5, CAT6, etc.

CHEMICAL PRODUCTS



Chemical Products: We supply a wide range of Chemical Products to suit any application from most sectors like automotive, biological, contract manufacturing, construction, dairy, engineering, floorcare, food and beverage, hospitality, laundry, marine, personal care, retail and veterinary.

CLEANING PRODUCTS




Cleaning Products: We supply a wide range of Cleaning Products to suit any application from most sectors like automotive, biological, contract manufacturing, construction, dairy, engineering, floorcare, food and beverage, hospitality, laundry, marine, personal care, retail and veterinary.

FILTRATION PRODUCTS



Filtration Products: We supply a wide range of Filtration Products to suit any application in the market like Engine & Vehicle Filtration, Gas Turbine Filtration, Industrial Hydraulic Filtration, Clean Fuel & Liquid Solutions, Industrial Air Filtration, Process Filtration, Membranes or Nanofibres, etc from Brands like Donaldson, etc.

LUBE OIL



Lube Oil: We supply a wide range of Lube Oil to suit any application from all the major brands like Shell, Mobil, Total, Caltex, Chevron, Castrol, BP, Engen, etc.

MEDICAL PRODUCTS



Medical Products: We supply a wide range of Medical Products to suit any application within the market like Pharmaceuticals, Medical Consumables, Medical Equipment, Medi kits, Midi Splints, etc.

PROMOTIONAL PRODUCTS



Promotional Products: We supply a wide range of Promotional Products to suit any application in the market like Apparel, Sport, Head Wear, Gifting, Bags, Display, etc. We focus mainly on the **Barron** brand so you can view the complete range at www.barron.co.za . Embroidery or Screen printing optional.

SAFETY SIGNS



Photoluminescent and Safety Signs: We supply a wide range of Photoluminescent, IMO, SOLAS and Safety Signs to suit any application within the market.

STEEL PRODUCTS



Steel Products: We supply a wide range of Steel Products to suit any application in the market like Buttweld Fittings, J.I.S Buttweld Fittings, Carbon Steel Pipes, Alloy Steel Pipes, Forged Flanges, Malleable Fittings, 62 Piping, 62 Pipe Fittings, BS1740 Steam Fittings, 657 Structural Tubing, 719 Piping, Seamless Piping, etc.

TIMBER AND BOARDS



Timber and Boards: We supply a wide range of Timber and Boards to suit any application in the market like Pine Timber, Meranti Timber, Moulded Timber, Pine Industrial Boards, Pine Decorative Boards, Commercial Ply Boards, Marine Ply Boards, Birch Boards, Chip Boards, Medium Density Fibre Boards (MDF), Orientated Strand Boards (OSB), Hard Boards, Treated & Untreated Pine Boards, etc. Our Timber and Boards complies with the ISPM-15 treatment requirements.

Fumigation can also be arranged for all export cargo to meet ISPM-15 Standards.

VALVES



Valves: We supply a wide range of Valves to suit any application in the market like Water Valves, Oil Valves, Gas Valves, Steam Valves, Peddle Valves, Ball & Globe Valves, Safety Valves, Control Valves, Duel Filter Valves, Pinch Valves, Angle Feed Check Valves, Bucket Trap Valves, Balancing Valves, Parallel Slide Hydrant Valves, etc for use in General Engineering, Gas Industries, Chemical Process, Mining, Agriculture, Construction, Water, Light and Power Generation.

WELDING PRODUCTS



Welding Products: We supply a wide range of Welding Products to suit any application in the market like Welding Equipment, Welding Consumables, Welding Accessories, Industrial Gas Equipment, etc from brands like Kemppi, Hypertherm, Miller, Transarc, Thermal Dynamics, etc.

We also service any brand of Welding Equipment and Power Tools.

WOODEN CRATES AND PALLETS



Wooden Crates and Pallets: We manufacture and supply Wooden Crates and Pallets with timber that complies with the ISPM-15 treatment requirements, customized to your needs. If required, we will also load, secure, strap, label, bubble wrap your cargo so it's protected and ready for shipment.

Fumigation can also be arranged for all export cargo to meet ISPM-15 Standards.