

Info Panels with Sign Symbols and Meaning Descriptions



The IMO International Safety Management (ISM) Code was developed with the aim of implementing safety practices at sea which would lead to the prevention of human injury or loss of life as well as the prevention of damage to the environment and property.

The **Everlux®** safety procedures are in compliance with the ISM Code and provide you with the necessary training and information requirements that must be displayed on board.

(mm)
300x400
400x600



S 60 01



S 60 02



S 60 03



S 60 04

Info Panels with Sign Symbols and Meaning Descriptions

Pipe Identification

Identification colours for the contents of piping systems
In accordance with ISO 14726: 2009

This chart provides a comprehensive list of identification colors for piping systems according to ISO 14726: 2009. It includes columns for Gas Name, Color Code, and Gas Name. The chart is organized into sections for different types of gases and liquids, such as Flammable, Inert, Toxic, and Corrosive. Each entry includes the specific color code and the corresponding gas or liquid name.

S 60 05

Hazardous Substance Pictograms

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
United Nations Globally Harmonized System symbols are in line with CLP Regulation

This chart displays the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals (GHS) symbols. It includes a table with columns for Symbol, Meaning, Precautions, and Usage. The symbols are arranged in a grid, and each symbol is accompanied by its corresponding meaning and usage instructions. The chart is designed to be used as a reference for identifying and labeling hazardous substances.

S 60 09

Hazchem Sign Guide

Transportation

This chart provides a guide to Hazchem signs for transportation. It includes a table with columns for Sign Name, Sign Code, and Sign Description. The signs are arranged in a grid, and each sign is accompanied by its corresponding name, code, and description. The chart is designed to be used as a reference for identifying and labeling hazardous materials during transportation.

(*) S 60 10

Hazard Signs For the Transport of Dangerous Goods by Sea

Sign meanings according to the IMDG Code

This chart displays the Hazard Signs for the Transport of Dangerous Goods by Sea, according to the IMDG Code. It includes a table with columns for Symbol, Meaning, and Usage. The symbols are arranged in a grid, and each symbol is accompanied by its corresponding meaning and usage instructions. The chart is designed to be used as a reference for identifying and labeling dangerous goods during sea transport.

S 60 06

Know Your Signs

Meaning, colours and examples of graphics used for safety signs

This chart provides a guide to safety signs, including their meaning, colors, and examples. It includes a table with columns for Sign Name, Sign Code, and Sign Description. The signs are arranged in a grid, and each sign is accompanied by its corresponding name, code, and description. The chart is designed to be used as a reference for identifying and labeling safety signs.

S 60 07

International Code of Signals

Flag Signals

This chart displays the International Code of Signals (ICS) flag signals. It includes a table with columns for Letter, Flag, and Meaning. The flags are arranged in a grid, and each flag is accompanied by its corresponding letter and meaning. The chart is designed to be used as a reference for identifying and labeling flag signals.

(*) S 60 08


(mm)
(*) 200x300
300x400
400x600

(*) Only available
in this size

(*) This panel is only
available in white rigid
plastic and white self-
adhesive vinyl.

Info Panels with Sign Symbols and Meaning Descriptions

(mm)
300x400
400x600



S 60 11




S 60 12

Evacuation and Life-Saving Safety Procedures

(mm)
300x400
400x600



S 60 51



S 60 52



S 60 53

Evacuation and Life-Saving Safety Procedures

Davit Launched Liferafts

Instructions for davit launching inflatable liferafts

- Prepare the launch area**
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
- Prepare the liferaft**
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
- Launch liferaft**
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
- Recovery liferaft**
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.
 - Remove liferaft from its stowage position.

Safety procedures in compliance with the ISM Code

S 60 54

Davit Launched Liferaft Procedures

Preparing for launching

1. Attach hook to liferaft.
2. Liferaft is lowered to the water.
3. Liferaft is lowered to the water.
4. Liferaft is lowered to the water.

Safety procedures in compliance with the ISM Code

S 60 73

Inflatable Liferafts

Essential procedures after launching

- Righting upturned liferaft**
 - Righting upturned liferaft.
 - Righting upturned liferaft.
 - Righting upturned liferaft.
 - Righting upturned liferaft.
- Board quickly**
 - Board quickly.
 - Board quickly.
 - Board quickly.
 - Board quickly.
- Move clear of the ship**
 - Move clear of the ship.
 - Move clear of the ship.
 - Move clear of the ship.
 - Move clear of the ship.
- Stream the sea anchor**
 - Stream the sea anchor.
 - Stream the sea anchor.
 - Stream the sea anchor.
 - Stream the sea anchor.
- Close the airlocks**
 - Close the airlocks.
 - Close the airlocks.
 - Close the airlocks.
 - Close the airlocks.
- Further procedures**
 - Further procedures.
 - Further procedures.
 - Further procedures.
 - Further procedures.

Safety procedures in compliance with the ISM Code

S 60 55

Lifeboat Launching

Launching open/semi-enclosed lifeboats safety procedures. Make sure that painter line is fitted.

- Initial preparation**
 - Initial preparation.
 - Initial preparation.
 - Initial preparation.
 - Initial preparation.
- Descend to dock level**
 - Descend to dock level.
 - Descend to dock level.
 - Descend to dock level.
 - Descend to dock level.
- Secure to embarkation dock**
 - Secure to embarkation dock.
 - Secure to embarkation dock.
 - Secure to embarkation dock.
 - Secure to embarkation dock.
- Board personnel**
 - Board personnel.
 - Board personnel.
 - Board personnel.
 - Board personnel.
- Descend to water**
 - Descend to water.
 - Descend to water.
 - Descend to water.
 - Descend to water.
- Letting go**
 - Letting go.
 - Letting go.
 - Letting go.
 - Letting go.

Safety procedures in compliance with the ISM Code

S 60 56

Hoisting Hook Directions For Launching Procedures

- Open airlocks in liferafts**
 - Open airlocks in liferafts.
 - Open airlocks in liferafts.
 - Open airlocks in liferafts.
 - Open airlocks in liferafts.
- Lift liferaft over**
 - Lift liferaft over.
 - Lift liferaft over.
 - Lift liferaft over.
 - Lift liferaft over.
- Embarkation**
 - Embarkation.
 - Embarkation.
 - Embarkation.
 - Embarkation.
- Lowering**
 - Lowering.
 - Lowering.
 - Lowering.
 - Lowering.

Safety procedures in compliance with the ISM Code

S 60 72

Fully Enclosed Lifeboat Launching From Stowed Position

Procedures for launching (SOLAS consolidated 2004 edition chapter II, regulation 27)

- Initial preparation**
 - Initial preparation.
 - Initial preparation.
 - Initial preparation.
 - Initial preparation.
- Lower to water**
 - Lower to water.
 - Lower to water.
 - Lower to water.
 - Lower to water.
- Letting go**
 - Letting go.
 - Letting go.
 - Letting go.
 - Letting go.
- Final procedures**
 - Final procedures.
 - Final procedures.
 - Final procedures.
 - Final procedures.

Safety procedures in compliance with the ISM Code

S 60 57

Safety procedures

- Safety procedures in compliance with the ISM Code

© 2005 Blackwell Publishing Ltd

Launching in clear atmosphere conditions

- Safe procedures in compliance with the IEM Code

... ..

Procedures

- Safety procedures in compliance with the ISM Code

100

Safety procedures for abandoning ship with vertical chutes or angled slides

- Safety procedures in compliance with the ISM Code

100

International search and rescue communication signals

- Safety procedures in compliance with the ISM Code


© 2006 Blackwell Publishing Ltd

GMDSS DISTRESS ALERT

- Safety procedures in compliance with the ISM Code

18. [Return to Table of Contents](#)


Evacuation and Life-Saving Safety Procedures



(mm)
150x200
200x300

Item S 60 71 is a double sided panel

S 60 71



(mm)
150x200
200x300

S 61 01

S 61 02

S 61 03

S 61 04

S 61 05

S 61 06



(mm)
200x150
300x200


S 61 07

S 61 08

S 61 09



S 61 20



S 61 21



(mm)
300x400
400x600

(mm)
300x400
400x600

[illegible]

S 61 27

Lifejacket donning

Instructions on how to put on a lifejacket

- 1 Place head through hole and arms through the side loops.
- 2 Place the belt around the waist and connect the buckles by pulling the two parts firmly together. Pull the belt as tight as possible.
- 3 Fasten the top of the lifejacket with a firm knot in the pull string.
- 4 Activate the lifejacket pump.

Safety procedures in compliance with the ISO Code

S 61 22

Immersion Suit Donning

Instructions on how to put on an immersion suit

- 1 Open storage bag and remove the suit. 
- 2 Step in the suit with legs first. 
- 3 Pull the suit up and place all four arms into sleeves of suit. Put the hood of the suit over your head and align with right arm into the sleeve. 
- 4 Pull the zipper slowly upwards and secure bag over your face. Straps that go across are in between this 2 steps of the zipper. 
- 5 Put on lifejacket. 
- 6 Enter the water with feet first and hold both arms up, covering your face. 

Never remove any of the straps or hoses and never disconnect cooling system.

Pressure valves installed on fully serviced life rafts remain sealed. This life rafts are for use only for survival purposes. Immersion Suits should always be used in conjunction with life jackets.

Safety procedures in compliance with the ISM Code

S 61 23

[illegible]

S 61 28


[illegible]

S 61 24

[illegible]

S 61 29

Evacuation and Life-Saving Safety Procedures




S 61 25



S 61 26

[mm]
300x400
400x600

Navigation and Harbour Approach Safety Procedures



S 62 00

[mm]
400x300
600x400

S 62 02



S 62 03


[mm]
300x400
400x600



Item S 62 52 is a
double sided panel



Navigation and Harbour Approach Safety Procedures



S 62 53

[illegible]

S 62 54

(mm)
400x300

Health and Safety Operational Procedures

Helideck access

S 62 60

(mm)
1200x600

Vessel Induction and Familiarisation

As required by the **STCW Convention**

1 Immunisation Information

Administrative measures must be agreed between masters and companies for the issuing of certificates and vaccination records to the relevant authorities.

Immunisation Information (Ship's Hospital Log) and emergency medical information must be available on board.

Master's duties:

- Inform the relevant authorities
- Inform the crew
- Inform the passengers
- Inform the company
- Inform the relevant authorities
- Inform the relevant authorities
- Inform the relevant authorities
- Inform the relevant authorities



2 Vessel tour

• Familiarisation with the ship and crew and the company

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety

• Information on the ship's safety



3 Personal Protection

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide

• Master of ship must provide



4 Vessel systems

• Safety management systems

• Safety management systems

• Safety management systems

• Safety management systems

• Safety management systems

• Safety management systems

• Safety management systems

• Safety management systems



5 Specific Emergency Training

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations

• Training for fire and other emergency situations



6 Pollution prevention

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI

• STCW Table A-VI/1-1 of Chapter VI



Safety procedures in compliance with the ISM Code

S 63 00

[mm]
300x400
400x600

[mm]
300x400
400x600



Oil Spill Prevention

Procedures to reduce the likelihood of oil spills

Warning: Strict regulations by the International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) to reduce the negative environmental impact of oil pollution. Failure to comply with these regulations and observing the correct series and working practices listed here, will reduce damage to the environment. **NEVERHEAVYHYDROCARBONSAND OILS/PAINTS CAN BE IMPROVED IF THE REGULATIONS ARE IGNORED.**

- Know your ship**
 - Where are the fuel tanks and venting pipes?
 - Where are the oil spill response equipment?
 - Where are the oil spill response equipment?
 - Where are the oil spill response equipment?
- Plug stoppers**
 - Plug stoppers when not in use.
 - Plug stoppers when not in use.
 - Plug stoppers when not in use.
 - Plug stoppers when not in use.
- Use serviceable equipment**
 - Do not use cracked equipment.
 - Do not use cracked equipment.
 - Do not use cracked equipment.
 - Do not use cracked equipment.
- Communications and identification**
 - Agree over the radio with the shore-based team.
 - Agree over the radio with the shore-based team.
 - Agree over the radio with the shore-based team.
 - Agree over the radio with the shore-based team.
- Control pumping rate**
 - Do not pump too fast.
 - Do not pump too fast.
 - Do not pump too fast.
 - Do not pump too fast.
- Use drip trays**
 - Use drip trays when not in use.
 - Use drip trays when not in use.
 - Use drip trays when not in use.
 - Use drip trays when not in use.

Safety procedures in compliance with the ISM Code

S 63 01

Post Oil Spill Management

Recommended measures to minimise the effect of an oil spill

Warning: Strict regulations by the International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) to reduce the negative environmental impact of oil pollution. Failure to comply with these regulations and observing the correct series and working practices listed here, will reduce damage to the environment. **NEVERHEAVYHYDROCARBONSAND OILS/PAINTS CAN BE IMPROVED IF THE REGULATIONS ARE IGNORED.**

- When discovering a potential spill**
 - Stop the pump.
 - Stop the pump.
 - Stop the pump.
 - Stop the pump.
- Containment**
 - Use absorbent material.
 - Use absorbent material.
 - Use absorbent material.
 - Use absorbent material.
- When discovering an external spill**
 - Stop the pump.
 - Stop the pump.
 - Stop the pump.
 - Stop the pump.
- Spill actions for external spill**
 - Use absorbent material.
 - Use absorbent material.
 - Use absorbent material.
 - Use absorbent material.

Safety procedures in compliance with the ISM Code

S 63 02

Hot Works

Recommended safety preparations for hot work

Warning: Hot work is any operation which generates sufficient heat to ignite flammable materials.

- Plan the work**
 - Consider the risk to the work area.
 - Consider the risk to the work area.
 - Consider the risk to the work area.
 - Consider the risk to the work area.
- Minimise the risk**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Prepare work area**
 - Clear work area of all debris.
 - Clear work area of all debris.
 - Clear work area of all debris.
 - Clear work area of all debris.
- Safety during and after work**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.

Safety procedures in compliance with the ISM Code

S 63 03

Welding & Flamecutting

Safety procedures during welding operations

- General**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Protective clothing**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Precautions against fire & explosion**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Electric welding equipment**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Precautions during arc welding**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Precautions during gas welding & cutting**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.

Safety procedures in compliance with the ISM Code

S 63 04

Personal Protective Equipment

Choosing the correct personal safety equipment

- Head protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Eye protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Respiratory protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Hand protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Foot protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Body protection**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Self-Contained Breathing Apparatus**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.

Safety procedures in compliance with the ISM Code

S 63 05

Self Contained Breathing Apparatus

Safety measures of use in hazardous conditions

Warning: Self-contained breathing apparatus are not suitable, empty and low charged cylinders should be replaced and stored elsewhere. Cylinders that are expired are not to be used.

- Check weekly and before using**
 - Check the air supply.
 - Check the air supply.
 - Check the air supply.
 - Check the air supply.
- Donning the breathing apparatus**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Regulating and verifying the functions**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Getting ready to enter compartment**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- Initial operation**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
- After operational use**
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.
 - Use fire-resistant equipment.

Safety procedures in compliance with the ISM Code

S 63 06

Health and Safety Operational Procedures

Enclosed Space Entry

Safety procedures for entering enclosed spaces

- Enclosed spaces are dangerous.**
 - Do not enter unless you are properly trained, authorized, and equipped.
 - Do not enter unless you are properly trained, authorized, and equipped.
- Prepare space for entry.**
 - Isolate the space from all sources of energy.
 - Test the atmosphere for oxygen, toxic gases, and flammable vapors.
 - Test the atmosphere for oxygen, toxic gases, and flammable vapors.
- Prepare equipment.**
 - Use only the equipment that is approved for the space.
 - Use only the equipment that is approved for the space.
- Protect safety equipment.**
 - Do not use safety equipment for anything other than its intended purpose.
 - Do not use safety equipment for anything other than its intended purpose.
- Communications and procedures.**
 - Establish a communication system with the person outside the space.
 - Establish a communication system with the person outside the space.
- Avoid additional hazards.**
 - Do not use tools or equipment that could create sparks or fire.
 - Do not use tools or equipment that could create sparks or fire.

Safety procedures in compliance with the ISM Code

S 63 07

Enclosed Space and Tank Rescue

Safety procedures for recovering a casualty from a dangerous atmosphere

- Plan the rescue.**
 - Identify the location of the casualty.
 - Identify the location of the casualty.
- Emergency first aid and rescue.**
 - Provide first aid to the casualty.
 - Provide first aid to the casualty.
- First aid and after care.**
 - Provide first aid to the casualty.
 - Provide first aid to the casualty.

Safety procedures in compliance with the ISM Code

S 63 08

Safety Signs for Enclosed Space Entry

Safety signs used to mark hazardous areas

Test the atmosphere of any space before entering. Some enclosed spaces on this vessel may contain a hazardous atmosphere that will not support life.

All entrances of these spaces shall be marked with the following signs. **DO NOT TO BE MISUSED.**

- Danger Low oxygen level**
- Danger Flammable atmosphere**
- No smoking or naked lights**
- Danger Toxic vapours**
- No access Authorized personnel only**

Proper safety procedures for entering enclosed spaces must be carried out before allowing entrance. It is the duty of the person entering to ensure that the atmosphere is safe.

Safety procedures in compliance with the ISM Code

S 63 09

Engine & Machinery Room Safety

Safe working procedures

- General.**
 - Do not enter the room unless you are properly trained, authorized, and equipped.
 - Do not enter the room unless you are properly trained, authorized, and equipped.
- Unattended machinery spaces (UMS).**
 - Do not enter the room unless you are properly trained, authorized, and equipped.
 - Do not enter the room unless you are properly trained, authorized, and equipped.
- Hot surfaces and moving parts.**
 - Do not touch hot surfaces or moving parts.
 - Do not touch hot surfaces or moving parts.
- Fire and explosion.**
 - Do not use open flames or naked lights.
 - Do not use open flames or naked lights.
- Workplaces and tools.**
 - Do not use tools or equipment that could create sparks or fire.
 - Do not use tools or equipment that could create sparks or fire.

Safety procedures in compliance with the ISM Code

S 63 10

Craneage Safety

Craneage hand signals and safe working practices

Signal with one hand and the other on head.

Signal with both hands.

Crane and undock.

Safety procedures in compliance with the ISM Code

S 63 11

Working Aloft or Outboard


Be aware of the risks when working outboard and aloft

- Preparation.**
 - Do not work aloft or outboard unless you are properly trained, authorized, and equipped.
 - Do not work aloft or outboard unless you are properly trained, authorized, and equipped.
- Risk assessment.**
 - Do not work aloft or outboard unless you are properly trained, authorized, and equipped.
 - Do not work aloft or outboard unless you are properly trained, authorized, and equipped.
- Working aloft.**
 - Do not work aloft unless you are properly trained, authorized, and equipped.
 - Do not work aloft unless you are properly trained, authorized, and equipped.
- Working outboard.**
 - Do not work outboard unless you are properly trained, authorized, and equipped.
 - Do not work outboard unless you are properly trained, authorized, and equipped.

Safety procedures in compliance with the ISM Code

S 63 12

Health and Safety Operational Procedures




[*] S 63 30



S 63 19



S 63 28



S 63 29



S 63 23

[mm]
[*] 200x300
300x400
400x600

[*] Only available in this size

[mm]
400x300
600x400

Health and Safety Operational Procedures

(mm)
400x300
600x400



S 63 24



S 63 25



S 63 26




S 63 27

(mm)
300x400
400x600



S 63 21

(mm)
150x150(*)
200x200(*)
400x300
600x400



S 63 22



(*) S 63 31



(*) S 63 32



(*) S 63 33



(*) S 63 34



(*) S 63 35

(*) Only available
in this size

Health and Safety Operational Procedures

DISCHARGE OF OIL PROHIBITED

The Federal Water Pollution Control Act prohibits the discharge of oil or oily waste into or upon the navigable waters of the United States, or the waters of the contiguous zone, or which may affect natural resources belonging to, or pertaining for or under the exclusive management authority of the United States, if such discharge causes a film or discoloration of the surface of the water or causes sludge or residue beneath the surface of the water. Violators are subject to substantial civil penalties and/or criminal sanctions including fines and imprisonment.

[*] S 63 71

Save our oceans
Please help us to keep the oceans clean.
Do not throw anything overboard -
even cigarette butts cause harm.

S 63 72

(mm)
[*] 300x200
400x200

(*) Only available in this size

S 63 62

WARNING

DRUG USE AND DRUG TRAFFICKING ARE
ILLEGAL AND WILL BE SEVERELY PUNISHED.



- Don't use drugs
- Don't traffic in drugs. Buy SD in drug stores and use responsibly. Sell only drugs in 30s and your family.
- If you are guilty of drug trafficking in this school, your sentence of punishment will be immediately by law.
- If you are involved in activities with trafficking, you will be responsible for your own punishment.
- If you are found guilty of trafficking and are sentenced to a prison term, the company will not have any further responsibility towards you.

YOU HAVE BEEN WARNED!

5 63 63

5 63 64



**To flush toilet close
lid & push button.
No foreign objects
in toilet please.**

S 63 74

 (mm)
150x200
200x300

Safety Awareness and Training Procedures - Spanish Speaking Crews

Abandonar el Buque

Acciones cruciales que se preparan para abandonar el buque

1 Al 911 o su oficina de emergencias

- Proporcionar datos del buque, nombre del buque y el número de emergencia.
- Seguir las instrucciones de la oficina de emergencia.

2 Tener las antenas de emergencia listas

- La información que se transmite a través de las antenas automáticas.

Preparar el sistema de comunicación de emergencia.

3 Embarcar desde la cubierta

NO ABANDONAR EL BUQUE SIN EL PLAN DE EMERGENCIAS.

- La tripulación debe estar lista para abandonar el buque y seguir las instrucciones de emergencia.

4 Embarcar desde el agua

NO HAY QUE DEJAR EL BUQUE SIN EL PLAN DE EMERGENCIAS.

- Usar chalecos salvavidas y seguir las instrucciones de emergencia.

Procedimientos de seguridad del buque con el Código IDS

S 64 01

Puesta a Flote de una Balsa Salvavidas

Consignas de seguridad para el lanzamiento de una balsa salvavidas

1 Activación automática



2 Lanzamiento manual de la balsa salvavidas



3 Activación automática



1 Activación manual



2 Inflar la balsa salvavidas



3 En caso de inflarse la balsa con el fondo hacia arriba



Procedimientos de seguridad de acuerdo con el Código IDB

S 64 02

(mm)
300x400
400x600

Puesta a Flote del Bote Salvavidas

Procedimientos de seguridad para puesta a flote de los botes salvavidas ablativos/semi-cerrados. Asegure que la bota flote.

1 Preparative rinovata

- 1.1 Inspeccione los botes salvavidas antes de salir.
- 1.2 Compruebe el nivel de agua en el interior de la bota.
- 1.3 Compruebe que el sistema de bombeo funciona.
- 1.4 Compruebe el sistema de escape.
- 1.5 Compruebe el sistema de escape.

2 Amolse hebre la cubierta de amolovata

- 2.1 Amolse hebre la cubierta de amolovata.
- 2.2 Amolse hebre la cubierta de amolovata.
- 2.3 Amolse hebre la cubierta de amolovata.

3 Flar el bote a la cubierta

- 3.1 Flar el bote a la cubierta.
- 3.2 Flar el bote a la cubierta.
- 3.3 Flar el bote a la cubierta.

4 Emborquie de pasaxerose

- 4.1 Emborquie de pasaxerose.
- 4.2 Emborquie de pasaxerose.
- 4.3 Emborquie de pasaxerose.

5 Proceso de entido

- 5.1 Proceso de entido.
- 5.2 Proceso de entido.
- 5.3 Proceso de entido.

6 Separación del buque

- 6.1 Separación del buque.
- 6.2 Separación del buque.
- 6.3 Separación del buque.

Procedimientos de seguridad de acuerdo con el Código 105

S 64 03

[illegible]

S 64 04

(mm)
300x400
400x600



Puesta a Flote de un Bote Salvavidas de Caída Libre

Consignas de seguridad para el lanzamiento de un bote salvavidas de caída libre

1. Punto de reunión

- Avise al personal de la zona.
- Los botes salvavidas deben estar en posición de lanzamiento.
- Asegure que el bote salvavidas está listo para ser lanzado.
- Haga la prueba de lanzamiento.

2. Traslado entre el bote salvavidas

- Mantenga el bote de lanzamiento en posición de lanzamiento.
- Cuando se vaya a lanzar, asegure que el bote salvavidas está listo para ser lanzado.
- Si el bote salvavidas está en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.

3. Operaciones del bote salvavidas

- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.
- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.
- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.

4. Enbarque

- Los botes salvavidas deben estar en posición de lanzamiento.
- Los botes salvavidas deben estar en posición de lanzamiento.
- Los botes salvavidas deben estar en posición de lanzamiento.

5. Medidas preventivas

- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.
- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.
- Cuando el bote salvavidas esté en posición de lanzamiento, asegure que el bote salvavidas está listo para ser lanzado.

Procedimientos de seguridad de acuerdo con el Código ISM

S 64 05

Prevención de Derrames de Petróleo

Procedimientos para reducir la probabilidad de derrames de hidrocarburos

AVISO: El presente es un documento informativo para el personal de la Compañía. No debe ser utilizado como un procedimiento de trabajo. El personal debe seguir los procedimientos de trabajo de la Compañía.

1. Contorno de la bodega

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

2. Tapa de la bodega

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

3. Utilice los equipos adecuados

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

4. Comunicaciones e identificación

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

5. Control pumping rate

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

6. Use un sistema de gaseo

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

Procedimientos de seguridad de acuerdo con el Código ISM

S 64 06

Señalización de Seguridad Según la Resolución OMI A.760(18) e ISO 17631

Procedimientos de seguridad, en conformidad con el Código ISM

S 64 81

Señalización de Control de Incendios OMI

Símbolos gráficos de control de incendios según la Resolución OMI A.654(16)

Procedimientos de seguridad, en conformidad con el Código ISM

S 64 82

¡Hombre al Agua!

Procedimientos esenciales al descubrir un naufragio

1. Medidas inmediatas - Cuarta

- Avise al personal de la zona.
- Haga la prueba de lanzamiento.
- Haga la prueba de lanzamiento.

2. Soluciones inmediatas - cuando el bote salvavidas está en posición de lanzamiento

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

3. Soluciones secundarias - si el naufragio no ha sido descubierto

- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.
- Mantenga la bodega en posición de lanzamiento.

Procedimientos de seguridad, en conformidad con el Código ISM

S 64 83

Luz, Forma y Señales Sonoras

Señales de comunicación internacional

Señal	Radio	Prose	Señal	Forma	Señal
Señal 1	...	...	Señal 1	...	...
Señal 2	...	...	Señal 2	...	...
Señal 3	...	...	Señal 3	...	...
Señal 4	...	...	Señal 4	...	...
Señal 5	...	...	Señal 5	...	...
Señal 6	...	...	Señal 6	...	...
Señal 7	...	...	Señal 7	...	...
Señal 8	...	...	Señal 8	...	...
Señal 9	...	...	Señal 9	...	...
Señal 10	...	...	Señal 10	...	...
Señal 11	...	...	Señal 11	...	...
Señal 12	...	...	Señal 12	...	...
Señal 13	...	...	Señal 13	...	...
Señal 14	...	...	Señal 14	...	...
Señal 15	...	...	Señal 15	...	...
Señal 16	...	...	Señal 16	...	...
Señal 17	...	...	Señal 17	...	...
Señal 18	...	...	Señal 18	...	...
Señal 19	...	...	Señal 19	...	...
Señal 20	...	...	Señal 20	...	...
Señal 21	...	...	Señal 21	...	...
Señal 22	...	...	Señal 22	...	...
Señal 23	...	...	Señal 23	...	...
Señal 24	...	...	Señal 24	...	...
Señal 25	...	...	Señal 25	...	...
Señal 26	...	...	Señal 26	...	...
Señal 27	...	...	Señal 27	...	...
Señal 28	...	...	Señal 28	...	...
Señal 29	...	...	Señal 29	...	...
Señal 30	...	...	Señal 30	...	...
Señal 31	...	...	Señal 31	...	...
Señal 32	...	...	Señal 32	...	...
Señal 33	...	...	Señal 33	...	...
Señal 34	...	...	Señal 34	...	...
Señal 35	...	...	Señal 35	...	...
Señal 36	...	...	Señal 36	...	...
Señal 37	...	...	Señal 37	...	...
Señal 38	...	...	Señal 38	...	...
Señal 39	...	...	Señal 39	...	...
Señal 40	...	...	Señal 40	...	...
Señal 41	...	...	Señal 41	...	...
Señal 42	...	...	Señal 42	...	...
Señal 43	...	...	Señal 43	...	...
Señal 44	...	...	Señal 44	...	...
Señal 45	...	...	Señal 45	...	...
Señal 46	...	...	Señal 46	...	...
Señal 47	...	...	Señal 47	...	...
Señal 48	...	...	Señal 48	...	...
Señal 49	...	...	Señal 49	...	...
Señal 50	...	...	Señal 50	...	...
Señal 51	...	...	Señal 51	...	...
Señal 52	...	...	Señal 52	...	...
Señal 53	...	...	Señal 53	...	...
Señal 54	...	...	Señal 54	...	...
Señal 55	...	...	Señal 55	...	...
Señal 56	...	...	Señal 56	...	...
Señal 57	...	...	Señal 57	...	...
Señal 58	...	...	Señal 58	...	...
Señal 59	...	...	Señal 59	...	...
Señal 60	...	...	Señal 60	...	...
Señal 61	...	...	Señal 61	...	...
Señal 62	...	...	Señal 62	...	...
Señal 63	...	...	Señal 63	...	...
Señal 64	...	...	Señal 64	...	...
Señal 65	...	...	Señal 65	...	...
Señal 66	...	...	Señal 66	...	...
Señal 67	...	...	Señal 67	...	...
Señal 68	...	...	Señal 68	...	...
Señal 69	...	...	Señal 69	...	...
Señal 70	...	...	Señal 70	...	...
Señal 71	...	...	Señal 71	...	...
Señal 72	...	...	Señal 72	...	...
Señal 73	...	...	Señal 73	...	...
Señal 74	...	...	Señal 74	...	...
Señal 75	...	...	Señal 75	...	...
Señal 76	...	...	Señal 76	...	...
Señal 77	...	...	Señal 77	...	...
Señal 78	...	...	Señal 78	...	...
Señal 79	...	...	Señal 79	...	...
Señal 80	...	...	Señal 80	...	...
Señal 81	...	...	Señal 81	...	...
Señal 82	...	...	Señal 82	...	...
Señal 83	...	...	Señal 83	...	...
Señal 84	...	...	Señal 84	...	...
Señal 85	...	...	Señal 85	...	...
Señal 86	...	...	Señal 86	...	...
Señal 87	...	...	Señal 87	...	...
Señal 88	...	...	Señal 88	...	...
Señal 89	...	...	Señal 89	...	...
Señal 90	...	...	Señal 90	...	...
Señal 91	...	...	Señal 91	...	...
Señal 92	...	...	Señal 92	...	...
Señal 93	...	...	Señal 93	...	...
Señal 94	...	...	Señal 94	...	...
Señal 95	...	...	Señal 95	...	...
Señal 96	...	...	Señal 96	...	...
Señal 97	...	...	Señal 97	...	...
Señal 98	...	...	Señal 98	...	...
Señal 99	...	...	Señal 99	...	...
Señal 100	...	...	Señal 100	...	...


Procedimientos de seguridad, en conformidad con el Código ISM

S 64 85

Safety Awareness and Training Procedures - Spanish Speaking Crews



S 64 84



(*)S 64 86

(mm)
[*] 400x300
600x400

(*) Only available in this size

Item S 64 86 is a double sided panel.



5 64 87



S 64 88

(mm)
300x400
400x600



 [mm]
 300x400
 400x600
 [*] 150x200
 [*] 200x300



(*) Only available in these sizes



(*) 5 64 89



S 64 07

Procédures primordiales en cas de découverte d'un homme à la mer

- Procédure de sécurité en conformité avec la Code ISM

Procédures de mise à l'eau des radeaux de sauvetage gonflables

- Procédure de sécurité en conformité avec le Code ISA

Instructions pour la mise à l'eau des rideaux de sauvetage sous bossoirs

- Procédures de sécurité en conformité avec le Code 1006

Procédures essentielles après le lancement

- Procédure de sécurité en conformité avec le Code ISM

Couverture du lancement / procédures de sécurité canots de sauvetage semi-fermés.
Assurez-vous que la ligne est équilibrée.

- Responsable de service en conformité avec le Code 924

Procédures de lancement (Édition Solas 2004 consolidée chapitre III, règlement 28)

- Procédures de sécurité en conformité avec le Code ISM

114

S 64 36

S 64 37

S 64 70

S 64 72

S 64 73

\$ 64.75

(mm)
300x400
400x600
400x300[*]
600x400[*]



(*) S 64 71



S 64 74




S 64 76



S 64 77



S 64 78



S 64 79



S 64 80




S 64 90



S 64 61



56462



S 64 63

[mm]
300x400
400x600



Trabalho em Altura ou Fora de Bordo

Esteja ciente dos riscos ao trabalhar fora de bordo e em altura

1 Preparação

- Verifique se o equipamento de segurança está em boas condições.
- Defina o plano de trabalho e o ponto de ancoragem.
- Defina o plano de escape em caso de emergência.
- Defina o plano de comunicação.
- Defina o plano de resgate.

2 Simulação do risco

- Identifique os riscos.
- Identifique as consequências.
- Identifique as medidas de prevenção.

3 Trabalho em altura

- Use o equipamento de segurança.
- Use o plano de trabalho.
- Use o plano de escape.
- Use o plano de comunicação.
- Use o plano de resgate.

4 Trabalho fora de bordo

- Use o equipamento de segurança.
- Use o plano de trabalho.
- Use o plano de escape.
- Use o plano de comunicação.
- Use o plano de resgate.

Procedimentos de segurança em conformidade com o Código ISM

S 64 50

Segurança com Garrafas de Gás

Manuseio seguro, armazenamento e práticas operacionais

1 Garrafas de gás

- Garrafas de gás são dispositivos sob pressão e devem ser manuseadas com cuidado.
- Garrafas de gás devem ser armazenadas em locais seguros e protegidas de danos.
- Garrafas de gás devem ser utilizadas de acordo com as instruções do fabricante.

2 Procedimentos de segurança de manuseio

- Verifique se a garrafa está em boas condições.
- Verifique se o equipamento de segurança está em boas condições.
- Verifique se o plano de trabalho está em boas condições.
- Verifique se o plano de escape está em boas condições.
- Verifique se o plano de comunicação está em boas condições.
- Verifique se o plano de resgate está em boas condições.

3 Procedimentos de segurança de armazenamento

- Armazene as garrafas em locais seguros e protegidos de danos.
- Armazene as garrafas de acordo com as instruções do fabricante.
- Armazene as garrafas de acordo com as regulamentações locais.

Procedimentos de segurança em conformidade com o Código ISM

S 64 51

Choques Elétricos e Lesões Graves

Desnude as primeiras vítimas de uma descarga elétrica que não seja causada por ela, a nível da segurança na área em questão.

1 Choques elétricos

- Choques elétricos são acidentes graves que podem causar lesões graves ou a morte.
- Choques elétricos são causados por corrente elétrica que atravessa o corpo humano.
- Choques elétricos podem ser evitados tomando precauções adequadas.

2 Lesões graves

- Lesões graves são acidentes graves que podem causar lesões graves ou a morte.
- Lesões graves são causadas por uma variedade de fatores, incluindo quedas, colisões e incêndios.
- Lesões graves podem ser evitados tomando precauções adequadas.

3 Suporte Básico de Vida (SBV) (CoSTRA 2005)

- Gratificar socorro, renovar de perigo se for seguro faz-lo
- Verificar a respiração
- Verificar a circulação
- Verificar a consciência
- Verificar a temperatura
- Verificar a posição
- Verificar a proteção
- Verificar a comunicação
- Verificar o resgate

Procedimentos de segurança em conformidade com o Código ISM

S 64 60

Afogamento e Hipotermia

Ações a desenvolver ao descobrir uma vítima de afogamento ou hipotermia

1 Afogamento

- Afogamento é a morte causada pela falta de oxigênio devido à submersão na água.
- Afogamento pode ser evitado tomando precauções adequadas.
- Afogamento pode ser tratado com suporte básico de vida.

2 Hipotermia

- Hipotermia é a perda de calor corporal que pode levar à morte.
- Hipotermia pode ser evitada tomando precauções adequadas.
- Hipotermia pode ser tratada com aquecimento.

3 Suporte Básico de Vida (SBV) (CoSTRA 2015)

- Gratificar socorro, renovar de perigo se for seguro faz-lo
- Verificar a respiração
- Verificar a circulação
- Verificar a consciência
- Verificar a temperatura
- Verificar a posição
- Verificar a proteção
- Verificar a comunicação
- Verificar o resgate

Procedimentos de segurança em conformidade com o Código ISM

S 64 52

Lançamento de balsa salva-vidas

Procedimentos para o lançamento de balsas salva-vidas infláveis

1 Ativação automática

- Ativação automática é o método mais rápido de lançamento de uma balsa salva-vidas.
- Ativação automática é realizada pressionando um botão.

2 Ativação manual

- Ativação manual é o método mais seguro de lançamento de uma balsa salva-vidas.
- Ativação manual é realizada puxando uma alavanca.

3 Lançamento de balsa corrente

- Lançamento de balsa corrente é o método mais comum de lançamento de uma balsa salva-vidas.
- Lançamento de balsa corrente é realizado com uma corrente.

4 Lançamento de balsa manual

- Lançamento de balsa manual é o método mais seguro de lançamento de uma balsa salva-vidas.
- Lançamento de balsa manual é realizado com uma alavanca.

5 Ativação automática

- Ativação automática é o método mais rápido de lançamento de uma balsa salva-vidas.
- Ativação automática é realizada pressionando um botão.

6 Injeção de balsa servida com uma

- Injeção de balsa servida com uma é o método mais seguro de lançamento de uma balsa salva-vidas.
- Injeção de balsa servida com uma é realizada com uma alavanca.

Procedimentos de segurança em conformidade com o Código ISM

S 64 53

Safety Awareness and Training Procedures - Portuguese Speaking Crews

Balsas Salva-vidas Infláveis

Procedimentos essenciais após o lançamento à água

- Inverter a balsa salva-vidas para cima**
Inverter a balsa salva-vidas para cima.
- Embarracar rapidamente**
Embarracar rapidamente a balsa salva-vidas.
- Alisar o fundo**
Alisar o fundo da balsa para evitar que se enrole.
- Largar a balsa**
Largar a balsa para que se afunde e não se enrole.
- Proteger os membros**
Proteger os membros do corpo com as extremidades externas da balsa.
- Medidas adicionais**
Medidas adicionais para garantir a segurança da balsa.

Procedimento de segurança em conformidade com o Código ISM

S 64 54

Lançamento da Baleeira em Condições Atmosféricas Perigosas

Procedimentos de segurança

- Continuar a cumprir as regras de segurança**
Continuar a cumprir as regras de segurança durante o lançamento.
- Como preparar**
Preparar a balsa para o lançamento em condições atmosféricas perigosas.
- Indicar o alinhamento da balsa**
Indicar o alinhamento da balsa para o lançamento.
- Lançamento da balsa**
Lançamento da balsa em condições atmosféricas perigosas.
- Desembarque para uma segurança**
Desembarque da balsa para uma segurança.
- Informação relevante**
Informação relevante para o lançamento da balsa.

Procedimento de segurança de acordo ao código ISM

S 64 55

Higiene dos Alimentos a Bordo

Recomendações de saúde e segurança em copas, cozinhas e frigoríficos

- Segurança e higiene**
Segurança e higiene em cozinhas e frigoríficos.
- Prevenção de doenças**
Prevenção de doenças em cozinhas e frigoríficos.
- Segurança de cozinhas e frigoríficos**
Segurança de cozinhas e frigoríficos.
- Controle de temperatura**
Controle de temperatura em cozinhas e frigoríficos.
- Segurança de cozinhas e frigoríficos**
Segurança de cozinhas e frigoríficos.
- Segurança de cozinhas e frigoríficos**
Segurança de cozinhas e frigoríficos.

Procedimento de segurança de acordo ao código ISM

S 64 56

Sinais de Salvamento

Sinais de comunicação internacional de balsa e salvamento de acordo com os requisitos SOLAS

Sinal	Significado	Procedimento
1	Segurança	Procedimento de segurança
2	Atenção	Procedimento de atenção
3	Perigo	Procedimento de perigo
4	Segurança	Procedimento de segurança
5	Atenção	Procedimento de atenção
6	Perigo	Procedimento de perigo
7	Segurança	Procedimento de segurança
8	Atenção	Procedimento de atenção
9	Perigo	Procedimento de perigo
10	Segurança	Procedimento de segurança
11	Atenção	Procedimento de atenção
12	Perigo	Procedimento de perigo
13	Segurança	Procedimento de segurança
14	Atenção	Procedimento de atenção
15	Perigo	Procedimento de perigo
16	Segurança	Procedimento de segurança
17	Atenção	Procedimento de atenção
18	Perigo	Procedimento de perigo
19	Segurança	Procedimento de segurança
20	Atenção	Procedimento de atenção
21	Perigo	Procedimento de perigo
22	Segurança	Procedimento de segurança
23	Atenção	Procedimento de atenção
24	Perigo	Procedimento de perigo
25	Segurança	Procedimento de segurança
26	Atenção	Procedimento de atenção
27	Perigo	Procedimento de perigo
28	Segurança	Procedimento de segurança
29	Atenção	Procedimento de atenção
30	Perigo	Procedimento de perigo
31	Segurança	Procedimento de segurança
32	Atenção	Procedimento de atenção
33	Perigo	Procedimento de perigo
34	Segurança	Procedimento de segurança
35	Atenção	Procedimento de atenção
36	Perigo	Procedimento de perigo
37	Segurança	Procedimento de segurança
38	Atenção	Procedimento de atenção
39	Perigo	Procedimento de perigo
40	Segurança	Procedimento de segurança
41	Atenção	Procedimento de atenção
42	Perigo	Procedimento de perigo
43	Segurança	Procedimento de segurança
44	Atenção	Procedimento de atenção
45	Perigo	Procedimento de perigo
46	Segurança	Procedimento de segurança
47	Atenção	Procedimento de atenção
48	Perigo	Procedimento de perigo
49	Segurança	Procedimento de segurança
50	Atenção	Procedimento de atenção
51	Perigo	Procedimento de perigo
52	Segurança	Procedimento de segurança
53	Atenção	Procedimento de atenção
54	Perigo	Procedimento de perigo
55	Segurança	Procedimento de segurança
56	Atenção	Procedimento de atenção
57	Perigo	Procedimento de perigo
58	Segurança	Procedimento de segurança
59	Atenção	Procedimento de atenção
60	Perigo	Procedimento de perigo
61	Segurança	Procedimento de segurança
62	Atenção	Procedimento de atenção
63	Perigo	Procedimento de perigo
64	Segurança	Procedimento de segurança
65	Atenção	Procedimento de atenção
66	Perigo	Procedimento de perigo
67	Segurança	Procedimento de segurança
68	Atenção	Procedimento de atenção
69	Perigo	Procedimento de perigo
70	Segurança	Procedimento de segurança
71	Atenção	Procedimento de atenção
72	Perigo	Procedimento de perigo
73	Segurança	Procedimento de segurança
74	Atenção	Procedimento de atenção
75	Perigo	Procedimento de perigo
76	Segurança	Procedimento de segurança
77	Atenção	Procedimento de atenção
78	Perigo	Procedimento de perigo
79	Segurança	Procedimento de segurança
80	Atenção	Procedimento de atenção
81	Perigo	Procedimento de perigo
82	Segurança	Procedimento de segurança
83	Atenção	Procedimento de atenção
84	Perigo	Procedimento de perigo
85	Segurança	Procedimento de segurança
86	Atenção	Procedimento de atenção
87	Perigo	Procedimento de perigo
88	Segurança	Procedimento de segurança
89	Atenção	Procedimento de atenção
90	Perigo	Procedimento de perigo
91	Segurança	Procedimento de segurança
92	Atenção	Procedimento de atenção
93	Perigo	Procedimento de perigo
94	Segurança	Procedimento de segurança
95	Atenção	Procedimento de atenção
96	Perigo	Procedimento de perigo
97	Segurança	Procedimento de segurança
98	Atenção	Procedimento de atenção
99	Perigo	Procedimento de perigo
100	Segurança	Procedimento de segurança

Procedimento de segurança em conformidade com o Código ISM

S 64 57

Colocação do Colete Salva-vidas

Instruções para colocar o colete Salva-vidas

- Coloque o colete Salva-vidas**
Coloque o colete Salva-vidas sobre o corpo.
- Abra o colete Salva-vidas**
Abra o colete Salva-vidas e ajuste as correias.
- Abra a parte superior do colete Salva-vidas**
Abra a parte superior do colete Salva-vidas.
- Abra a parte inferior do colete Salva-vidas**
Abra a parte inferior do colete Salva-vidas.

Procedimento de segurança em conformidade com o Código ISM

S 64 58

Sinais de Luzes, Formatos e Sons

Sinais de comunicação internacional

Sinal	Significado	Procedimento
1	Segurança	Procedimento de segurança
2	Atenção	Procedimento de atenção
3	Perigo	Procedimento de perigo
4	Segurança	Procedimento de segurança
5	Atenção	Procedimento de atenção
6	Perigo	Procedimento de perigo
7	Segurança	Procedimento de segurança
8	Atenção	Procedimento de atenção
9	Perigo	Procedimento de perigo
10	Segurança	Procedimento de segurança
11	Atenção	Procedimento de atenção
12	Perigo	Procedimento de perigo
13	Segurança	Procedimento de segurança
14	Atenção	Procedimento de atenção
15	Perigo	Procedimento de perigo
16	Segurança	Procedimento de segurança
17	Atenção	Procedimento de atenção
18	Perigo	Procedimento de perigo
19	Segurança	Procedimento de segurança
20	Atenção	Procedimento de atenção
21	Perigo	Procedimento de perigo
22	Segurança	Procedimento de segurança
23	Atenção	Procedimento de atenção
24	Perigo	Procedimento de perigo
25	Segurança	Procedimento de segurança
26	Atenção	Procedimento de atenção
27	Perigo	Procedimento de perigo
28	Segurança	Procedimento de segurança
29	Atenção	Procedimento de atenção
30	Perigo	Procedimento de perigo
31	Segurança	Procedimento de segurança
32	Atenção	Procedimento de atenção
33	Perigo	Procedimento de perigo
34	Segurança	Procedimento de segurança
35	Atenção	Procedimento de atenção
36	Perigo	Procedimento de perigo
37	Segurança	Procedimento de segurança
38	Atenção	Procedimento de atenção
39	Perigo	Procedimento de perigo
40	Segurança	Procedimento de segurança
41	Atenção	Procedimento de atenção
42	Perigo	Procedimento de perigo
43	Segurança	Procedimento de segurança
44	Atenção	Procedimento de atenção
45	Perigo	Procedimento de perigo
46	Segurança	Procedimento de segurança
47	Atenção	Procedimento de atenção
48	Perigo	Procedimento de perigo
49	Segurança	Procedimento de segurança
50	Atenção	Procedimento de atenção
51	Perigo	Procedimento de perigo
52	Segurança	Procedimento de segurança
53	Atenção	Procedimento de atenção
54	Perigo	Procedimento de perigo
55	Segurança	Procedimento de segurança
56	Atenção	Procedimento de atenção
57	Perigo	Procedimento de perigo
58	Segurança	Procedimento de segurança
59	Atenção	Procedimento de atenção
60	Perigo	Procedimento de perigo
61	Segurança	Procedimento de segurança
62	Atenção	Procedimento de atenção
63	Perigo	Procedimento de perigo
64	Segurança	Procedimento de segurança
65	Atenção	Procedimento de atenção
66	Perigo	Procedimento de perigo
67	Segurança	Procedimento de segurança
68	Atenção	Procedimento de atenção
69	Perigo	Procedimento de perigo
70	Segurança	Procedimento de segurança
71	Atenção	Procedimento de atenção
72	Perigo	Procedimento de perigo
73	Segurança	Procedimento de segurança
74	Atenção	Procedimento de atenção
75	Perigo	Procedimento de perigo
76	Segurança	Procedimento de segurança
77	Atenção	Procedimento de atenção
78	Perigo	Procedimento de perigo
79	Segurança	Procedimento de segurança
80	Atenção	Procedimento de atenção
81	Perigo	Procedimento de perigo
82	Segurança	Procedimento de segurança
83	Atenção	Procedimento de atenção
84	Perigo	Procedimento de perigo
85	Segurança	Procedimento de segurança
86	Atenção	Procedimento de atenção
87	Perigo	Procedimento de perigo
88	Segurança	Procedimento de segurança
89	Atenção	Procedimento de atenção
90	Perigo	Procedimento de perigo
91	Segurança	Procedimento de segurança
92	Atenção	Procedimento de atenção
93	Perigo	Procedimento de perigo
94	Segurança	Procedimento de segurança
95	Atenção	Procedimento de atenção
96	Perigo	Procedimento de perigo
97	Segurança	Procedimento de segurança
98	Atenção	Procedimento de atenção
99	Perigo	Procedimento de perigo
100	Segurança	Procedimento de segurança

Procedimento de segurança em conformidade com o Código ISM

S 64 59