

LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 15/08/2011 Revision date: 04/10/2022 Supersedes version of: 28/09/2020 Version: 8.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : LanoPro Multi Grease EP0

Synonyms : Former product name: LanoPro EP Grease 154-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Lubricating grease

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LanoPro Production AS Smedveien 7 1344 Haslum, Norway T +47 40 00 15 14 - F +47 21 54 73 43 hb@lanopro.com - www.lanopro.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
1 -	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : This product is a lithium grease based on mineral oil with additives.

The mineral oils in the product contain <3% DMSO-extract (IP 346).



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-ethylhexyl zinc dithiophosphate	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	< 2.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	(50 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c>	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show

the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the patient to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm

water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Liquid splashes in the eye may cause irritation.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

Explosion hazard : Product is not explosive.

Hazardous decomposition products in case of fire : irritating gases.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respiratory protection

(EN137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Concerning personal protective equipment to use, see section 8. Spill area may be slippery. Do not

breathe vapour.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup and emergency crew with proper protection.

Emergency procedures : Ventilate area.



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Spillage causes slippery floors and tools. Avoid breathing vapours.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in original container. Keep container closed when not in use. Store in a well-ventilated place. Keep

cool

Incompatible materials

: Sources of ignition. Direct sunlight.

Storage temperature

: < 50 °C

7.3. Specific end use(s)

No additional data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.



8.2.2.1. Eye and face protection

Eye protection:

Not required

8.2.2.2. Skin protection



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves resistant to chemical penetration. Nitrile rubber gloves. Neoprene. Layer thickness: >0,38 mm. Breakthrough time: 6 (> 480 minutes). STANDARD EN 374.

8.2.2.3. Respiratory protection

Respiratory protection:

Not required. In case of insufficient ventilation, wear suitable respiratory equipment. Mask with combination filter BROWN A and P-filter cartridge. STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 147

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Tan.

Appearance : Highly viscous material.

Odour kerosene. Odour threshold Not determined. Melting point Not determined Freezing point : Not determined. Boiling point : Not determined. Flammability Explosive properties Not explosive Oxidising properties : Non flammable. **Explosive limits** Not relevant. Lower explosive limit (LEL) Not available Upper explosive limit (UEL) : Not available : > 150 °C Flash point Auto-ignition temperature Not determined Decomposition temperature рΗ : Not determined. Viscosity, kinematic Not determined. Viscosity, dynamic Not determined. Solubility Partition coefficient n-octanol/water (Log Kow) Not available Partition coefficient n-octanol/water (Log Pow)

: Insoluble in water. Not determined. Vapour pressure Not determined Vapour pressure at 50 °C : Not available Density $< 1000 \text{ kg/m}^3$ Relative density Not determined. Relative vapour density at 20 °C Not determined. Particle size Not applicable Particle size distribution Not applicable Particle shape Not applicable Particle aspect ratio : Not applicable : Not applicable Particle aggregation state Particle agglomeration state Not applicable Particle specific surface area Not applicable Particle dustiness Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Critical temperature : Not determined.

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined.



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Product is stable.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Thermal decomposition may produce: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Additional information : Based on available data, the classification criteria are not met

2-ethylhexyl zinc dithiophosphate (4259-15-8)		
LD50 oral rat 3100 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg	

Skin corrosion/irritation : Not classified

pH: Not determined.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified pH: Not determined.

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

LanoPro Multi Grease EP0		
Viscosity, kinematic	Not determined.	



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2 Other information

Potential adverse human health effects and symptoms

For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

2-ethylhexyl zinc dithiophosphate (4259-15-8)		
LC50 - Fish [1]	1 – 10 mg/l (96 hours - Rainbow trout)	
EC50 - Crustacea [1]	1 – 1.5 (48 hours - Daphnia magna)	
EC50 72h - Algae [1]	1 – 5 mg/l (96 hours - Pseudokirchneriella subcapitata)	

12.2. Persistence and degradability

LanoPro Multi Grease EP0	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

LanoPro Multi Grease EP0		
Partition coefficient n-octanol/water (Log Pow)	Not determined.	
Bioaccumulative potential	No bioaccumulation.	

2-ethylhexyl zinc dithiophosphate (4259-15-8)		
Partition coefficient n-octanol/water (Log Pow)	2.86	

12.4. Mobility in soil

LanoPro Multi Grease EP0	
Ecology - soil	The product is insoluble in water. Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

LanoPro Multi Grease EP0

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste treatment methods : Recover the product with absorbent material.



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a hazardous or special waste collection point.

Additional information

: The given LoW-code is a guiding, and the code depends on how the waste is formed. User must

evaluate the choice of correct code.

Ecology - waste materials European List of Waste (LoW) code Avoid release to the environment.
13 08 99* - wastes not otherwise specified

13 02 00 - waste engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name	9				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(e	s)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group	,				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards	14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

15.2. Chemical safety assessment

No chemical safety assessment has been carried out



LanoPro Multi Grease EP0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on

classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None

Full text of H- and EUH-statements:

Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2

EUH210 Safety data sheet available on request.

Eye Dam. 1 Serious eye damage/eye irritation, Category 1

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.

