



W
O
K
E
R





PRODUCTS

- ScanSweatshirt / page 57
- ScanPyro Anchor Pro 002 / page 34
- ScanUtility / page 38
- ScanBoot / page 158

ScanEssence Reflect

Boiler Suit — UV protection

1010.50



- FEATURES**
- Reflective striping 25 mm (1.0 in): shoulders, arms and legs
 - Storage: flashlight
 - Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)
 - Adjustable at: waist and wrists
 - Velcro strip for rank or name badge
 - Two-way YKK zipper closure
 - 100% fine cotton twill with UV protection

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL

- COLOURS**
- White
Khaki
Orange
Red
Royal Aqua
Eco Green
Grey

- NORMS**
- CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II
- AS/NZS 4399:1996 UPF rating 50+ (UV protection)
- Also available with short sleeves*

ScanBaseball Reflect

Boiler Suit — Organic Cotton

1010.57



- FEATURES**
- Green label: organic cotton with UV protection
 - 3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
 - Equipped for use with kneepads
 - Knitted cuffs for extra comfort
 - Storage: mobile phone/walkie-talkie, flashlight, and pen
 - Pockets: chest (x 1 zipped), sleeve, side (x 2, open access), and seat (x 2)
 - Two radio/gas loops
 - Adjustable at: waist
 - Velcro strips for rank and name badges
 - Two-way YKK zipper closure

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL

- COLOURS**
- White

- NORMS**
- CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class I
- AS/NZS 4399:1996 UPF rating 50+ (UV protection)
-  Green Label
- Available from 2021*

ScanRally **Boiler Suit** — UV protection

1005.01



- FEATURES**
- Storage: mobile phone/walkie-talkie, flashlight, and pen
 - Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
 - Two radio/gas loops
 - Adjustable at: wrists, legs, and waist
 - Velcro strips for rank and name badges
 - Epaulets can be affixed to shoulders
 - Two-way YKK zipper closure
 - 100% fine cotton twill with UV protection

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL

- COLOURS**
- White
Yellow
Orange
Royal Aqua
Navy

- NORMS**
- CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Also available with short sleeves

Please note: The design of our ScanRally has been updated. We will begin shipping this new design following the sale of our existing inventory.

ScanRally Reflect **Boiler Suit** — UV protection

1010.01



- FEATURES**
- 3M reflective striping 50 mm (2.0 in): shoulders, legs, and back
 - 3M reflective striping 25 mm (1.0 in): arms
 - Equipped for use with kneepads
 - Storage: mobile phone/walkie-talkie, flashlight, and pen
 - Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
 - Two radio/gas loops
 - Adjustable at: wrists, legs, and waist
 - Velcro strips for rank and name badges
 - Epaulets can be affixed to shoulders
 - Two-way YKK zipper closure
 - 100% fine cotton twill with UV protection

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL
G/L (Grand/Large upon request)

- COLOURS**
- White
Khaki
Orange
Red
Sky Blue
Royal Aqua
Navy
Eco Green
Bottle Green
Grey

- NORMS**
- CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.6:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Also available with short sleeves

Please note: The design of our ScanRally Reflect has been updated. We will begin shipping this new design following the sale of our existing inventory.

ScanRally Reflect Women **Women's Boiler Suit** — UV protection

1011.01



FEATURES

- 3M reflective striping 50 mm (2.0 in): shoulders, legs, and back
- 3M reflective striping 25 mm (1.0 in): arms
- Equipped for use with kneepads
- Storage: mobile phone/walkie-talkie, flashlight, and pen
- Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
- Two radio/gas loops
- Adjustable at: wrists, legs, and waist
- Velcro strips for rank and name badges
- Epaulets can be affixed to shoulders
- Two-way YKK zipper closure
- 100% fine cotton twill with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note: we will begin shipping the new design following the sale of our existing inventory.

Also available with short sleeves

Also available in other colours, upon request

ScanTropic Reflect **Boiler Suit** — Heat-regulating

1012.01



FEATURES

- Designed for hot climates and engine rooms
- Mesh Moisture Management at back pleats
- 3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
- Storage: flashlight and pen
- Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
- Two radio/gas loops
- Adjustable at: wrists, legs, and waist
- Velcro strips for rank and name badges
- Epaulets can be affixed to shoulders
- Two-way YKK zipper closure
- Lightweight 100% fine cotton with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Red
Navy
Bottle Green
Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Also available with short sleeves

ScanAlliance **Boiler Suit** — UV protection

1010.55



- FEATURES**
- Fluo reflective striping 50 mm (2.0 in): shoulders, arms, waist and legs
 - Storage: flashlight
 - Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)
 - Adjustable at waist and wrists
 - Two-way YKK zipper closure
 - 100% fine cotton twill with UV protection

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL XS

- COLOURS**
- Royal Aqua

- NORMS**
- CE Certified
 - EN ISO 13688:2013 (general requirements)
 - EN 13758-2:2003+A1:2006, 40+ (UV protection)
 - OEKO-TEX® Standard 100 Class II
- ANSI 107:2015 Type O, Class 1 (high visibility)
- AS/NZS 1906.4:2010, Class R (high visibility)
- AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanDynamic **Boiler Suit** — High Viz

1010.11



- FEATURES**
- Designed for high-visibility class 3
 - Mesh Moisture Management at back pleats
 - 3M reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
 - Equipped for use with kneepads
 - Storage: mobile phone/walkie-talkie, flashlight, and pen
 - Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
 - Two radio/gas loops
 - Adjustable at: wrists, legs, and waist
 - Velcro strips for rank and name badges
 - Two-way YKK zipper closure
 - UV protection finish
 - Shell: 100% cotton twill
 - High Viz: 60% cotton, 40% polyester

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL

- COLOURS**
- High viz yellow & navy

- NORMS**
- CE-certified
 - EN ISO 13688:2013 (general requirements)
 - EN 13758-2:2003+A1:2006, 40+ (UV protection)
 - EN ISO 20471:2013+A1:2016, Class 3 (high visibility)
 - OEKO-TEX® Standard 100 Class II
- ANSI 107:2015 Type R, Class 3, non-FR (high visibility)
- AS/NZS 1906.4:2010, Class R+F (high visibility)
- AS/NZS 4399:1996 UPF Rating 50+ (UV protection)

ScanPyro AS ZP Offshore Boiler Suit — Multi-Hazard

1035.12



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
 Equipped for use with kneepads
 Storage: flashlight (x 2)
 Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), cargo, seat (x 2), and inner
 Two radio/gas loops
 Adjustable at: wrists and waist
 Velcro strips for rank and name badges
 Two-way YKK zipper closure
 99% mercerized cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
 Orange
 Red

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1 (welding)
 EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
 EN 1149-5:2018 (anti-static)
 IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
 ELIM=5,5 cal/cm² (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)
 OEKO-TEX® Standard 100 Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)
 AS/NZS 1906.4 : 2010, Class R (high visibility)

ScanGlobal Offshore Boiler Suit — Multi-Hazard

1035.40



FEATURES

Flame-resistant fluo reflective perforated striping 50 mm (2.0 in): shoulders, arms, legs, and back
 Equipped for use with kneepads
 Storage: mobile phone/walkie-talkie, flashlight, and pen
 Pockets: chest, sleeve, side (x2, open access), seat (x 2) and inner
 Two radio/gas loops
 Adjustable at: wrists, legs, and waist
 Velcro strips for rank and name badges
 Two-way Aramid zipper closure
 Chemical, oil, and stain-resistant
 99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange
 Navy

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)
 Bodyburn rate 7%
 NFPA 70E – ASTM F1959 (arc flash)
 HRC 2 / ATPV 9.4 cal/cm²
 ASTM F1506

AS/NZS 1906.4:2010, Class R (high visibility)
 AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1+A2 (welding)
 EN ISO 11612:2015, A1+ A2 B1 C1 F1 (flame-resistant)
 EN 1149-5:2018 (anti-static)
 EN 13034:2005+A1:2009, Type 6 (chemical protection)
 IEC 61482-2:2009, Class 1 (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)

Limited availability. Superseded by ScanAlliance FR

ScanAlliance FR **Boiler Suit** — Multi-Hazard

1035.42



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms, legs, waist and back
 Equipped for use with kneepads
 Storage: mobile phone/walkie-talkie, flashlight and pen
 Pockets: chest, sleeve, side (x 2, open access), seat (x 2) and inner
 Two radio/gas loops
 Adjustable at: wrists, legs, and waist
 Two-way Aramid zipper closure
 99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

Navy

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)
 Bodyburn rate 7%
 NFPA 70E – ASTM F1959 (arc flash)
 HRC 2 / ATPV 9.4 cal/cm²
 ASTM F1506
 ANSI 107:2015 (high visibility)

AS/NZS 1906.4:2010, Class R+F (high visibility)
 AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1 A2 (welding)
 EN ISO 11612:2015, A1 A2 B1 C1 E2 F1 (flame resistant)
 EN 1149-5:2018 (anti-static)
 EN 13034:2005+A1:2009, Type 6 (chemical protection)
 IEC 61482-2:2009, Class 1 (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)

ScanPyro Endurance **Offshore Boiler Suit** — Multi-Hazard

1035.35



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
 Equipped for use with kneepads
 Storage: flashlight (x 2)
 Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), cargo, seat (x 2), and inner
 Two radio/gas loops
 Adjustable at: wrists and waist
 Velcro strips for rank and name badges
 Two-way YKK zipper closure
 Chemical, oil, and stain-resistant
 99% long staple cotton, 1% carbon fiber (heavy duty)

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, A1+ A2 Class 2 (welding)
 EN ISO 11612:2015, A1+ A2 B1 C1 E3 F1 (flame-resistant)
 EN 1149-5:2018 (anti-static)
 EN 13034:2005+A1:2009 Type 6 (chemical protection)
 IEC 61482-2:2018, APC 1 (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)
 OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010 (high visibility)
 AS/NZS 4399:1996 UPF Rating 50+ (UV protection)

ScanPyro Tropic AS ZP **Offshore Boiler Suit** — Heat-regulating

1035.16

**FEATURES**

Designed for hot climates and engine rooms
Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Mesh Moisture Management at back pleats
Storage: flashlight (x 2)
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), seat (x 2), and inner
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure
99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Red
Royal Aqua
Navy
Bottle Green

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanPyro Anchor Pro **Offshore Boiler Suit** — Multi-Hazard

1035.30

**FEATURES**

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
Equipped for use with kneepads
Storage: flashlight and pen
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure
Shell: 99% cotton, 1% carbon fiber
High Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
ELIM=5,5 cal/cm² (electric arc)
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanPyro Anchor

Offshore Boiler Suit — Multi-Hazard

1035.20

**FEATURES**

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
Equipped for use with kneepads
Storage: flashlight and pen
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure
Shell: 99% cotton, 1% carbon fiber
High Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL
M/S (Medium/Short upon request)

COLOURS

Red & High Viz Yellow

NORMS

CE Certified
EEN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
ELIM=5,5 cal/cm² (electric arc)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanPyro Anchor Pro 003 **Winter Offshore Boiler Suit** — Multi-Hazard

1036.07



FEATURES

Thermal insulation to -20°C (-4°F)
 Lined and padded body, sleeves, and legs
 Ultra soft down feel padding for optimal comfort
 Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
 Equipped for use with kneepads
 Flame-resistant knitted cuffs for extra protection against wind
 Storage: flashlight and pen
 Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner
 Two radio/gas loops
 Adjustable at: wrists
 Velcro strips for rank and name badges
 Two-way YKK zipper closure
 Shell: 99% cotton, 1% carbon fiber
 High Viz: 80% cotton, 19% polyester, 1% carbon fiber
 Lining: 55% modacrylic, 45% cotton
 Padding: 100% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1 (welding)
 EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
 EN 1149-5:2018 (anti-static)
 IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
 ELIM=5,5 cal/cm² (electric arc)
 EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)
 OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)
 AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanTriple HV 003 **Thermal Offshore Boiler Suit** — Multi-Risk

1036.44



FEATURES

Thermal insulation to -39°C (-38,2°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Flame-resistant / anti-static fleece lining
 Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs and back
 Equipped for use with kneepads
 Flame-resistant knitted cuffs for extra protection against wind
 Storage: mobile phone / walkie talkie and flashlight
 Pockets: chest (x 2), side (x 2, slanted and covered), cargo (x 2), seat (x 2 covered), hammer (x 1) and inner (x 3)
 Two radio/gas loops
 Detachable hood, compatible with safety helmet
 Velcro strips for rank and name badges
 Two-way YKK zipper closure on front
 Adjustable at: wrist, waist and legs
 Side seam zippers
 5000mm water column
 5000mvp breathable
 Shell: 98% polyester, 2% carbon fiber
 Knitted lining: 60% modacrylic, 40% cotton
 Fleece lining: 60% modacrylic, 40% cotton
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Red
 High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 14116:2015 (flame-resistant)
 EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
 EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
 EN 343:2019, Class 3-1-X (foul weather)
 EN 1149-5:2018 (anti-static)

ScanArctic **Waterproof Winter Boiler Suit** — High Viz

1030.04



FEATURES

Thermal insulation to -46°C (-50,8°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Waterproof breathable polyester oxford with fur lining in body
 Padded polyester lining in sleeves and legs
 3M reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
 Equipped for use with kneepads
 Knitted cuffs for extra protection against wind
 Storage: flashlight
 Pockets: chest (x 2), side (x 2, slanted and covered), sleeve (x 1), seat (x 2 covered), hammer pocket (x 1) and inner (x 2)
 Radio / gas loop
 Tuck-in hood compatible with safety helmet
 Velcro strips for rank and name badges
 Two-way YKK zipper closure on front
 Ankle to knee YKK zippers along leg
 5000mm water column
 3000mvp breathable
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow
 High Viz Orange

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN 342:2004 Icler 0.431 X-2-2 (cold weather)
 EN 343:2003+A1:2007 Class 3-1 (foul weather)
 EN ISO 20471:2013 Class 3 (high-visibility)

ScanCambrian **High-pressure Boiler Suit**

1018.01



FEATURES

Protects against hydraulic fluid and the hazards of high-pressure cleaning
 Water- and dirt-repellent shell
 Adjustable ventilation under arms
 Storage (waterproof): walkie-talkie, flashlight
 Pockets: left leg (zipped), chest (zipped), sleeve (ID card) and leg (x 1)
 Waterproof cuffs, adjustable with Velcro
 Light weight shell fabric with Dynema® fiber
 Reinforced knees
 Adjustable hood with room for hearing protection
 Striped fabric clearly identifies protected areas

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Grey

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)

We recommend wearing this in combination with our ScanCalverley high-pressure waterproof protective boots (see section Footwear - Boots)

Special item: please allow up to 14 working days for delivery

ScanPyro AS 001 Offshore Jacket — Multi-Hazard

1035.05



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, and back
 Pockets: chest (x 2, slanted, concealed, zipped), and sleeve
 Two radio/gas loops
 Adjustable at: wrists and waist
 Velcro strips for rank and name badges
 YKK zipper closure on front
 99% cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1 (welding)
 EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
 EN 1149-5:2018 (anti-static)
 IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
 ELIM=5,5 cal/cm² (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV protection)
 OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010, Type R (high visibility)
 AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with
 ScanPyro AS 002*

ScanPyro Anchor Pro 001 Offshore Jacket — Multi-Hazard, High Viz

1035.32



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back
 Pockets: chest (x 2) and sleeve
 Two radio/gas loops
 Adjustable at: wrists and waist
 Velcro strips for rank and name badges
 Two-way YKK zipper closure on front
 Shell: 99% mercerized cotton, 1% carbon fiber
 High Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 11611:2015, Class 1 A1 (welding)
 EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
 EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
 Wearing ScanPyro Anchor Pro 001 Jacket in combination with ScanPyro Anchor Pro 002 Trousers together conforms to class 3 protection
 EN1149-5:2018 (anti-static)
 IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
 ELIM=5,5 cal/cm² (electric arc)
 EN 13758-2:2003+A1:2006, 50+ (UV Protection)
 OEKO-TEX Standard 100 Class II

AS/NZS 1906.4:2010, Class R+F (high visibility)
 AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with
 ScanPyro Anchor Pro 002*

ScanConverter HV **Waterproof multi season 3-in-1 jacket** — High Viz

1057.03



FEATURES

Waterproof breathable polyester outer jacket with removable fleece jacket
 Fleece jacket with anti-pilling and anti-static finish
 Pockets outerjacket: chest (x 1), waist (x 2), inner (x 1)
 Pockets fleece jacket: waist (x 2)
 3M reflective striping 50 mm (2.0 in): 2 stripes at front and back, 2 stripes on the sleeve
 Radio/gas loop
 Removable hood fits over safety helmets
 Key hanger
 Velcro strips for rank and name badges
 Adjustable at: sleeves and bottom
 Two-way YKK zipper closure on front
 Waterproof zipper pockets on outer jacket
 Taped seams
 5000mm water column
 5000mvp breathable
 Shell fabric: 100% Polyester / PU-coated
 Fleece fabric: 100% Polyester polar fleece (anti-pilling + antistatic finish)

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN 343:2003+A1:2007, Class 3-2 (foul weather)
 EN 14058:2017, 23X3 (cold weather)
 EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
 ANSI 107:2015 Type R, Class 2, non-FR (high visibility)

ScanPolar HV 001 **Waterproof Winter Parka** — High Viz

1030.01



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Waterproof breathable polyester twill with teddy lining in body
 Pockets: chest (x 2), waist (x 2), inner (x 2)
 Radio/gas loop
 Tuck-in hood compatible with safety helmet
 3M reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back
 Velcro strips for rank and name badges
 Adjustable at: wrists and waist
 Two-way YKK zipper closure on front
 Windstopper
 3000mm water column
 3000mvp breathable
 Shell: 100% polyester twill / PU-coated (breathable)
 Lining body: 100% acrylic teddy
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow
 High Viz Orange

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN 342:2017, Icler 0.355 X-2-WP (cold weather)
 EN 343:2019, Class 3-1-X (foul weather)
 EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
 Wearing ScanPolar HV 001 Parka in combination with ScanPolar HV 002
 Brace Trousers together conforms to class 3 protection

*Designed to be worn in combination with
 ScanPolar HV 002*

ScanTriple HV 001 Thermal Offshore Jacket — Multi-Risk

1036.40



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Flame-resistant / anti-static fleece lining
 Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back
 Flame-resistant knitted cuffs for extra protection against wind
 Detachable hood, compatible with safety helmet
 Storage: mobile phone / walkie-talkie
 Pockets: chest (x 2), waist (x 2), inner (x 3)
 Two radio/gas loops
 Adjustable at: wrists and waist
 Velcro strips for rank and name badges
 Two-way YKK zipper closure on front
 5000mm water column
 5000mvp breathable
 Shell: 98% polyester, 2% carbon fiber
 Knitted lining: 60% modacrylic, 40% cotton
 Fleece lining: 60% modacrylic, 40% cotton
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Red
 High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 14116:2015 (flame-resistant)
 EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
 Wearing ScanTriple HV 001 Jacket in combination with ScanTriple HV 002 Trousers together conforms to class 3 protection
 EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
 EN 343:2019, Class 3-1-X (foul weather)
 EN 1149-5:2018 (anti-static)

Designed to be worn in combination with ScanTriple HV 002

ScanShower Rain Suit — Lightweight with Reflective Striping

1045.10



FEATURES

Soft and strong polyester/PVC

Jacket:
 Tuck-in hood compatible with safety helmet
 Mesh ventilation at back
 Reflective striping 50 mm (2.0 in): chest and arms
 Pockets: waist (x 2, covered)
 Elasticated wind cuffs at wrists

Trousers:
 Reflective striping: legs
 Elasticised waist
 Pockets: side (x 2, open access)
 Adjustable at legs

Shell: 65% polyester, 35% PVC

SIZES

S/M – L/XL – 2XL/3XL

COLOURS

Fluo Orange

NORMS

-

*Sales quantity: 12 sets, per size, per carton
 Item shipped in a polyester-PVC garment bag for easy storage*

ScanRain HD 001 **Rain Jacket** — Heavy Duty Performance

1045.01



FEATURES

Durable and flexible PVC/PU
Tuck-in hood compatible with safety helmet
Raglan sleeves
Adjustable at: wrists
Pockets: waist (x2, covered)
15 mm (0.6 in) reflective striping: collar, waist, and cuffs
YKK zipper closure
3000mm water column
Shell: 50% PVC, 30% polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2003+A1:2007, Class 3-1 (foul weather)

Please note: we have updated the design for ScanRain HD 001. The new design includes slanted reflective stripes and will replace the outgoing design once our existing inventory is sold.

Designed to be worn in combination with ScanRain HD 003

ScanRain Reflect FR/AS 001 **Rain Jacket** — Multi-Risk

1037.08



FEATURES

Flexible and strong shell fabric
Reflective striping 50 mm (2.0 in): hood, chest, shoulders, arms, and back
Hood compatible with safety helmet
Adjustable at: wrists
Pockets: waist (x 2, covered)
3000mm water column
Shell: 50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Red
High Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 343:2019, Class 3-1 (foul weather)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanRain FR/AS 001 Jacket in combination with ScanRain FR/AS 003 Bib & Brace together conforms to class 3 protection
EN ISO 14116:2015 (flame-resistant)
EN 1149-5:2008 (anti-static)
EN 13034:2005 +A1:2009 - type 6 (liquid chemicals)

Please note: HV yellow/navy is anti-static (AS), flame resistant (FR) and chemical splash. HV yellow/red is flame-resistant (FR).

Designed to be worn in combination with ScanRain Reflect FR/AS 003

Please note: The design of our ScanRain Reflect FR/AS 001 High Viz Yellow & Navy has been updated. We will begin shipping this new design following the sale of our existing inventory.

ScanRix FR/AS 001 **Padded Rain Parka** — Multi-Risk

1037.20



- FEATURES**
- Flexible and strong shell fabric
 - Reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back
 - Reflective striping 15 mm (0.6 in): collar
 - Tuck-in hood compatible with safety helmet
 - Adjustable at: waist
 - Pockets: waist (x 2, concealed), inner (x 1)
 - Two-way zipper closure on front
 - 3000mm water column
 - Shell: 50% anti-static polyester, 50% flame-resistant PU
 - Lining: 100% flame-resistant cotton
 - Padding: 100% polyester

- SIZES**
- S – M – L – XL – 2XL – 3XL

- COLOURS**
- High Viz Yellow & Navy

- NORMS**
- CE Certified
- EN ISO 13688:2013 (general requirements)
- EN 343:2019, Class 3-1-X (foul weather)
- EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
- Wearing ScanRix FR/AS 001 Parka in combination with ScanRix FR/AS 002 Trousers together conforms to class 3 protection
- EN ISO 14116:2015, Index 1 (flame-resistant)
- EN 1149-5:2018 (anti-static)

Please note: we will begin shipping the new design following the sale of our existing inventory.

Designed to be worn in combination with ScanRix FR/AS 002

ScanFleece **High Viz Triple Layer Jacket**

1059.01



- FEATURES**
- Breathable and insulated
 - Elasticized cording prevents garment from shifting
 - Stitched reflective striping
 - Pockets: chest (covered)
 - Windproof and water repellent
 - Anti-pilling fabric
 - Fabric: polyester micro fleece
 - Shell: PU

- SIZES**
- XS – S – M – L – XL – 2XL – 3XL

- COLOURS**
- Orange

- NORMS**
- CE Certified
- EN ISO 13688 (general requirements)
- EN ISO 20471:2013, Class 3 (high-visibility)

ScanSignal **Signal Safety Vest** — High Viz

1055.02



- FEATURES**
- Reflective striping shoulders (50 mm / 2.0 in) and chest (60 mm / 2.36 in)
 - Adjustable velcro front closures
 - Pocket: chest
 - Storage: mobile phone / walkie talkie and pen
 - Shell: 100% polyester

- SIZES**
- XS/S – M/L – XL/2XL

- COLOURS**
- High Viz Yellow

- NORMS**
- CE Certified
 - EN ISO 13688:2013 (general requirements)
 - EN ISO 20471:2013, Class 2 (high-visibility)

ScanSignet FR AS **Waistcoat** — High Viz

1055.01



- FEATURES**
- Quilted reflective stripes
 - Fabric contains carbon wire
 - Adjustable Velcro closures
 - 100% Oxford polyester signal vest with PU coating

- SIZES**
- M – 4XL

- COLOURS**
- High Viz Yellow
 - High Viz Orange

- NORMS**
- CE Certified
 - EN ISO 1149-5:2008 (anti-static)
 - EN ISO 14116:2008 (flame-retardant)
 - EN ISO 20471:2013, Class 2 (high-visibility)

ScanAmbient **Safety Vest** — Colour Designation

1055.05



- FEATURES**
- Multicolour: working activity distinction
 - Reflective striping: shoulders and chest (30mm / 1.18 in)
 - Velcro front closures
 - 100% polyester

- SIZES**
- M/L – XL/2XL

- COLOURS**
- White
 - Yellow
 - Orange
 - Red
 - Purple
 - Blue
 - Green
 - Black

- NORMS**
-

Please note this article is only available upon request

ScanAlliance 002 **Offshore Trousers** — UV protection

1055.17

**FEATURES**

Fluo reflective reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
100% fine cotton twill with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified

EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010 Type R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with
ScanAlliance 001*

ScanPyro AS 002 **Offshore Trousers** — Multi-Hazard

1035.08

**FEATURES**

Flame-resistant reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side (x 2), seat (x 2) and cargo
99% cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange & Navy

NORMS

CE Certified
EN ISO 136788:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II

AS/NZS 1906.4:2010 (high-visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with
ScanPyro AS 001*

ScanPyro Anchor Pro 002 **Offshore Trousers** — Multi-Hazard

1035.34



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
99% mercerized cotton, 1% carbon fiber
High Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN ISO 20471:2013, Class 1 (high-visibility)
Wearing ScanPyro Anchor Pro 002 Trousers in combination with ScanPyro Anchor Pro 001 Jacket together conforms to class 3 protection
EN1149-5:2008 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm²
ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV Protection)
OEKO-TEX Standard 100 Class II

AS/NZS 1906.4:2010, Class R+F (high visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with
ScanPyro Anchor Pro 001*

ScanAlliance FR 002 **Offshore Trousers** — Multi-Risk

1035.46



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
99% mercerized cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX Standard 100 Class II

ANSI 107:2015 (high visibility)

AS/NZS 4399:1996, UPF rating 50+ (UV protection)
AS/NZS 1906.4:2010 Type R (high visibility)

*Designed to be worn in combination with
ScanAlliance FR 001*

ScanTriple HV 002 Thermal Offshore Brace Trousers — Multi-Risk

1036.42



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Flame-resistant / anti-static lining
 Flame-resistant reflective striping 50 mm (2.0 in): legs
 Equipped for use with kneepads
 Pockets: side (x 2, slanted and covered), cargo (x 2), seat (x 2) and hammer (x 1)
 Elasticised waist for optimal fit
 (Removable) elasticised suspenders
 Adjustable at: legs
 Side seam zippers
 5000mm water column
 5000mvp breathable
 Shell: 98% polyester, 2% carbon fiber
 Lining: 60% modacrylic, 40% cotton
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Red
 High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 14116:2015 (flame-resistant)
 EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
 Wearing ScanTriple HV 002 Trousers in combination with ScanTriple HV 001 Jacket together conforms to class 3 protection
 EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
 EN 343:2019, Class 3-1-X (foul weather)
 EN 1149-5:2018 (anti-static)

Designed to be worn in combination with ScanTriple HV 001

ScanRix FR/AS 002 Padded Rain Trousers — Multi-Risk

1037.22



FEATURES

Flexible and strong shell fabric
 Reflective striping 50 mm (2.0 in): legs
 Pockets: side (x 2, slanted, concealed), seat (covered)
 Elasticised waist with detachable elastic suspenders
 Adjustable at: legs
 Ankle to knee side seam zippers
 3000mm water column
 Shell: 50% anti-static polyester, 50% flame-resistant PU
 Lining: 100% flame-resistant cotton
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN 343:2019, Class 3-1-X (foul weather)
 EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
 Wearing ScanRix FR/AS 002 Trousers in combination with ScanRix FR/AS 001 Parka together conforms to class 3 protection
 EN ISO 14116:2015, Index 1 (flame-resistant)
 EN 1149-5:2018 (anti-static)

Please note: we will begin shipping the new design following the sale of our existing inventory.

Designed to be worn in combination with ScanRix FR/AS 001

ScanPolar HV 002 **Waterproof Brace Winter Trousers** — High Viz

1030.15



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 washing cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
 Waterproof breathable polyester twill trousers
 Padded diamond quilted polyester lining
 Pockets: side (x 2, slanted and covered), seat (x 2, covered) and hammerpocket (x 1)
 3M reflective striping 50 mm (2.0 in): legs
 Equipped for use with kneepads
 Elasticized waist with detachable elasticised suspenders
 Adjustable at: legs
 Ankle to knee side seam zippers
 3000mm water column
 3000mvp breathable
 Shell: 100% polyester twill / PU-coated (breathable)
 Lining: 100% polyester
 Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow
 High Viz Orange


NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN 342:2017, Icler 0.355 X-2-WP (cold weather)
 EN 343:2019, Class 3-1-X (foul weather)
 EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
 Wearing ScanPolar HV 002 Brace Trousers in combination with ScanPolar HV 001 Parka together conforms to class 3 protection

Designed to be worn in combination with ScanPolar HV 001

ScanRain Reflect FR/AS 003 **Rain Trousers Bib & Brace** — Multi-Risk

1037.09



FEATURES

Flexible and strong shell fabric
 Reflective striping 50 mm (2.0 in): legs
 Elasticised waist at back
 Elastic shoulder straps with snap-click buckles
 Pocket: front (covered)
 Adjustable at: legs
 3000mm water column
 Shell: 50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Red
 High Viz Yellow & Navy

NORMS

CE Certified
 EN ISO 13688:2013 (general requirements)
 EN ISO 343:2019, Class 3-1 (foul weather)
 EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
 Wearing ScanRain FR/AS 003 Bib & Brace in combination with ScanRain FR/AS 001 Jacket together conforms to class 3 protection
 EN ISO 14116:2015 (flame-resistant)
 EN 1149-5:2008 (anti-static)
 EN 13034:2005 +A1:2009 - type 6 (liquid chemicals)

Please note: HV yellow/navy is antistatic (AS), flame resistant (FR), and chemical splash. HV yellow/red is flame resistant (FR).

Designed to be worn in combination with ScanRain Reflect FR/AS 001

Please note: The design of our ScanRain Reflect FR/AS 003 High Viz Yellow & Navy has been updated. We will begin shipping this new design following the sale of our existing inventory.

ScanRain HD 003 **Rain Trousers Bib & Brace** — Heavy Duty Performance

1045.03

**FEATURES**

Durable and flexible shell fabric
15 mm (0.6 in) reflective striping: pocket and legs
Elasticised waist at back
Elastic shoulder straps with snap-click buckles
Pocket: front (covered)
Adjustable at: legs
3000mm water column
Shell: 50% PVC, 30% polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2003+A1:2007, Class 3-1 (foul weather)

Please note: we have updated the design for ScanRain HD 003. The new design includes slanted reflective stripes and will replace the outgoing design once our existing inventory is sold.

Designed to be worn in combination with ScanRain HD 001

ScanCargo **Multi-Pocket Trousers**

1020.20

**FEATURES**

Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)
Storage: flashlight
Equipped for use with kneepads
Adjustable at waist
Belt loop with D-ring
Triple stitched side seams
65% cotton, 35% polyester

SIZES

28" – 46"

COLOURS

Navy

NORMS

–

ScanCargo 005 **Multi-Pocket Shorts**

1020.23

**FEATURES**

Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)
Storage: flashlight
Adjustable at waist
Belt loop with D-ring
Triple stitched side seams
65% cotton, 35% polyester

SIZES

28" – 40"

COLOURS

Navy

NORMS

–

ScanClipper

Bib & Brace Trousers

1020.45



FEATURES
Pockets: side (x 2 slanted), seat (x 2 covered), front (x 1 covered) cargo (x 1), phone (x 1) and hammer (x 1)
Storage: flashlight
Elastic shoulder straps with snap-click buckles
Reinforced knees
Equipped for use with kneepads
Adjustable at waistband
Belt loop with D-ring
Triple stitched side seams
Shell fabric: 65% cotton, 35% polyester
Contrast fabric: 100% polyester

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
-

ScanUtility

Canvas Belt

2021.10



FEATURES
Plastic buckle with clam-style closure
Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)
100% polyester

SIZES
95 cm (37.4 in)
110 cm (43.3 in)
130 cm (51.2 in)
145 cm (57.1 in)

COLOURS
High Viz Yellow
Navy

NORMS
-

ScanAlliance 001 **Work Shirt** — UV Protection

1055.15

**FEATURES**

Fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist
Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
100% fine cotton twill with UV protection

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II
ANSI 107:2015 Type O, Class 1 (high visibility)
AS/NZS 1906.4:2010 Type R (high visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV protection)

*Designed to be worn in combination with
ScanAlliance 002*

ScanAlliance FR 001 **Work Shirt** — Multi-Risk

1035.44

**FEATURES**

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist
Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
99% mercerized cotton, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II
ANSI 107:2015 (high visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV protection)
AS/NZS 1906.4:2010 Type R (high visibility)

*Designed to be worn in combination with
ScanAlliance FR 002*

ScanPhoenix **Work Shirt** — Multi-Hazard

1035.70

**FEATURES**

Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
99% cotton, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
OEKO-TEX® Standard 100 Class II
AS/NZS 4399:1996, UPF rating 50+ (UV protection)

ScanTurtle

Turtleneck with zipper

1021.35



FEATURES
Quick dry fabric
Moisture absorbing
Comfortable to bare skin due to cotton inside
High-Visibility
Shell: 58% cotton, 42% polyester

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
High Viz Yellow

NORMS
-

ScanLumen

High Viz T-shirt

1056.01



FEATURES
UPF 50+ (UV protection class: excellent)
Breathable and moisture-regulating
Cool-dry comfort finish inside
Colorfast and shrink-proof
Stitched striping

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Yellow
Orange

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 20471:2013, Class 2 (high-visibility)

ScanBright S/S

High Viz Piqué Polo Shirt

1056.02



FEATURES
UPF 50+ (UV protection class: excellent)
Breathable and moisture-regulating
Cool-dry comfort finish inside
Colorfast and shrink-proof
Stitched striping
3-button placket
50% CoolDry, 50% polyester

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Yellow
Orange

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 20471, Class 2 (high-visibility)

ScanNato 150

Nato Ribbed Jumper

1031.02



FEATURES
Crew neck
Pocket: chest with flap
Velcro strip for rank or name badge
Polyester / cotton shoulder and sleeve patches
Pen pocket on sleeve
Epaulets can be affixed to shoulders
50% combed wool, 50% acrylic

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Navy

NORMS
–

ScanNaval

Nato Cable Knit Zipped Cardigan

1031.10



FEATURES
Zipped front closure
Ribbed collar, cuffs and hem
Cotton shoulder and elbow patches, epaulets, radio/gas loop, and sleeve pocket
Epaulets can be affixed to shoulders
Pen pocket on sleeve
50% combed wool, 50% modacrylic

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

ScanTie

Officers Tie

2021.01



FEATURES
Width: 7.5 cm (2.95 in)
100% polyester microfiber

SIZES
One size

COLOURS
Black

NORMS
–

Other colours upon request

ScanPilot L/S

Uniform Shirt

1032.02



- FEATURES**
Fused collar
Pockets: chest (x 2, pleated and covered),
pen pocket opening
Epaulets can be affixed to shoulders
60% cotton, 40% polyester
- SIZES**
XS – S – M – L – XL – 2XL – 3XL – 4XL
- COLOURS**
White
- NORMS**
-
- Also available with short sleeves

ScanPilot Women L/S

Uniform Shirt

1032.06



- FEATURES**
Fused collar
Pockets: chest (x 2, pleated and covered),
pen pocket opening
Epaulets can be affixed to shoulders
60% cotton, 40% polyester
- SIZES**
XS – S – M – L – XL – 2XL – 3XL – 4XL
- COLOURS**
White
- NORMS**
-
- Also available with short sleeves

ScanConveyance

Reversible Leather Belt

2021.05



- FEATURES**
Coated split cow leather on both sides
Reversible by means of a twistable buckle to show
either a black or a brown side
- SIZES**
One size
- COLOURS**
Black and brown
- NORMS**
-

ScanSafari 001 L/S **Uniform Shirt**

2014.10

**FEATURES**

Pockets: chest (x 2, pleated and covered), pen pocket opening, and sleeve
Epaulets can be affixed to shoulders
65% cotton, 35% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL – 4XL – 5XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

ScanSafari Women L/S **Uniform Shirt**

2014.15

**FEATURES**

Pockets: chest (x2 covered), pen pocket opening
Epaulets can be affixed to shoulders
Velcro strips for rank and name badges
Tailored cut
65% cotton, 35% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

Also available with short sleeves

Please note: we have removed the Scandia "boat" logo from this garment's chest pocket and will begin shipping the updated design following the sale of our existing inventory.

ScanSafari Tropic 001 S/S **Uniform Shirt**

2014.21

**FEATURES**

Designed to be worn in hot climates
Pockets: chest (x 2, pleated and covered), pen pocket opening, and sleeve
Epaulets can be affixed to shoulders
65% cotton, 35% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

Please note: The ScanSafari Tropic 001 S/S will replace ScanSafari 001 S/S after we have sold our existing inventory.

ScanSafari 002 Uniform Trousers

2015.12



FEATURES
Pockets: side (x 2, slanted) and seat (x 2, welted)
65% cotton, 35% polyester

SIZES
44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS
Khaki
Navy

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

ScanSafari 005 Uniform Shorts

2015.14



FEATURES
Pockets: side (x 2, slanted) and seat (x 2, welted)
65% cotton, 35% polyester

SIZES
44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS
Khaki

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
OEKO-TEX® Standard 100 Class II

Also available in navy, upon request

ScanGarrison Woven Web Belt

2021.03



FEATURES
Metal buckle with clam-style closure
Adjustable length
70% polyester, 30% cotton

SIZES
One size

COLOURS
Khaki

NORMS
-

*Can be ordered with embossed company logo
Also available in navy, upon request*

ScanCuisine 001 **Chef Coat** — Flame-resistant, Antibacterial

1510.10

**FEATURES**

Flame-resistant and antibacterial protection
Double-breasted (press buttons)
Stand-up collar
Single welted chest pocket
Arm pocket with thermometer divider
French cuffs
Tailored cut
Checked trim on collar, front panel, arm pocket and cuffs
65% cotton, 35% polyester

SIZES

44 - 64 (EU)
34" - 54" (UK/USA)

COLOURS

White
Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
Antibacterial

ScanCuisine 002 **Chef Trousers** — Flame-resistant, Antibacterial

1511.05

**FEATURES**

Flame-resistant and antibacterial protection
Flat front
Elasticized waistband at back
Pockets: side (x 2, slanted) and seat
Zipper fly
Small check pattern
65% cotton, 35% polyester

SIZES

44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS

White navy check

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
Antibacterial

ScanNaperon **Chef Apron** — Flame-resistant, Antibacterial

1532.13

**FEATURES**

Flame-resistant and antibacterial protection
Checked trim
Total length: 98 cm (38.6 in)
65% cotton, 35% polyester

SIZES

One size

COLOURS

White
Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
Antibacterial

ScanNaperon Bib

Chef Bib Apron — Flame-resistant, Antibacterial

1532.11



FEATURES
Flame-resistant and antibacterial protection
Checked trim
Adjustable strap
Front pocket with two compartments
Total length: 100 cm (39.4 in)
65% cotton, 35% polyester

SIZES
One size

COLOURS
White
Navy

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
Antibacterial

ScanServe Men

Men's Catering Trousers — Antibacterial

1513.10



FEATURES
Flat front
Pockets: side (x 2, slanted) and seat, double welted
Zipper fly
Elasticised waist
50% polyester, 50% cotton, sateen weave

SIZES
44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS
Black

NORMS
Antibacterial

ScanServe Women

Women's Catering Trousers — Antibacterial

1513.20



FEATURES
Flat front
Pockets: side (x 2, slanted)
Zipper fly
Elasticised waist
50% polyester, 50% cotton, sateen weave

SIZES
34 - 48 (EU)
25"/26" - 38" (UK/USA)

COLOURS
Black

NORMS
Antibacterial

ScanDana

Chef Bandana Cap — Flame-resistant, Antibacterial

1533.10



FEATURES
Flame-resistant and antibacterial protection
Checked trim
Tail closure at back
65% cotton, 35% polyester
Sales quantity: 3 pcs

SIZES
One size

COLOURS
White

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 14116:2015 Index 3 (flame-resistant)
Antibacterial

ScanSkull

Chef skull cap — Flame-resistant, Antibacterial

1533.02



FEATURES
Flame-resistant and antibacterial protection
Checked trim
Sleek design
65% cotton, 35% polyester
Sales quantity: 3 pcs

SIZES
One size

COLOURS
White

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 14116:2015 Index 3 (flame-resistant)
Antibacterial

ScanUtility

Canvas Belt

2021.10



FEATURES
Plastic buckle with clam-style closure
Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)
100% polyester

SIZES
95 cm (37.4 in)
110 cm (43.3 in)
130 cm (51.2 in)
145 cm (57.1 in)

COLOURS
High Viz Yellow
Navy

NORMS
-

ScanBdry

Body Dry Thermal Wear

1038.04



- FEATURES**
 - Fine-knit Jersey
 - Superior wicking properties
 - Comfortable on bare skin
 - Top: round neck
 - Trousers: elasticised waist, open fly
 - 100% Schoeller® polypropylene
- SIZES**

S – M – L – XL – 2XL
- COLOURS**

Navy
- NORMS**

-

ScanBdry FR/ARC/AS

Body Dry Thermal Wear — Multi-Hazard

1040.03



- FEATURES**
 - Fine-knit Jersey cotton blend
 - High moisture permeability
 - Comfortable on bare skin
 - Top: round neck
 - Bottom: elasticised waist, open fly
 - 59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon fiber
- SIZES**

S – M – L – XL – 2XL
- COLOURS**

Navy
- NORMS**
 - CE Certified
 - EN ISO 13688:2013 (general requirements)
 - EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
 - EN 1149-5:2018 (anti-static)
 - IEC 61482-2:2009, Class 1 (electric arc)

ScanRank

Velcro Rank Strip

6000.01



FEATURES	SIZES
Dimensions: 14 x 2 cm (5.5 x 0.8 in)	One size
100% nylon	
	COLOURS
	Navy
	NORMS
	-

ScanName

Velcro Name Strip

6200.01



FEATURES	SIZES
Dimensions: 14 x 2 cm (5.5 x 0.8 in)	One size
100% nylon	
	COLOURS
	Navy
	NORMS
	-

ScanEpaulets

Soft Type



FEATURES	SIZES
Hand embroidered shoulder epaulets with Velcro closure	One size
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)	
	COLOURS
	Navy
	NORMS
	-



Propellor	Product code	6005.00
1 gold stripe + propellor	Product code	6005.10
2 gold stripes + propellor	Product code	6005.20
3 gold stripes + propellor	Product code	6005.30
4 gold stripes + propellor	Product code	6005.40

Please note: delivery time will take up to 45 working days when item is out of stock

ScanEpaulets

Soft Type



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | | |
|--------------------------|--------------|---------|
| Single diamond | Product code | 6006.00 |
| 1 gold stripe + diamond | Product code | 6006.10 |
| 2 gold stripes + diamond | Product code | 6006.20 |
| 3 gold stripes + diamond | Product code | 6006.30 |
| 4 gold stripes + diamond | Product code | 6006.40 |

SIZES
One size

COLOURS
Navy

NORMS
-

Please note: delivery time will take up to 45 working days when item is out of stock

ScanEpaulets

Soft Type



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | | |
|-------------------------|--------------|---------|
| 1 gold stripe + circle | Product code | 6007.10 |
| 2 gold stripes + circle | Product code | 6007.20 |
| 3 gold stripes + circle | Product code | 6007.30 |
| 4 gold stripes + circle | Product code | 6007.40 |

SIZES
One size

COLOURS
Navy

NORMS
-

Please note: delivery time will take up to 45 working days when item is out of stock

ScanEpaulets

Soft Type



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)

- | | | |
|----------------------------|--------------|---------|
| Gold stripes + ice crystal | Product code | 6013.20 |
|----------------------------|--------------|---------|

SIZES
One size

COLOURS
Navy

NORMS
-

Please note: delivery time will take up to 45 working days when item is out of stock

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



Lightning bolts
1 gold stripe + lightning bolts
2 gold stripes + lightning bolts
3 gold stripes + lightning bolts

Product code 6014.00
Product code 6014.10
Product code 6014.20
Product code 6014.30

SIZES
One size

COLOURS
Navy

NORMS
-

Please note: delivery time will take up to 45 working days when item is out of stock

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



1 gold stripe
2 gold stripes
3 gold stripes
4 gold stripes

Product code 6016.10
Product code 6016.20
Product code 6016.30
Product code 6016.40

SIZES
One size

COLOURS
Navy

NORMS
-

Please note: delivery time will take up to 45 working days when item is out of stock







CE Certified



EN 340 - Protective Clothing
- General Requirements
(EN 13688:2013 supersedes
EN 340:2004)



EN 342 - Protective clothing
- Ensembles and garments
for protection against cold
(EN 342:2004 supersedes
EN 342:1998 and EN 342:2000)



EN 343 - Protective clothing
- Protection against rain
(EN 343:2003/A1:2007
supersedes EN 343:2003)



EN 381-5 - Protective clothing for
users of hand held saws - Part 5:
Requirements for leg protectors



EN 465:1995 - Protection against liquid
chemicals - Performance requirements
for chemical protective clothing with
spray-tight seams between different
parts of the clothing (type 4 equipment)
(EN 14605:2005 supersedes EN 465:1995)



EN 466-1:1995 - Protection against liquid
chemicals - Performance requirements
for chemical protective clothing with
spray-tight seams between different
parts of the clothing (type 3 equipment)
(EN 14605:2005 supersedes EN 466-1:1995)



EN 469:2005 - Protective clothing for
firefighters - Performance requirements
for protective clothing for firefighting
(EN 469:2005 supersedes EN 469:1995,
EN 469:2006 and will be replaced
by EN 469:2015 Development)



EN 471 - High-visibility warning
clothing for professional use - Test
methods and requirements



EN 1149-5 - Protective clothing -
Electrostatic properties - Part 5: Material
performance and design requirements



EN ISO 11611:2007 - Protective clothing
for use in welding and allied processes
(EN 11611 supersedes EN 470-1:1995)



EN ISO 11611:2015 - Protective clothing
for use in welding and allied processes
(EN 11611:2015 supersedes
EN 11611:2007)



EN ISO 11612 - Protective
clothing - Clothing to protect
against heat and flame
(EN ISO 11612 supersedes EN 531:1995)



EN 13034-6:2005 - Protective clothing
against liquid chemicals - Type 6 or PP(6)



EN ISO 13688 - Protective clothing
- General Requirements
(EN ISO 13688:2013 supersedes
EN 340:2004)



EN 13758-2:2003+A1:2006 -
UV protective apparel



EN 13982-1:2004 - Protective clothing
for use against solid particulates - Part 1:
Performance requirements for chemical
protective clothing that provides
full-body protection against airborne
solid particulates (type 5 clothing)
(EN 13982-1:2004 supersedes EN
13982-1:2000 Development)



EN 14058 - Protection against
cold - Garments for protection
in cool environments
(EN 14058:2004 supersedes
EN 14058:2000)



EN 14605:2005 - Protective clothing
against liquid chemicals - Type 3 or 4
(EN 14605:2005 supersedes EN 467:1995,
EN 465:1995, EN 466-1:1995)



EN ISO 14116 - Protective clothing -
Protection against heat and flame spread
(EN ISO 14116 supersedes EN 533:1996)



EN ISO 15025:2000 - Protective clothing
- Protection against heat and flame -
Test Methods for limited flame spread



EN 20471:2013 - High-visibility clothing
(EN 20471:2013 supersedes
EN 471:2003/A1:2008)



IEC 61482-2: 2009 Protective
clothing against the thermal
hazards of an electric arc



AS/NZS 1906.4:2010 - Retro-reflective
materials and devices for road traffic
control purposes - High-visibility
materials for safety garments



AS/NZS 4399:1996 - Sun protective clothing - Evaluation and classification



ASTM F1506 - Protection for electrical workers exposed to momentary electric arc and related thermal hazards



NFPA 70E - Standard for Electrical Safety in the Workplace



NFPA 2112:2012 - Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire

NORMS & STANDARDS » Gloves



EN 374-1:2003 - Gloves providing protection against chemicals and microorganisms - Part 1: Terminology and performance requirements



EN 374-2: 2014 - Gloves that provide protection against dangerous chemicals and microorganisms - Part 2: Determining resistance to penetration



EN 374-3: 2003 - Gloves providing protection against chemicals and microorganisms - Part 3: Determination of resistance to permeation by chemicals



EN 388 - Gloves protecting against mechanical hazards
(*EN 388:2016 supersedes 388:2003*)



EN 407 - Gloves providing protection against thermal risks (heat and/or fire)



EN 420:2003+A1:2009 - Protective gloves - General requirements and test methods



EN 421:2010 - Gloves that protect against ionizing radiation and radioactive contamination



EN 511 - Gloves that protect against cold



EN 659:2003+A1:2008 - Protective gloves for firefighters



EN ISO 10819:2013 - Mechanical vibration and shock - Hand-arm vibration - Measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand



EN 12477 - Protective gloves for welders



EN 60903 - Live working - Electrical insulating gloves



ANSI/ISEA 105-2011: Clause 5.1 - Mechanical protection



ASTM D120 - Standard Specification for Insulating Gloves Made of Rubber



EN 136:1998 - Respiratory protective devices - Full face masks



EN 140 - Respiratory protective devices - Half masks and quarter masks



EN 143 - Respiratory protective devices - Particle filters



EN 148-1 - Respiratory protective devices - Threads for facepieces - Part 1: Standard thread connection



EN 149 - Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking



EN 166:2001 - Personal eye protection - Specifications



EN 169 - Personal eye protection - Filters for welding and related applications - Transmittance requirements and recommended use



EN 170:2002 - Personal eye protection - Ultraviolet filters - Transmittance requirements and recommended use



EN 172:1995 - Personal eye protection - Sunlight filters for industrial use



EN 175 - Personal Protection - Equipment providing eye and face protection for welding and related processes



EN 352: Hearing protection - General requirements



EN 352-1: Hearing protection - General requirements - Part 1: Ear-muffs



EN 352-2:2002 - Hearing protection - Ear plugs



EN 352-3:2002 - Hearing protection - General requirements - Part 3: Ear-muffs attached to an industrial safety helmet



EN 353-1 - Personal protection against falls - Part 1: Guided type fall arresters with rigid anchor lines



EN 353-2:2002 - Personal protection against falls - Part 2: Guided type fall arresters with flexible anchor lines



EN 354 - Personal fall protection equipment - Lanyards



EN 355 - Personal protective equipment against falls from a height - Energy absorbers



EN 358 - Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning and restraint



EN 360 - Personal protective equipment against falls from a height - retractable-type fall arresters



EN 361:2002 - Personal protective equipment against falls from height - Full body harnesses



EN 362 - Personal protective equipment against falls from a height - Connectors



EN 379 - Personal eye-protection - Automatic welding filters



EN 397 - Industrial safety helmets



EN 443 - Helmets for fire fighting in buildings and other structures



EN 467:1995 - Protective clothing - Protection against liquid chemicals - Performance requirements for protective clothing
(EN 14605:2005 supersedes EN 467:1995)



EN 795-B - Personal fall protection equipment - Anchor devices



EN 812 - Industrial bump caps



EN 813 - Personal fall protection equipment - Sit harnesses



EN 1496-B - Personal fall protection equipment - Rescue lifting devices



EN 12492 - Mountaineering equipment - Helmets for mountaineers - Safety requirements and test methods



EN 13688 - Protective clothing - General requirements
(EN 13688:2013 supersedes EN 340:2004)



EN 14387 - Respiratory protective devices - Gas filter(s) and combined filter(s) - Requirements, testing, marking



EN 50365 - Electrically insulating helmets for use on low voltage installations



ANSI Z87 - American National Standard for Occupational and Educational Eye and Face Protection



AS/NZS 1337 - Eye protectors for industrial applications

NORMS & STANDARDS » Life saving



EN ISO 12402-2: 275N - Personal flotation devices - Part 2: Lifejackets, performance level 275 - Safety requirements
(EN ISO 12402-2 supersedes EN 399)



EN ISO 12402-3:2006/A1: - Personal flotation devices - Part 3: Lifejackets, performance level 150 - Safety requirements
(EN ISO 12402-3 supersedes EN 396)



EN ISO 12402-4:2006/A1:2010 - Personal flotation devices - Part 4: Lifejackets, performance level 100 - Safety requirements
(EN ISO 12402-4 supersedes EN 395)



EN ISO 12402-5:2006 - Personal flotation devices - Part 5: Buoyancy aids, performance level 50 - Safety requirements
(EN ISO 12402-5 supersedes EN 393)



EN 12568 - Foot and leg protectors: Requirements and test methods for toecaps and penetration-resistant inserts



EN 13832-2:2006 - Footwear protecting against chemicals – Part 2: Requirements for footwear's resistance to chemicals under laboratory conditions



EN 13832-3:2006 - Footwear protecting against chemicals – Part 3: Requirements for footwear with a high level of resistance to chemicals under laboratory conditions



EN 15090:2012 – Footwear for firefighters
(EN 15090:2012 supersedes EN 15090:2006)



EN 20344:2011 - Personal protective equipment (PPE) – Test methods for footwear
(EN 20344:2011 supersedes EN 20344:2004)



EN 20345:2011 - Personal protective equipment - Safety footwear
(EN 20345:2011 supersedes EN 20345:2007)



EN 20346:2014 - Personal protective equipment (PPE): Protective footwear
(EN 20346:2014 supersedes NEN-EN-ISO 20346:2004)



EN 20347:2011 – Personal protective equipment (PPE): Occupational footwear
(EN 20347:2011 supersedes NEN-EN-ISO 20347:2004)



EN 50321:1999 - Footwear for electrical protection - Insulating footwear and overboots



ASTM F2413-11 - Standard specification for performance requirements for protective (safety) toecap footwear

FOOTWEAR SYMBOLS »



S1P
S1P-designated footwear is evaluated using the same tests as SB footwear with additional tests assessing anti-static properties, penetration resistance (i.e., nail protection), and heel energy absorption (i.e., shock absorption).



S1
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel. Designed for wear in dry working conditions.



S2
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank (60 min.). Designed for wear in wet working conditions.



S3
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank, penetration-resistant intermediate sole. Designed to protect against penetration and for wear in wet working conditions.



S4
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel.



S5
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel and contoured, penetration-resistant intermediate sole.



SB
SB-designated footwear is evaluated through 40 compulsory tests including evaluating the tolerance in each shoe's toecap for impact up to 200 J.



SB-P
SB-P-designated footwear is evaluated using the same test as SB footwear with additional tests assessing penetration resistance (i.e. nail protection)

**Composite toecap**

Composite toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N. Composite toe cap is ultra-light, ultra-resistant, thinner and more elastic than steel toe cap. Composite toe cap do not set off metal detectors like steel toe caps, as they are non-metallic.

**Steel toecap**

Steel toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N.

**Aluminium toecap****Carbon toecap****Composite midsole**

Composite Mid-sole protects against sharp objects, penetration-resistant to 1,100 N. Composite Mid-sole is ultra-light, ultra-resistant, thinner and more elastic than steel Mid-sole. Composite Mid-sole does not set off metal detectors like steel Mid-sole do, as they are non-metallic.

**Steel midsole**

Protects against sharp objects, penetration-resistant to 1,100 N.

**Ballistic midsole (Proflex)****PET Woven midsole****PU / PU outersole****PU / TPU outersole****PU / Rubber outersole****PVC / Nitrilic Rubber outersole****Grip & Anti-slip****Energy absorbency**

This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.

**Heat resistance**

Designed for wear in hot climates and conditions up to 300°C.

**Warm lining**

Designed for wear in cold climates and conditions, insulated with either lamb's wool or artificial material. Some designs in this range of footwear are lined with Thinsulate.

**Zipper closure****Metal free**

This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.

**Anti-static**

Our PU soles are oil-resistant (meets requirements of EN345 standard) and resistant to most chemicals.

**Resistance to oil****Water-repellent****Toe protection against a 200 Joule impact****Dual density outersole**

A complete list of applicable EN standards is available on our website www.scandigear.com





Sizes & measurement

Measuring instructions for coveralls, trousers and tops

Measurements should be taken by another person.
Do not tighten the measuring tape too much.
Person being measured should be wearing only underwear (i.e. no shoes).

1. Chest/Bust width

Measure under your arms around the fullest part of your chest/bust

2. Waist width

Measure around natural waistline

3. Hip width


Stand with your heels together and measure around the fullest part of your hips

4. Inner leg length

Measure from top of inside leg at crotch to floor without shoes

5. Body height

Measure straight from top of head to floor without shoes



♂ COVERALL SIZES FOR MEN

EU	Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH		INNERLEG LENGTH		BODY HEIGHT	
				cm	inches	cm	inches	cm	inches	cm	inches	cm	inches
42	XS	S/M	32	32	82 – 86	32 – 34	70 – 73	27 – 28	85 – 89	33 – 35	81	31.9	156 – 164 61.4 – 64.6
44	S	L	34	34	86 – 89	34 – 35	74 – 77	29 – 31	90 – 94	35 – 37	82	32.3	156 – 164 61.4 – 64.6
46	S	L	36	36	90 – 93	35 – 37	78 – 81	31 – 32	95 – 98	37 – 39	83	32.7	164 – 172 64.6 – 67.7
48	M	XL	38	38	94 – 97	37 – 38	82 – 85	32 – 33	99 – 102	39 – 40	84	33.1	164 – 172 64.6 – 67.7
50	M	XL	40	40	98 – 101	39 – 40	86 – 89	34 – 35	103 – 106	41 – 42	85	33.5	164 – 172 64.6 – 67.7
52	L	2XL	42	42	102 – 105	40 – 41	90 – 94	35 – 37	107 – 110	42 – 43	86	33.9	172 – 180 67.7 – 70.9
54	L	2XL	44	44	106 – 109	42 – 43	95 – 99	37 – 39	111 – 114	44 – 45	87	34.3	172 – 180 67.7 – 70.9
56	XL	3XL	46	46	110 – 113	43 – 44	100 – 104	39 – 41	115 – 118	45 – 46	88	34.6	172 – 180 67.7 – 70.9
58	XL	3XL	48	48	114 – 117	45 – 46	105 – 109	41 – 43	119 – 122	47 – 48	88.5	34.8	180 – 188 70.9 – 74
60	2XL	4XL	50	50	118 – 121	46 – 48	110 – 114	43 – 45	123 – 126	48 – 50	89	35.0	180 – 188 70.9 – 74
62	2XL	4XL	52	52	122 – 125	48 – 49	115 – 119	45 – 47	127 – 130	50 – 51	89	35.0	180 – 188 70.9 – 74
64	3XL	5XL	54	54	126 – 129	50 – 51	120 – 124	47 – 49	131 – 134	52 – 53	89	35.0	188 – 196 74 – 77.2
66	3XL	5XL	56	56	130 – 134	51 – 53	125 – 129	49 – 51	135 – 138	53 – 54	89	35.0	188 – 196 74 – 77.2

♀ COVERALL SIZES FOR WOMEN

EU	Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH		INNERLEG LENGTH		BODY HEIGHT	
				cm	inches	cm	inches	cm	inches	cm	inches	cm	inches
34	XS	S/M	8	4	78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35	79	31	156 – 168 61.4 – 66.1
36	S	L	10	6	82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37	79	31	160 – 172 63 – 67.7
38	M	XL	12	8	86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39	79	31	160 – 172 63 – 67.7
40	L	2XL	14	10	90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40	79	31	164 – 180 64.6 – 70.7
42	XL	3XL	16	12	94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41	79	31	164 – 180 64.6 – 70.7
44	2XL	4XL	18	14	98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43	79	31	164 – 180 64.6 – 70.7
46	3XL	5XL	20	16	103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44	79	31	172 – 184 67.7 – 72.4
48	4XL	6XL	22	18	108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46	79	31	172 – 184 67.7 – 72.4

♂ TROUSERS SIZES FOR MEN

Inch sizes						WAIST WIDTH		HIP WIDTH		INNERLEG LENGTH	
						cm	inches	cm	inches	cm	inches
42	XS	S/M	32	32	26/27	70 – 73	27 – 28	85 – 89	33 – 35	81	31.9
44	S	L	34	34	28/29	74 – 77	29 – 31	90 – 94	35 – 37	82	32.3
46	S	L	36	36	30/31	78 – 81	31 – 32	95 – 98	37 – 39	83	32.7
48	M	XL	38	38	32/33	82 – 85	32 – 33	99 – 102	39 – 40	84	33.1
50	M	XL	40	40	34	86 – 89	34 – 35	103 – 106	41 – 42	85	33.5
52	L	2XL	42	42	36	90 – 94	35 – 37	107 – 110	42 – 43	86	33.9
54	L	2XL	44	44	38	95 – 99	37 – 39	111 – 114	44 – 45	87	34.3
56	XL	3XL	46	46	40	100 – 104	39 – 41	115 – 118	45 – 46	88	34.6
58	XL	3XL	48	48	42	105 – 109	41 – 43	119 – 122	47 – 48	88.5	34.8
60	2XL	4XL	50	50	44	110 – 114	43 – 45	123 – 126	48 – 50	89	35.0
62	2XL	4XL	52	52	46	115 – 119	45 – 47	127 – 130	50 – 51	89	35.0
64	3XL	5XL	54	54	48	120 – 124	47 – 49	131 – 134	52 – 53	89	35.0
66	3XL	5XL	56	56	50	125 – 129	49 – 51	135 – 138	53 – 54	89	35.0

♀ TROUSERS SIZES FOR WOMEN

EU		Asia	UK	USA	Inch sizes	WAIST WIDTH		HIP WIDTH		INNERLEG LENGTH	
						cm	inches	cm	inches	cm	inches
34	XS	S/M	8	4	26 – 27	64 – 66	25 – 26	88 – 91	34 – 35	79	31
36	S	L	10	6	28 – 29	67 – 70	26 – 28	92 – 95	36 – 37	79	31
38	M	XL	12	8	29 – 30	71 – 74	28 – 29	96 – 98	37 – 39	79	31
40	L	2XL	14	10	31 – 32	75 – 78	29 – 31	99 – 101	39 – 40	79	31
42	XL	3XL	16	12	32 – 33	79 – 82	31 – 32	102 – 104	40 – 41	79	31
44	2XL	4XL	18	14	33 – 34	83 – 87	33 – 35	105 – 108	41 – 43	79	31
46	3XL	5XL	20	16	34 – 35	88 – 93	35 – 37	109 – 112	43 – 44	79	31
48	4XL	6XL	22	18	36	94 – 99	37 – 39	113 – 116	44 – 46	79	31

♂ TOP SIZES FOR MEN

EU		Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
36	XS	S/M	14	14	82 – 86	32 – 34	70 – 73	27 – 28	85 – 89	33 – 35
37	S	L	14.5	14.5	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
38	S	L	15	15	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
39	M	XL	15.5	15.5	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
40	M	XL	16	16	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
41	L	2XL	16	16	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
42	L	2XL	16.5	16.5	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
43	XL	3XL	17	17	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
44	XL	3XL	17.5	17.5	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
45	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
46	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
47	3XL	5XL	18.5	18.5	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
48	3XL	5XL	19	19	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
49	4XL	6XL	19.5	19.5	135 – 43	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57
50	4XL	6XL	20	20	135 – 143	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57

♀ TOP SIZES FOR WOMEN

EU		Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
34	XS	S/M	28	26	78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	30	28	82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	32	30	86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	34	32	90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	36	34	94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	38	36	98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	40	38	103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	42	40	108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46

Measuring instructions for shoes

Step 1

Place a piece of blank paper taped to the floor on a hard flat surface. Stand up straight and press your heel against the wall. Have someone mark the longest part of your foot (referred to as "heel to toe length") on the paper with a pen or pencil.

Repeat the process with the other foot, as the right and left foot may differ.

Step 2


Use a ruler or measuring tape to measure the "heel to toe" distance you marked for each foot. Determine your own shoe size with the foot sizing chart.

♂ SHOE SIZES FOR MEN

EU	UK	USA	FOOT LENGTH	
			cm	inches
35	3	4	22	8.7
36	3.5	4.5	22.5	8.9
37	4	5	23.5	9.3
38	5	6	24	9.4
39	6	7	25	9.8
40	6.5	7.5	25.5	10
41	7	8	26	10.2
42	8	9	27	10.6
43	9	10	28	11
44	10	11	28.5	11.2
45	10.5	11.5	29	11.4
46	11	12	30	11.8
47	12	13	30.5	12
48	13	14	31	12.2
49	14	15	31.5	12.4
50	14.5	15.5	32	12.6
51	15	16	32.5	12.8

♀ SHOE SIZES FOR WOMEN

EU	UK	USA	FOOT LENGTH	
			cm	inches
35	3	4	22	8.7
36	3.5	4.5	22.5	8.9
37	4	5	23.5	9.3
38	5	6	24	9.4
39	6	7	25	9.8
40	6.5	7.5	25.5	10
41	7	8	26	10.2
42	8	9	27	10.6
43	9	10	28	11



Measuring instructions for gloves

Palm circumference

To calculate this, wrap a measuring tape once around the knuckles on your dominant hand (i.e., if you are right handed, take the measurement on your right hand).

GLOVE SIZES

EU	EU	PALM CIRCUMFERENCE	
		cm	inches
7	S	< 17.8 – 20.2	< 7 – 8
8	M	20.3 – 22.8	8 – 9
9	L	22.9 – 25.3	9 – 10
10	XL	25.4 – 27.8	10 – 11
11	2XL	27.9 – 30.4	11 – 12
12	3XL	30.5 >	12 >

