

# **PYRAMEX Ridgeline Safety Helmet**



## REPLACEABLE SWEAT BAND

Padded fabric and polyurethane foam for all day wear

#### **EASY TO GRASP TRIANGLE KNOB**

Adjusts the suspension from 6.5 to 8-inch hat sizes

#### **SWINGING HINGE POINTS**

Allows you to find the most comfortable position on the back of your head

## **VENTILATION HOLES (OPTION)**

Keeps your head cool and dry for all day wear

#### **ABS MATERIAL**

Strong, yet ultra-light for seemingly weightless protecion

#### **LOW PROFILE DESIGN**

Offers a low centre of gravity for better balance

## **REAR PADDED SUSPENSION**

Provides additional level of comfort on the wearers' neck

## **4-POSITION HARNESS POINTS**

Allows you to move the harness forward, backward, up or down - allowing for the most optimal position for ultimate comfort



Keeps the straps in place providing an additional level of comfort



White HP46110

Red

M.R.O • Safety • Spill Control



 Blue HP46160

Hi-Vis

Orange HP46141



• Green HP46135

Yellow\*

HP46130



 Hi Vis Lime\* HP46131



\*Product to be indent



ANSI Z89.1 - 2009 TYPE I. CLASS C. G.










## PYRAMEX Ridgeline Safety Full Brim Hat with 4-Point Ratchet Suspension

- Shell constructed from ABS materials.
- Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- Soft brow pad is replaceable.
- Replaceable suspensions and headbands also available.
- Custom imprinting available on hard hats.
- 4-point suspensions can be converted to a 6-point suspension with the HP6PTSUS.

[ APPROVALS ] ANSI Z89.1 - 2009 TYPE 1, CLASS C. G. AND E

- White HP54110
- Black\* HP54111
- Slate Gray\* HP54113
- Graphite Pattern\* HP54117
- Red\* HP54120
  - Yellow\*
  - HP54130
- Hi Vis Lime\* HP54131
- Green\* HP54135
- Hi-Viz Orange\* HP54141
  - Blue\*
    - HP54160 Hi-Vis Pink\*
    - HP54170













# PROCHOICE Bump Cap, Short Peak, Navy Blue Product Code: BCNSP

- Modern baseball style cap with shot peak for extra visibility when looking upwards
- EN Standards Compliant: Complies to EN812 Industrial bump cap standards
- Removal bump cap shell with foam padded insert provides built in protection against bumps and scrapes in the workplace.
- Eyelet holes provide extra ventilation and comfort in extreme weather conditions.
- Lightweight for maximum comfort during extended wear.
- Fully adjustable for perfect fit for all size requirements, one size fits all

[ APPROVALS ] EN812









# PYRAMEX Replacement 6-pt Ratchet Suspension for Ridgeline Product Code: HPR461

- Adjusts the suspension from 6.5 to 8-inch hat sizes
- Allows you to find the most comfortable position on the back of your head
- Keeps the straps in place providing an additional level of comfort

# PYRAMEX Black Elastic Chin Strap with Cup Product Code: HPCSTRAP

- Elastic chin strap with chin cup for a comfortable fit.
- Adjustable buckle on both sides to make length adjustment easy.
- Quick clips design for easy installation on most hard hats on the market.





# PYRAMEX Gray Terry Cloth Sweat Band Product Code: HPTRBAN

For use on PYRAMEX Ridgeline Suspension.









# PYRAMEX RIDGELINE Headgear with rachet & pivoting action (Frame ONLY) Product Code: HGBR

- Constructed from durable nylon.
- Ratchet adjustment for easy fit.
- Pivoting action allows user to lift face shield while wearing.
- Adjustable pegs will accommodate a wide variety of face shields.

[ APPROVALS ] ANSI Z87.1

# **PYRAMEX Aluminium Hard Hat Adapter** Deluxe, Silver Frame Product Code: HHAAD

- Deluxe aluminium construction
- Designed to fit more rounded cap style hard hat
- Accommodates a variety of face shields.

[ APPROVALS ] ANSI Z87.1















# PYRAMEX Headgear for Ridgeline cap style hard hat (Frame ONLY) Product Code: HHABCMR

- Dielectric
- Hard hat adapters fit into slots of cap style hard hats.
- Can be used with cap mounted earmuff.
- Adjustable while using cap mounted earmuff.
- Fits Ridgeline cap style hard hats and accommodates a variety of face shields.
- Hard hat & earmuff sold separately.

[ APPROVALS ] ANSI Z87.1

