

SAFETY TAPES

SAFETY TAPES



HESKINS AQUA-SAFE Anti-Slip Waterproof Non-Abrasive Tape

Product Code: H3408

- Aqua-Safe is our original non-abrasive waterproof anti slip tape. In many instances an abrasive material cannot be used or is not ideal, this could be for the following reasons:
 1. The product must be cleaned easily.
 2. There must be no shedding of grit.
 3. A normal abrasive surface might abrade skin, fabric, wet suits or other materials in that particular situation.
 4. Cleaning machines or processes would not be compatible with an abrasive substrate.
- Aqua-Safe has an embossed plastic surface, the pattern has a texture that provides an effective, waterproof non-slip surface. Aqua-Safe is a brilliant product with many advantages as the material is produced by an embossing roller (an embossing roller cannot create any 'hidden' areas, the pattern will only have completely exposed areas). It has no cavities where bacteria/dirt can harbour, a perfect use for this would be kitchens, sterile manufacturing locations, food preparation areas etc.
- For use on boats, in showers, baths and other bare foot areas the aqua-safe non slip waterproof tape is perfect, providing a perfect combination of grip and comfort under skin. For applying on baths or showers we recommend applying anti slip disks or use strips in a ladder effect, for ease of use we have various shapes off the shelf including 50mmx3m rolls that contain 40mm disks and 20mmx200mm strips. Aqua-Safe anti slip tape has the advantage of being very tough and provides superb impact protection, due to its thick homogenous construction many of our customers apply it onto metal surfaces to provide resistance against scratching and damage.

Available Colours

• Black



• White



• Clear



• Grey



• Beige



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



SAFETY TAPES

SAFETY TAPES

HESKINS Egress Marking Tape

Photoluminescent
Product Code: H8101

- Egress tape is the term used to describe a smooth photoluminescent (glow in the dark) marking tape. Photoluminescent tape is constructed from a conventional self-adhesive plastic base film impregnated with photoluminescent powder. The material is charged by natural or incandescent lights, when the lights dim the product instantly displays a bright light. The conventional colour is mild green, when emitting light it is a bright white.
- Egress tape is most popular in America. America has the strictest regulations governing use; for tall buildings such as skyscrapers it is required that photoluminescent tape is applied onto the top of skirting boards (baseboards in America). In case of fire the smoke is hot so rises to the top of the room or corridor this creates major problems for the unfortunate inhabitants as the smoke prevents any light penetrating thus resulting in the occupiers becoming lost and disorientated in the burning building even if they are familiar with the building layout. A strip of Egress tape on top of skirting boards and around door surrounds enables people to crawl along walkways and see exits and access routes etc.
- Photoluminescent tape is commonly used as a base in other Heskings manufactured materials including Glow Line safety-grip, photoluminescent safety-grip and dual purpose safety-grip die cuts.
- Mainly supplied in rolls we can produce any roll width whilst die cut shapes are available in almost any shape.
- Glow in the dark photoluminescent egress marking tape is an inexpensive product; it provides an excellent level of reassurance and safety for a low cost level.





SAFETY TAPES

SAFETY TAPES



HESKINS Handrail Grip Tape

Product Code: H3418

- Hand rail grip is becoming an essential component of a modern workplace or public environment, so much so that the UK Building Regulations Act 2000 (part M1 & M2) stipulated that handrails need to be slip resistant and not cold to the touch'. Heskins has proactively taken this challenge on board and created hand rail grips that are unique and possess the solutions to these demanding requirements.
- Heskins is known throughout the world as the leading anti slip experts, our specialist knowledge has been built over decades of experience and research, first, we focused on the anti slip aspect. A simple solution would have been to use our safety-grip range, this would have created a solution but an abrasive material would have had negative implications for users not wearing gloves.
- Heskins decided that an innovative solution would be a completely new design, something never seen before in anti slip materials; a symmetrically embossed non-slip surface.
- Our H3418 handrail grip tape was born, the symmetrical pattern of H3418 was chosen as it is aesthetically appealing whilst possessing the high levels of coefficient of friction (CoF) required. The dimpled patterned surface offers something different; for an industrial application it allows certainty that all existing and envisaged requirements for non-slip capabilities will be met, all Heskins products come with independent laboratory CoF figures. For a manager of a public environment we wanted a hand rail grip that would not be harsh to bare hands and would also offer an attractive appearance that would detract from the setting, the symmetrical pattern of H3418 hand rail grip tape easily achieves this.




UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



- To ensure that we achieved the insulating effect of preventing it being cold to touch we chose a plastic film upper. The plastic film works as a fantastic insulator preventing chill from penetrating to the hand of the user, for good measure we also added an under-surface laminated layer of PET.
- As the H3418 handrail grip tape is non-abrasive it can be easily cleaned using all available cleaning methods. It has the feel of a rubber product yet being plastic has superior dimensional stability.
- Handrail grip tape can be instantly applied on external handrails as well as internal, this is due to the materials inability to retain water, preventing the surface freezing and causing discomfort for the user. Before application, ensure the surface you are applying the handrail tape to is clean, dry and free from any contaminants.
- As can be seen no other product available has all the advantages that H3418 does for use as a hand rail grip surface, we did not simply look to modify one of our existing products we developed something new and interesting.
- H3418 hand rail grip tape is wrapped around a handrail in either an angled format or can be cut to width by Heskins allowing a custom made wrap for the circumference.
- For those wanting a thinner surface many customers choose our resilient in either subtle black or vivid yellow.




SAFETY TAPES

SAFETY TAPES

HESKINS Reflective Tape

Product Code: H6601



- Reflective tape is a simple, self-adhesive, high visibility safety tape, suitable for marking out potentially hazardous or dangerous areas. It can be effectively used in any environment, and takes literally minutes to apply.
- Formerly just a constituent to some of our other materials, reflective marking tape is now available in self-adhesive rolls in the following plain or reflective hazard colours:
 1. Blue
 2. Yellow
 3. Orange
 4. Red
 5. Green
 6. Silver (or could be called white)
 7. Red/white hazard warning stripes
 8. Black/yellow hazard warning stripes
- We can offer reflective tape in widths anywhere from 15mm to 1220mm and up to 10m in length, but as always, dependant on quantity, we can cater to your requirements. All the colours mentioned above are stocked in large quantities, so can be shipped immediately, and samples are available on request.



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



SAFETY TAPES

SAFETY TAPES

HESKINS Resilient Anti-Slip Non-Abrasive Tape

Product Code: H3408

- Heskings developed aqua-safe, the world's first non-abrasive anti slip tape, we were shocked by how popular this became, we decided to manufacture a variation that possesses higher levels of grip and has a totally different feel; Resilient was born. Resilient tape has levels of grip that were previously only obtainable with an abrasive mineral top coating.
- Resilient anti slip tape has a feel to it that is more like rubber than plastic, this rubber effect not only makes it appealing to the touch but also gives it exceptional levels of grip. Grip is measured in coefficient of friction (CoF), a higher CoF figure means that the chance of slipping is lower. To achieve the high CoF level for Resilient we changed the embossing pattern of the upper surface and added certain ingredients. Resilient tape is perfect for barefoot applications, its soft touch does not abrade skin and will not harm materials if they happen to rub on it, unlike an abrasive product.
- Resilient non slip tape is highly water resistant, the adhesive is not aqueous based so will not readily breakdown in water and the upper surface is impervious to water, if applied correctly. It will work perfectly on boats, showers, marine applications etc. Resilient tape is a great value and economical non-abrasive non slip material, as we produce the product in a wide width we can easily cut down to whatever shape or width is required, please enquire for more information. Resilient is a highly flexible material than can bend around 90° fractures.

Available Colours

• Black



• White



• Green



• Yellow



• Red



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





SAFETY TAPES

SAFETY TAPES



HESKINS Ribbed Toolbox Drawer Liner

Product Code: H3435

- Our Ribbed Rubber (type) Anti Slip Tape (H3435) is our second symmetrical non-abrasive anti slip material. H3418 was our first symmetrical product, due to its popularity we decided to develop the concept further. We often get asked if we can produce rubber anti slip materials. Natural products such as rubber and cork create problems with our quality control procedures, natural products vary from batch to batch, each inconsistency, however small, can create major problems when trying to coat the product with adhesives or choose the correct slitting machine recipe.
- Synthetic materials enable us to work to defined quality procedures so we can guarantee our customers consistency which they require for their processes. Our H3435 is produced from a plastic, but, it is almost indistinguishable from a rubber material, the appearance closely mimics what a ribbed rubber product would look like but with the advantages of a plastic composite. The H3435 ribbed rubber non slip tape provides high levels of coefficient of friction (grip). H3435 is a very thick anti slip material, as the film is so deep we can coat extra adhesion onto it providing exceptional levels of high adhesion. Its construction allows it to cope underwater if required.
- The H3435 Ribbed Rubber anti slip tape is excellent for using as a lining for tool boxes as the raised ribs allow any debris and excess to fall away from your tools stopping the risk of them being submerged and possibly damaged as a result. Ribbed rubber non slip tape also makes excellent anti slip matting when drainage is also needed.
- H3435 is easily cut into slit rolls or die cuts as required. Standard roll lengths are 9.15m or 18.3m but we can easily create any length up to 100m. Our custom shape die cuts are accurate to 0.1mm, we have thousands of cutting tools available and we can easily check on our database what the nearest available size would be or quote on a new die cutter as required.




UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



SAFETY TAPES

SAFETY TAPES




HESKINS Safety Grip Anti-Slip Tape

Photoluminescent
Product Code: H3403

- Heskins first produced glow in the dark (photoluminescent) anti slip tape in 1998, back then we thought it was novel and would be of limited interest, there was nothing else similar. How wrong we were, it is now a very popular material. To ensure that our glow in the dark grip tape is highly visible and effective it possesses two separate levels of photoluminescent coatings;
 1. The self-adhesive plastic base is photoluminescent.
 2. The grit is held onto the film using a flexible resin; the resin is impregnated with photoluminescent, glow in the dark paste.

- During the daytime glow in the dark non slip tape appears to be a mild green shade, in darkness or any lights out scenario it emits a bright white light. Photoluminescent safety-grip can be charged by either natural or incandescent lighting. The duration of the light emission varies according to the amount of light received. It is typically released over a period of a few hours. None of the photoluminescent materials produced by Heskins contain any radioactive products, so can be used in many environments. The colour choice is either plain or hazard chevrons. Ideal for use highlighting critical areas and especially those prone to power failure.
- The grit surface on our glow in the dark anti slip tape is the Heskins industry leading mineral coating. The level of grip is far in excess of any existing or proposed anti slip legislation and requirement; this includes UK, EU, America or Australia. The deep grits help to prevent clogging by dirt or dust which is often present in industrial applications. Heskins tests materials using DIN, Pendulum and ASTM criteria, test certificates and approvals are available by email.
- Glow in the dark anti slip tape is available in roll or die cut piece format. Conventional roll length is 18.3m but any roll length from 3m upto 100m being feasible, any roll width is possible. Die cut custom pieces are possible in any size.



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



SAFETY TAPES

SAFETY TAPES



HESKINS Safety Grip Anti-Slip Tape

Standard

Product Code: H3401Z

- Standard Safety Grip anti slip tape is our flagship product, being the first product we created and sold back in 1997.
- Standard anti slip tape is made from a fine grade aluminium oxide, which makes it suitable for use in a wide range of applications. The grit is a medium anti slip abrasive coating. Our standard safety-grip is great for general anti slip requirements possessing excellent levels of grip (measured as Coefficient of Friction), the safety-grip is water resistant (if applied onto a non-porous surface, we do also offer a complete range of ancillaries) and is easily survives outside or inside.

• Transparent



• Fluorescent



• Black / Yellow



• Red/White



• Green



• Grey



• Brown



• Black



• Red



• Yellow



• Orange



• Blue



• White



Available
Colours

(Standard Safety Grip)

Sizes

We produce our standard safety-grip in any colour from 19mm up to 1168mm, widths of between 10mm to 18mm on special request. Standard anti slip tape is available off the shelf for immediate dispatch in 25mm, 50mm, 75mm, 100mm and 150mm rolls. Full width logs are also available. All rolls have a length of 18.3 metres.

As standard Safety Grip is used for general applications, it is perfect for use in domestic or commercial environments. Standard anti slip tape can be used for additional slip protection on steps, to covering entire walkways.

Applications



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg

