

IBC SECONDARY CONTAINMENT

SECONDARY CONTAINMENT



IBC Containment Unit with Steel Platform

Product Code: IBC1680

- Sump Capacity : 400 Gal. / 1,512 L
- Load Capacity : 10,000 lbs / 4,545 kgs (UDL)
- Dimensions : 67" / 170cm (W)
67" / 170cm (D)
26" / 66cm (H)
- Weight : 270 lbs / 123 kgs

(For use with DCK1632, DCK1635, PAL1645, OSS1646RTC and OSS1649)



IBC Containment Unit with Poly Platform

Product Code: IBC1683

- Sump Capacity : 400 Gal. / 1,512 L
- Load Capacity : 10,000 lbs / 4,545 kgs (UDL)
- Dimensions : 67" / 170cm (W)
67" / 170cm (D)
26" / 66cm (H)
- Weight : 245 lbs / 111 kgs



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Double All-Poly IBC Containment Unit

Product Code: IBC1684



- Sump Capacity : 400 Gal. / 1,512 L
- Load Capacity : 20,000 lbs / 9,090 kgs (UDL)
- Dimensions : 118" / 300cm (W)
77½" / 197cm (D)
20" / 51cm (H)
- Weight : 538 lbs / 244.5 kgs



Additional Information for IBC Secondary Containment

[ALL EAGLES PALLETS AND PLATFORMS FEATURE]

- High performance engineered high density polyethylene for excellent chemical resistance and impact durability for long life
- Unique Injection Molding Technology as compared to conventional rotational molding, giving our products more strength and higher sump capacity with lesser weight
- 100% Made in the U.S.A
- EPA and SPCC Compliance



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This market indicates compliance with EPA Spill Prevention, Control and Countermeasures Regulations.



SECONDARY CONTAINMENT



1-Drum Low Spill Deck w drain

Product Code: DCK1633D


- Sump Capacity : 15 Gal. / 57 L
- Load Capacity : 2,000 lbs / 909 kgs (UDL)
- Dimensions : 26" / 66cm (W)
26¼" / 67cm (D)
6½" / 16.5cm (H)
- Weight : 16 lbs / 7.27 kgs
- Yellow w Drain



2-Drum Low Spill Deck w drain

Product Code: DCK1632D

- Sump Capacity : 30 Gal. / 114L
- Load Capacity : 5,000 lbs / 2,273 kgs (UDL)
- Dimensions : 51½" / 131cm (W)
26¼" / 67cm (D)
6½" / 16.5cm (H)
- Weight : 32 lbs / 14.5 kgs
- Forklift Friendly
- Yellow w Drain



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Modular Spill Containment Deck

EAGLE'S MODULAR SPILL CONTAINMENT DECKS ARE...

designed with built-in U-channels to quickly connect units in various configurations to suit your workplace requirements!

It's like Lego, built you own 4, 6 & 8 drums configurations and many more!



[ALL EAGLES PALLETS AND PLATFORMS FEATURE]

- High performance engineered high density polyethylene for excellent chemical resistance and impact durability for long life
- Unique Injection Molding Technology as compared to conventional rotational molding, giving our products more strength and higher sump capacity with lesser weight
- 100% Made in the U.S.A
- EPA and SPCC Compliance



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



SECONDARY CONTAINMENT

4-Drum Low Spill Deck w drain

Product Code: DCK1635D



- Sump Capacity : 60.5 Gal. / 229L
- Load Capacity : 10,000 lbs / 4,545 kgs (UDL)
- Dimensions : 52½" / 133cm (W)
51½" / 131cm (D)
6½" / 16.5cm (H)
- Weight : 65 lbs / 29.5 kgs
- Forklift-friendly
- Yellow w Drain



8-Drum Low Spill Deck w drain

Product Code: PAL1688 D

- Sump Capacity : 121 Gal. / 258L
- Load Capacity : 10,000 lbs / 4,545 kgs (UDL)
- Dimensions : 103" / 262cm (W)
51½" / 131cm (D)
6½" / 16.5cm (H)
- Weight : 130 lbs / 59 kgs
- Yellow w Drain



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Modular Spill Containment Deck

EAGLE'S MODULAR SPILL CONTAINMENT DECKS ARE...

designed with built-in U-channels to quickly connect units in various configurations to suit your workplace requirements!

It's like Lego, built you own 4, 6 & 8 drums configurations and many more!



[ALL EAGLES PALLETS AND PLATFORMS FEATURE]

- High performance engineered high density polyethylene for excellent chemical resistance and impact durability for long life
- Unique Injection Molding Technology as compared to conventional rotational molding, giving our products more strength and higher sump capacity with lesser weight
- 100% Made in the U.S.A
- EPA and SPCC Compliance



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This market indicates compliance with EPA Spill Prevention, Control and Countermeasures Regulations.

OUTDOOR SPILL CONTAINMENT

SECONDARY CONTAINMENT



4-drum Outdoor Roll-Top Spill Pallet

Product Code: 0551646

- Sump Capacity : 66 Gal. / 250 L
- Load Capacity : 6,000 lbs / 2,727 kgs (UDL)
- Dimensions : 59½" / 151cm (W)
73½" / 187cm (D)
68" / 173cm (H)
- Weight : 295 lbs / 134 kgs
- Yellow w Drain
- Forklift-friendly
- Protect up to 4 x 55-gallon drums
- Height of cover allows storage with drum pumps in place.
- Usable with Poly-Ramp 1689
- 100% polyethylene construction resists corrosion and weathering
- Rotary-style: access through front and top only



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



4-drum Outdoor Poly-Storage Building

Product Code: 0551649

- Sump Capacity : 66 Gal. / 250 L
- Load Capacity : 8,000 lbs / 3,636 kgs (UDL)
- Dimensions : 57½" / 146cm (W)
57½" / 146cm (D)
72" / 183cm (H)
- Weight : 250 lbs / 114 kgs
- Yellow w Drain
- Forklift-friendly
- Securely stores up to 4 x 55-gallon drums
- Features 4-way forklift pockets, vented door louvers and removable grating
- In-built top hooks for lifting (Note: Top hooks are intended only for lifting empty building)
- Door opening up to 48" x 48" pallet



Additional Information for Outdoor Spill Containment

[ALL EAGLES PALLETS AND PLATFORMS FEATURE]

- High performance engineered high density polyethylene for excellent chemical resistance and impact durability for long life
- Unique Injection Molding Technology as compared to conventional rotational molding, giving our products more strength and higher sump capacity with lesser weight
- 100% Made in the U.S.A
- EPA and SPCC Compliance



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This market indicates compliance with EPA Spill Prevention, Control and Countermeasures Regulations.



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





SECONDARY CONTAINMENT

2-Drum Spill Pallet w drain

Product Code: DCK1620 D



- Sump Capacity : 66 Gal. / 250L
- Load Capacity : 4,000 lbs / 1,818 kgs (UDL)
- Dimensions : 51" / 130cm (W)
26¼" / 67cm (D)
13¼" / 35cm (H)
- Weight : 52 lbs / 24 kgs
- Forklift-friendly
- Yellow w Drain



4-Drum Spill Pallet w drain

Product Code: PAL1640 D

- Sump Capacity : 132 Gal. / 500L
- Load Capacity : 8,000 lbs / 3,636 kgs (UDL)
- Dimensions : 51" / 130cm (W)
52½" / 133cm (D)
13¼" / 35cm (H)
- Weight : 102 lbs / 47 kgs
- Yellow w Drain
- Forklift-friendly



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





4-Drum Low Spill Pallet w drain

Product Code: PAL1645 D

- Sump Capacity : 66 Gal. / 250L
- Load Capacity : 8,000 lbs / 3,636 kgs (UDL)
- Dimensions : 51½" / 131cm (W)
51½" / 131cm (D)
8" / 20cm (H)
- Weight : 67 lbs / 30.5 kgs
- Forklift-friendly
- Yellow w Drain



Additional Information for Secondary Spill Containment Pallets

[ALL EAGLES PALLETS AND PLATFORMS FEATURE]

- High performance engineered high density polyethylene for excellent chemical resistance and impact durability for long life
- Unique Injection Molding Technology as compared to conventional rotational molding, giving our products more strength and higher sump capacity with lesser weight
- 100% Made in the U.S.A
- EPA and SPCC Compliance



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This market indicates compliance with EPA Spill Prevention, Control and Countermeasures Regulations.



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



SPILL CONTAINMENT ACCESSORIES

SECONDARY CONTAINMENT

Poly-Ramps for Spill Containment

Product Code: PR1689



- Load Capacity : 1,500 lbs / 682 kgs
- Dimensions : 32" / 81cm (W)
45½" / 116cm (D)
8" / 20cm (H)
- Weight : 32 lbs / 14.5 kgs

(For use with DCK1632, DCK1635, PAL1645, OSS1646RTC and OSS1649)



Spill Pallet Cover, Transparent

Standard 4-drum/1,000L IBC Tank

Product Code: SPC-4D

- Protect rainwater from collecting in sumps and on drums
- Transparent for easy visual identification and inspection (opaque colours available)
- Heavy duty PVC and double reinforced seams for long-lasting outdoor storage
- Quick and easy deployment of cover
- Customization options available (for different sizes and requirements)



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg

