


RIGGING

RIGGING**SWIVEL EYE SNAP HOOKS**

Stainless Steel T316 precision cast.

	A	B	C
<u>PART#</u>	<u>EYE</u>	<u>OPENING</u>	<u>O.L.</u>
43 200	7/16"	5/16"	2-1/2"
43 201	9/16"	3/8"	3-5/16"
43 202	5/8"	3/8"	3-1/2"
43 203	3/4"	3/8"	3-3/4"
43-204	1-1/4"	1/2"	4-3/4"

**SWIVEL EYE SNAP HOOKS**

Stainless Steel T316 precision cast.

	A	C	D
<u>PART#</u>	<u>EYE</u>	<u>OPENING</u>	<u>O.L.</u>
43 205	11/16"	9/32"	2-3/4"
43 206	5/8"	3/8"	3-3/8"
43 207	3/4"	1/2"	4"
43 208	7/8"	1/2"	4-5/8"
43-209	1-3/32"	5/8"	5-7/8"


**EYE & EYE SWIVELS**

Stainless Steel T316 precision cast.

	B X C	D
<u>PART#</u>	<u>EYE</u>	<u>O.L.</u>
43 210	1/2"X1/2"	2-5/16"
43 211	9/16"X9/16"	2-9/16"
43 212	3/4"X3/4"	3-5/8"
43 213	7/8"X1	4-5/8"
43-214	1-1/4"X1-5/16"	6"
43 215	1-1/2"X15/8"	7-3/8"
43 216	1-5/8"X2"	8-1/2"
43 217	1-7/8"X2"	9-1/4"
43 218	2-1/2"X2-9/16"	11"

RIGGING**SNAP HOOKS**


Stainless Steel T316 formed.




<u>PART#</u>	<u>A</u> <u>DIA.</u>	<u>D</u> <u>O.L.</u>	<u>E</u> <u>OPENING.</u>
43 220	3/16"	2"	1/4"
43 221	1/4"	2-3/8"	5/16"
43 222	9/32"	2-3/4"	3/8"
43 223	5/16"	3-1/8"	3/8"
43-224	11/32"	3-1/2"	1/2"
43 225	3/8"	4"	9/16"
43 226	7/16"	4-3/4"	11/16"
43 227	15/32"	5-1/2"	3/4"
43 228	1/2"	6-3/8"	1"

SNAP HOOK WITH EYELET

Stainless Steel T316 formed.




<u>PART#</u>	<u>A</u> <u>DIA.</u>	<u>D</u> <u>O.L.</u>	<u>E</u> <u>OPENING</u>
43 230	3/16"	2"	1/4"
43 231	1/4"	2-3/8"	5/16"
43 232	9/32"	2-3/4"	3/8"
43 233	5/16"	3-1/8"	3/8"
43-234	11/32"	3-1/2"	1/2"
43 235	3/8"	4"	9/16"
43 236	7/16"	4-3/4"	11/16"
43 237	15/32"	5-1/2"	3/4"
43 238	1/2"	6-3/8"	1"

**ASYMMETRICAL SNAP HOOK WITH EYELET**


Stainless Steel T316 formed.

<u>PART#</u>	<u>A</u> <u>DIA.</u>	<u>B</u> <u>O.L.</u>	<u>D</u> <u>OPENING</u>
43 240	1/4"	2-3/8"	3/8"
43 241	5/16"	3-3/8"	9/16"
43 242	3/8"	4"	11/16"
43 243	7/16"	4-3/4"	7/8"

RIGGING**HARNESS CLIPS, ASYMMETRICAL**


Stainless Steel T316 formed.

<u>PART#</u>	<u>A: DIA.</u>	<u>B: OPENING.</u>	<u>C: O.L.</u>
43 245	1/4"	3/8"	2-3/8"
43 246	5/16"	1/2"	3-3/16"
43 247	3/8"	5/8"	4"
43 248	15/32"	7/8"	4-7/8"

**HARNESS CLIPS, ROUNDED**


Stainless Steel T316 formed.

<u>PART#</u>	<u>A: DIA.</u>	<u>B: OPENING</u>	<u>C: O.L.</u>
43 250	1/4"	1/2"	2-3/8"
43 251	5/16"	11/16"	3-1/8"
43 252	3/8"	3/4"	4"
43 253	15/32"	1-1/8"	4-3/4"

**SPRING GATE SNAP**


Stainless Steel T316 precision cast.

<u>PART#</u>	<u>A: EYE DIA.</u>	<u>B: OPENING</u>	<u>L: O.L.</u>
43 255	1/4"	1/2"	2'
43 256	3/8"	1/2"	2-3/4"
43 257	1/2"	7/8"	4"

**JAW & JAW SWIVELS**


Stainless Steel T316 precision cast.

<u>PART#</u>	<u>A: PIN DIA.</u>	<u>B: OPENING</u>	<u>D: O.L.</u>
43 260	1/4"	7/16"	2-5/8"
43 261	5/16"	5/8"	3-5/8"
43 262	3/8"	13/16"	4-5/8"
43 263	1/2"	1"	6"
43-264	5/8"	1-1/4"	7-3/8"
43 265	3/4"	1-1/2"	8-5/8"

**JAW & JAW SWIVEL WITH FLUSH PIN**


Stainless Steel T316 precision cast.

<u>PART#</u>	<u>A: PIN DIA</u>	<u>B: OPENING</u>	<u>D: O.L.</u>
43 266	1/4"	7/16"	2-1/2"
43 267	5/16"	5/8"	3-1/2"
12-3 43 268	3/8"	13/16"	4-1/2"

RIGGING**STAINLESS STEEL CHAIN (PROOF COIL)**


Stainless Steel T316 Formed and welded. Sold per foot.

<u>PART#</u>	<u>A: SIZE</u>	<u>L: INSIDE LENGTH</u>
43 420	1/8"	0.95"
43 421	3/16"	0.95"
43 422	1/4"	1.25"
43 423	5/16"	1.30"
43 424	3/8"	1.38"
43 425	1/2"	1.75"
43 426	5/8"	2.16"
43 427	3/4"	2.75"
43 428	1"	3.50"

**SCREW PIN ANCHOR SHACKLES**


Stainless Steel T316 Forged load rated.

<u>PART#</u>	<u>A: SIZE</u>	<u>C: OPENING</u>
43 400	3/16"	3/8"
43 401	1/4"	15/32"
43 402	5/16"	1/2"
43 403	3/8"	5/8"
43 404	7/16"	3/4"
43 405	1/2"	7/8"
43 406	5/8"	1-1/16"
43 407	3/4"	1-3/16"
43 408	7/8"	1-1/2"
43 409	1"	1-5/8"
43 410	1-1/4"	2-1/8"

RIGGING**SCREW PIN CHAIN SHACKLES**

Stainless Steel T316 Forged.

<u>PART#</u>	<u>A: SIZE</u>	<u>C: OPENING</u>
43 370	5/32"	11/32"
43 371	3/16"	13/32"
43 372	1/4"	15/32"
43 373	9/32"	1/2"
43 374	5/16"	5/8"
43 375	11/32"	11/16"
43 376	3/8"	3/4"
43 377	7/16"	15/16"
43 378	1/2"	1"
43 379	5/8"	1-1/4"
43 380	3/4"	1-1/2"
43 381	7/8"	1-3/4"
43 382	1"	2"
43 383	1-1/4"	2-1/2"

**SCREW PIN LONG CHAIN SHACKLES**

Stainless Steel T316 Forged.

<u>PART#</u>	<u>A: SIZE</u>	<u>C: OPENING</u>
43 390	5/32"	5/16"
43 391	3/16"	7/16"
43 392	1/4"	15/32"
43 393	5/16"	9/16"
43 394	3/8"	3/4"
43 395	15/32"	7/8"
43 396	1/2"	1"

RIGGING**STAINLESS STEEL CABLE 7X19, PVC COATED**

Stainless Steel T316. Sold per foot

<u>PART#</u>	<u>SIZE.</u>	<u>PVC O.D.</u>	<u>WT/100 foot</u>
43 345	1/8"	3/16"	2.90 lb.
43 346	3/16"	1/4"	6.50 lb
43 347	1/4"	5/16"	11.00 lb
43 348	3/8	7/16"	17.30 lb

**STAINLESS STEEL CABLE 7X7, PVC COATED**

Stainless Steel T316. Sold per foot

<u>PART#</u>	<u>SIZE.</u>	<u>PVC O.D.</u>	<u>WT/100 foot</u>
43 362	1/8"	3/16"	2.80 lb.
43 364	3/16"	1/4"	6.20 lb.
43 365	1/4"	5/16"	10.60 lb.

**SWAGING TOOLS**

Jaws are made of forged alloy steel with heat treatment.

For crimping aluminum and stainless steel oval sleeves..

<u>PART#</u>	<u>O.L.</u>	<u>RANGE:</u>
43 366	18"	1/16" to 3/16"
43 367	30"	5/32" to 5/16"

RIGGING**STAINLESS STEEL SWAGE SLEEVE**

Stainless Steel T316 Formed.

<u>PART#</u>	<u>O.L.</u>	<u>CABLE SIZE</u>
43 300	1/4"	1/32"
43 301	3/8"	3/64"
43 302	3/8"	1/16"
43 303	3/8"	3/32"
43 304	3/8"	1/8"
43 305	23/32"	5/32"
43 306	1"	3/16"
43 307	7/8"	7/32"
43 308	1-1/8"	1/4"
43 309	1-3/8"	5/16"
43 310	1-3/8"	3/8"
43 311	1-3/4"	1/2"
43 312	2-5/8"	5/8"
43 313	3"	3/4"

**ALUMINUM SWAGE SLEEVE**

Aluminum Formed.

<u>PART#</u>	<u>O.L.</u>	<u>CABLE SIZE</u>
43 314	0.38"	1/16"
43 315	0.40"	3/32"
43 316	0.62"	1/8"
43 317	0.68"	5/32"
43 318	1.00"	3/16"
43 319	1.12"	1/4"
43 320	1.24"	5/16"
43 321	1.45"	3/8"

RIGGING**HEAVY DUTY WIRE ROPE CLIPS**

Includes saddle, U-bolt & nuts.

Stainless Steel T316 Precision cast

<u>PART#</u>	<u>WIRE DIA.</u>
43 430	3/32"
43 431	1/8"
43 432	5/32"
43 433	3/16"
43 434	1/4"
43 435	5/16"
43 436	3/8"
43 437	1/2"
43 438	9/16"
43 440	5/8"
43 441	3/4"
43 442	7/8"
43 443	1"

**REGULAR DUTY THIMBLES**

Stainless Steel T316 stamped.

<u>PART#</u>	<u>WIRE DIA.</u>
43 444	3/32"
43 445	1/8"
43 446	5/32"
43 447	3/16"
43 448	1/4"
43 449	5/16"
43 450	3/8"
43 451	1/2"
43 452	9/16"
43 453	5/8"
43 454	3/4"
43 455	7/8"
43 456	1"

SIMPLEX AND DUPLEX CLIPS

Stainless Steel T304 Stamped

**SIMPLEX**


<u>PART#</u>	<u>WIRE SIZE</u>	<u>O.L.</u>
43 330	1/16"-3/32"	9/16
43 331	1/8"	11/16"
43 332	5/32"	3/4"
43 333	3/16"	1"
43 334	1/4"	1-5/32"
43 335	5/16"	1-1/2"
43 336	3/8"	1-7/8"

**DUPLEX**

<u>PART#</u>	<u>WIRE SIZE</u>	<u>O.L.</u>
43 337	1/16"-3/32"	1-5/32"
43 338	1/8"	1-5/16"
43 339	5/32"	1-5/8"
43 340	3/16"	2"
43 341	1/4"	2-3/8"
43 342	5/16"	3"
43 343	3/8"	3-3/4"

RIGGING**EYE & EYE TURNBUCKLE**


Stainless Steel T316 Precision cast.



	A	B	C
PART#	THR. DIA.	TAKE UP	O.L.
43 270	3/16"	2.25"	3.75"
43 271	1/4"	2.72"	5.08"
43 272	5/16"	3.70"	6.31"
43 273	3/8"	4.82"	8.00"
43 274	1/2"	6.68"	10.50"
43 275	5/8"	8.50"	13.62"
43 276	3/4"	10.25"	16.50"
43 277	7/8"	10.75"	18.00"
43 278	1"	12.00"	25.50"

HOOK & HOOK TURNBUCKLES


Stainless Steel T316 precision cast.



	A	B	C
PART#	THR.DIA.	TAKE UP	O.L.
43 280	3/16"	2.25"	3.75"
43 281	1/4"	2.72"	5.00"
43 282	5/16"	3.70"	6.31"
43-283	3/8"	4.82"	8.00"
43 284	1/2"	6.68"	10.50"
43 285	5/8"	8.50"	13.62"
43 286	3/4"	10.25"	16.50"
43 287	1"	12.00"	25.50"

JAW & JAW TURNBUCKLES

Stainless Steel T316 precision cast.



	A	B	C
PART#	THR. DIA.	TAKE UP	O.L.
43 290	3/16"	2.25"	4.50"
43 291	1/4"	2.72"	5.38"
43 292	5/16"	3.70"	7.12"
43-293	3/8"	4.82"	8.75"
43 294	1/2"	6.68"	12.25"
43 295	5/8"	8.50"	15.00"
43 296	3/4"	10.25"	18.25"
43 297	1"	12.00"	24.00"

RIGGING**WOOD FIDS**

A wooden tapered pin used to separate the strands when splicing rope.

<u>PART#</u>	<u>O.L.</u>
43 460	250mm/10"
43 461	300mm/12"
43 462	350mm/14"
43 463	400mm/16"
43 464	500mm/20"
43 465	600mm/24"

**STEEL MARLIN SPIKES**

A steel sharp pointed pin used for opening up a rope when splicing. Spike has a hole in the larger end for a lanyard.

<u>PART#</u>	<u>O.L.</u>
43 466	250mm/10"
43 467	300mm/12"
43 468	350mm/14"
43 469	400mm/16"
43 470	450mm/18"