

# **POWER TOOLS**



## POWER TOOLS - 220 VOLT

### 3/8"(10mm) DRILL V.S.R. - 220 VOLT

Variable speed reversing. Double insulated.  
Keyless chuck. Non-slip soft grip handle.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 200</b>	Model #D105 0-2,800 RPM 500 Watts Trigger lock-on button Capacity: Steel 10mm Wood 25mm Weight: 1.8 kg. / 4.0 Lbs. <b>ISSA # 59 10 12</b>



### 1/2"(13mm) DRILL V.S.R. - 220 VOLT

Variable speed reversing. Dbl. Insulated.  
Non-slip soft grip handle. Multi-position side handle

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 201</b>	Model #D131 0-600 RPM 800 Watts Trigger lock-on button Capacity: Steel 13mm Wood 20mm Weight: 2.8 kg. / 6.0 Lbs. <b>ISSA # 59 10 13</b>



### IMPACT DRILL - 220 VOLT

Variable speed. Keyless chuck. Dbl. Insulated.  
Non-slip soft grip handle. Multi-position side handle.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 204</b>	Model #DR138 1050 Watts 0-1,275 RPM - 0-2,650 BPM Trigger lock-on button Capacity: Steel 13mm Concrete 20mm Wood 25mm Weight: 4.3 kg. / 9.0 Lbs.



## **POWER TOOLS - 220 VOLT**



### **ROTARY HAMMER DRILL - 220 VOLT**

Variable speed. Keyless chuck. Dbl. Insulated.  
Non-slip soft grip handle. Multi-position side handle.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 208</b>	Model #H321-3 1200 Watts 0-750 RPM - 3500 BPM Trigger lock-on button Weight: 5.9 kg. / 8.3 Lbs.



### **ELECTRIC SHEAR 220V**

Powerful motor keeps cutting speed consistent.  
Single no-load speed, mild steel capacity: 13 Ga.  
Includes 5.0 mm hex key,

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 202</b>	Model SC25A 0-2200 RPM 420 Watt Max cutting capacity: 2.5mm Weight: 2.8 kg. / 6.2 Lbs.



### **1/4" (6mm) DIE GRINDER - 220 VOLT**

Extra-long spindle, double insulated.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 209</b>	Model #DG105 1/4" Capacity 600 Watts 27,000 RPM Weight: 2.2 kg. / 4.8 Lbs. <b>ISSA # 59 10 76</b>



## **POWER TOOLS - 220 VOLT**



### **4-1/2" (115mm) ANGLE GRINDER - 220 V**

Includes steel wheel guard, wrench, side handle and grinding wheel.

**PART #**  
**50 227**

**DESCRIPTION**  
Model # G1008A  
850 Watts  
11.000 RPM  
M14 x 2 spindle  
Weight: 2.6 kg. / 5.7 Lbs.  
**ISSA # 59 10 31**

**50 066**

Backing Pad M14 x 2.0



### **5" (125mm) ANGLE GRINDER - 220 V**

Includes steel wheel guard, wrench, side handle And grinding wheel. Double insulated.

**PART #**  
**50 229**

**DESCRIPTION**  
Model #G1252  
1,200 Watts  
9,200 RPM  
M14 X 2 spindle  
Weight: 4.2 kg. / 9.2 Lbs.



### **7" (180mm) ANGLE GRINDER - 220 V**

Includes steel wheel guard, wrench, side handle and grinding wheel. Double insulated.

**PART #**  
**50 228**

**DESCRIPTION**  
Model #G1808  
2,400 Watts  
8,500 RPM  
M14 x 2 spindle  
Weight: 6.6 kg. / 14.5 Lbs.  
**ISSA # 59 10 34**

**50 065**

Backing Pad 180mm x M14x2.0



## **POWER TOOLS - 220 VOLT**



### **JIG SAW - 220 VOLT**

Variable speed, 45 deg. adjustable base plate. Double insulated, dual blade holder accepts both bayonet and universal jig saw blades.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 220</b>	Model #J553 580 Watts 500-3,000 SPM Capacity: Steel 10mm Wood 85mm Weight: 3.1 kg./6.38Lbs. <b>ISSA # 59 11 72</b>



### **7-1/4" CIRCULAR SAW - 220 VOLT**

Double insulated, bevel angle adjusts between 0~45 deg. Quick return safety guard. Includes blade and rip fence.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 215</b>	Model #C1853 1,100 Watts 4,900 RPM Max. cut: 58mm Weight: 6.2 kg. / 13.4 Lbs. <b>ISSA # 59 11 45</b>



### **14" CHOP SAW - 220 VOLT**

Quick release locking vise, adjustable depth stop, spindle lock, wrench storage.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 235</b>	Model #355 2200 Watts 3,800 RPM Max cutting cap. 100mm Weight 16.7 kg. / 36.8 Lbs. <b>ISSA # 59 11 56</b>

**POWER TOOLS - 220 VOLT**



**BELT SANDER - 220 VOLT**

Integrated depth adjustment. Automatic belt tracking. Easy belt changing. Includes : dust bag and sanding belt. Double Insulated.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 207</b>	Model #TA8460 540 Watts 200m/min. Belt size: 75 x 530mm Weight: 3.0 kg /6.6 Lbs.



**PLANER - 220 VOLT**

Lightweight, compact design for easy planning. Square edges and shave material for accurate joinery. Double insulated with Chamfering groove for beveling corners.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 214</b>	Model #P82A 600 Watts 16,000 RPM Cutting width: 82mm (3-1/4") Max Planer Depth: 1mm Weight: 3.7 kg /8.1 Lbs. <b>ISSA # 59 11 37</b>



**HEAT GUN - 220 VOLT**

Heat/Glue gun with soft D-handle

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 212</b>	200 Watts Air Stream Per Minute : 150/300/500 Temp. Setting: 50-630 Deg C Weight: 2.0 kg. / 4.3 Lbs





**BOSCH**



## **POWER TOOLS - 220 VOLT**

### **1/2" (13mm) CORDLESS DRILLS- 18V**

Variable speed reversing. Keyless chuck. LED light and Ergonomically designed T-Style Soft Grip

#### **PART #** **50 203**

#### **DESCRIPTION**

Model #DDS181-02  
0-500 RPM, 600 in-lbs torque  
2 Li-on batteries 1.5 Ah  
18V charger 220 Volt  
8-pos. adjustable torque clutch  
Weight: 2.0 kg. / 4.6lbs

#### **50 206**

18V Lithium Ion Battery Charger

### **RECIPROCATING SAW, BOSCH- 220 VOLT**

Electronic Variable Speed Switch, die cast aluminum gear housing. Ergonomically designed handle. Double insulated.

#### **PART #** **50 237**

#### **DESCRIPTION**

Model # GSA1100E  
1100 Watts  
2,400 SPM  
Length of Stroke : 28mm  
Max Cut Depth : 100mm  
Weight: 3.9 kg / 8.6 Lbs

### **4-1/2" (115mm) ANGLE GRINDER – 220 VOLT**

Small compact Professional grinder, Includes steel wheel guard, wrench and side handle.

#### **PART #** **50 226**

#### **DESCRIPTION**

Model # GWS 7-115  
720 Watts  
11 000 RPM  
M14 x 2 Spindle  
Weight: 1.9 kg / 4.2 Lbs  
ISSA #59 10 31

### **HEAT GUN- 220 VOLT**

Professional Heat/Glue Gun

#### **PART #** **50 213**

#### **DESCRIPTION**

Model # GHG 600 CE  
2000 Watts  
Airflow: 350-550 l/min  
Temp. setting: 100-600 deg. C  
Weight: .6 kg / 1.3 Lbs



**BOSCH**

**POWER TOOLS - 220 VOLT**



**BOSCH 1/2" PROFESSIONAL DRILL - 220V**

Control Electronic for exact pilot drilling, Safe grip with sturdy, long auxiliary handle, Easy operation with 2-finger pressure switch, Forward/reverse rotation

**PART#**  
**50 217**

**DESCRIPTION**  
Model # GBM 13 HRE  
550 Watt  
0-550 RPM  
Chuck: 1.5—13 mm  
Weight: 2.2 kg/4.4 lbs



**BOSCH DEMOLITION HAMMER - 240V**

Professional Demolition hammer with SDS-max. Pointed chisel 400 mm, lockable switch pawl, Vario-lock: 12 chisel position, auxiliary handle and carrying case.

**PART#**  
**50 218**

**DESCRIPTION**  
Model # GSH 5 CE  
1150 Watt  
Rated speed: 1300-2900 BPM  
Weight: 6.2 kg/13.6 lbs



**BOSCH BELT SANDER - 240V**

Graphite-coated sanding plate, sturdy quick-clamping lever, Guide roller fine adjustment for exact belt running, removable auxiliary handle, connection for dust extraction with dust bag and vacuum cleaner.

**PART#**  
**50 219**

**DESCRIPTION**  
Model # GBS 75 AE  
750 Watt  
75 x 533 mm belt  
200-330 m/min  
Weight: 3.4 kg/7.5 lbs



**POWER TOOLS-220 VOLT****RECIPROCATING SAW - 220 VOLT**

Electronic variable speed switch, die-cast aluminum gear housing, ergonomically designed handle. Double insulated. **MAKITA** brand

**PART #**  
**50 135****DESCRIPTION**

Model #JR3050T  
1010 Watts  
2,800 SPM  
Length of stroke: 28mm  
Max. cut depth: 90mm  
Weight: 3.3 kg. / 7.3 Lbs.

**3/8" (10mm) CORDLESS ANGLE DRILL 10.8V**

Variable speed reversing. Durable right-angle transmission with sealed ball bearings and cut-steel gears. 1-hr charger & carrying case.

**PART #**  
**50 210****DESCRIPTION**

Model #DA330DWE  
0-800 RPM  
Capacity: Steel 10mm, Wood 12mm  
Weight: 1.1 kg. / 2.4 Lbs.

**1/2 SHEET FINISHING SANDER - 220 VOLT**

Rubberized non-slip grip, double insulated. Through-the-pad dust collection.

**PART #**  
**50 104****DESCRIPTION**

Model: BO4901  
330 Watts  
Paper size: 115 x 280 mm  
10,000 OPM  
Weight: 2.8 kg/6.2 lbs

**POWER TOOLS-220 VOLT****125MM (5'') ANGLE GRINDER**

Double insulated, 2 position auxiliary handle  
Large paddle switch log-on/off switch,  
Spindle lock, guard and spanner wrench.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 103</b>	Model: 9558PB 710W 10,000 RPM 5/8" - 11 UNC spindle Weight: 2.1 kg/6.6 lbs

**4 x 24'' BELT SANDER**

Integrated depth adjustment. Automatic belt tracking.  
Easy belt changing. Includes: dust bag and sanding  
belt. Double insulated.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 125</b>	Model MT9400B 940 Watts 3800m/min. Belt size: 100x610mm Weight: 6.2 kg. / 13.7 Lbs.



**POWER TOOLS - 220 VOLT**

**13mm (1/2") DRILL V.S.R. - 220 VOLT**

Soft grip trigger, reversing switch, H.D. keyed chuck ball bearing motor, 360 degree auxiliary handle,

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 100</b>	Model #MT817 430W 0-2800 RPM Trigger lock-on Capacity: Steel 13mm Weight: 1.9 kg/3.5 lbs



**16mm (5/8") DRILL V.S.R. - 220 VOLT**

Soft grip trigger, reversing switch H.D. keyed chuck ball bearing motor, 360 degree auxiliary handle,

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 101</b>	Model #MT814 710W 0-3200 RPM Trigger lock-on Capacity: Steel 13mm Weight: 2.2 kg/4.8 lbs



**1-1/2 HP ROUTER - 220 VOLT**

Router with easy-to-grip handles, variable speed with soft start. Quick-change knob for variable cutting depth. Double insulated.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 106</b>	Model MT360 1,650 Watts 22,000 RPM Collet chuck: 12mm (1/2") Weight: 5.5 kg. /12.2 Lbs.



## **POWER TOOLS-220 VOLT**

### **125MM (5'') ANGLE GRINDER**

Double insulated, 2 position auxiliary handle, sealed log-on/off switch,  
Spindle lock, guard and spanner wrench.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 110</b>	Model MT957 710W 11,000 RPM 5/8" - 11 spindle Weight: 1.5 kg/3.3 lbs

<b>50 068</b>	Backing Pads 115mm x 5/8"-11
---------------	------------------------------



### **180MM (7'') ANGLE GRINDER**

Double insulated, 2 position auxiliary handle, sealed log-on/off switch,  
Spindle lock, guard and spanner wrench

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 111</b>	Model MT902 2000W 8,500 RPM M14 x 2 spindle Weight: 4.7 kg/10.4lbs



### **6MM (1/4'') DIE GRINDER - 220 VOLT**

Extra-long spindle, double insulated.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 115</b>	Model MT911 1/4" Capacity 480 Watts 33,000 RPM Weight: 1.4 kg. / 3.1 Lbs.



**POWER TOOLS-220V**

**125MM (5") ORBITAL SANDER - 220 VOLT**

sander with integrated dust Collection system and lock-on button for continuous use. Rubberized non-slip grip, double insulated. Includes dust bag.



<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 120</b>	Model MT924 240 Watts 12,000 OPM Weight: 1.2 kg/2.6 lbs

**JIG SAW - 220 VOLT**

Variable speed, 45 deg. adjustable base plate. Double insulated, dual blade holder accepts both bayonet and universal jig saw blades.



<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 130</b>	Model MT431 450 Watts 0-3,100 SPM Capacity: Steel 10mm Weight: 1.9 kg/4.2 lbs. <b>ISSA # 59 11 72</b>

**FINISHING SANDER - 220 VOLT**

1/3 sheet sander with integrated dust Collection system and lock-on button for continuous use. Rubberized non-slip grip, double insulated. Includes dust bag.



<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 205</b>	Model MT923 190 Watts 12,000 OPM Paper size: 93 x 228 mm Weight: 1.4 kg/3.0 lbs





## POWER TOOLS



### 3/8" DEWALT CORDLESS DRILLS - 12V

Compact Drill Driver 12V, dual speed range 0-400/0-1450 RPM. Charger and spare battery included, carrying case.

**PART #**  
**50 114**

**DESCRIPTION**  
Model DC742KA  
0-1450 RPM  
200 Watt  
Weight: 4.4 kg/9.8 lbs.



### 1/2" DEWALT CORDLESS DRILLS - 18V

Variable speed reversing. Keyless chuck. Ergonomically designed T-style soft grip.

Charger and 2 Ni-Cad batteries in carrying case.

**PART #**  
**50 116**

**DESCRIPTION**  
Model DC970K-2  
0-1300 RPM  
8-pos.adjustable torque clutch  
Capacity: Steel 10mm  
Wood 40mm  
Weight: 5.0 kg. / 11.0 Lbs



### 1.5 Ah DEWALT RIGHT ANGLE DRILL KIT - 20V

Compact Angle Drill kit 20V, Multi-grip trigger, compact size 4", dual speed range 0-500/0-1500 RPM. Charger and Lithium battery included, carrying case.

**PART #**  
**50 117**

**DESCRIPTION**  
Model DCD740C1  
0-1500 RPM  
Weight: 4.7 kg/10.4 lbs





## POWER TOOLS



### DEWALT CORDLESS SCREWDRIVER KIT - 7.2V

Variable speed and reversing trigger switch, two-position handle, charger and spare NiCad battery included, carrying case.

<u>PART #</u>	<u>DESCRIPTION</u>
50 118	Model DW920K-2 0-500 RPM 1/4" (6 mm) Torque: 80 in/lbs Weight: 1.6 kg/3.4 lbs



### DEWALT CORDLESS FLOODLIGHT - 18V

Flexible neck, wide-angle beam, lockable head clip, xenon bulb. Battery sold separately.

<u>PART #</u>	<u>DESCRIPTION</u>
50 119	Model DW919 Weight: 0.7 kg/1.4 lbs



### DEWALT NICAD POD-STYLE BATTERY

High-capacity XRP batteries, 2-pack

<u>PART #</u>	<u>DESCRIPTION</u>
50 113	Model DC9096-2 2.4 Amp hour Weight: 0.7 kg/1.4 lbs



## **POWER TOOLS**



### **1/2" DEWALT CORDLESS IMPACT WRENCH 20V**

Three (3) LED lights with 20 second delay after trigger release, that helps to provide visibility without shadows. Also features a hog ring anvil to easily change sockets. Charger and 2 batteries, carrying case.

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 140</b>	Model DCF880HM2 1/2" dr. Lithium Ion battery Weight: 4.0 kg. /8.8 Lbs



### **1/2" DEWALT CORDLESS IMPACT WRENCH 18V**

Features replaceable brushes, textured anti-slip comfort grip, durable magnesium gear case, all metal transmission, and a heavy duty mechanism directing torque to fastener without kickback. Built-in LED light, onboard bit storage, charger and 2 batteries, carrying case

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 141</b>	Model DC820KA 1/2" dr. 0-2400 RPM Torque: 1740 in/lbs NiCad battery



### **4-1/2" DEWALT ANGLE GRINDER, 110 V**

One-touch guard, low profile jam-pot gear case, hex wrench

<u>PART #</u>	<u>DESCRIPTION</u>
<b>50 142</b>	Model DWE4011 12,000 RPM Spindle: 5/8"-11 120V, 850 Watt 7,0 Amp AC/DC Weight: 1.8 kg. /3.9 Lbs



## **POWER TOOLS**



### **DEWALT CORDLESS RECIPROCATING SAW KIT - 18V**

Keyless lever-action 4-position blade clamp, anti-slip comfort grip, variable speed with trigger lock, XRP Ni-Cad battery. Charger and carrying case.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 121</b>	Model DC385K 3000 SPM Weight: 3.8 kg/8.2 lbs



### **DEWALT RECIPROCATING SAW - 12 AMP**

Keyless lever-action 4-position blade clamp, anti-slip comfort grip, variable speed with trigger lock, XRP Ni-Cad battery. Charger and carrying case.

<b><u>PART #</u></b>	<b><u>DESCRIPTION</u></b>
<b>50 122</b>	Model DWE305 120 Volt 0-2900 SPM Stroke length: 1-1/8" Weight: 3.7 kg/8.1 lbs

**POWER TOOLS**



**SHOP-VAC PRO 20L , 220 VOLT**

Wet/Dry Vac perfect for workplace, indoor and out, wet or dry, stainless steel tank

<u>PART#</u>	<u>DESCRIPTION</u>
50 010	1600 W 2.4 m lock-on hose 2 locking metal wands 254 mm wet/dry nozzle Crevice tool Round brush Gulper nozzle Dual surface nozzle Filters



**PORTABLE BLOWERS, 120 & 230 VOLT**

12" Axial blower/extractor fan, connect up to 125' of straight duct, plastic housing, stackable.

CFM rating: 72m3/min.

Dimensions: 21" H x 19" L x 15" W

<u>PART#</u>	<u>DESCRIPTION</u>
50 126	<b>230 Volt</b> , 50/60 Hz 1 HP, 8.0/5.7 Amp 2850 RPM Weight: 15 kg/32 lbs



50 127	<b>120 Volt</b> , 50 Hz 1 HP, 4.2 Amp 2800/3300 RPM Weight: 15 kg/32 lbs
--------	---

50 128	Ducting for above fans Flexible, light duty vinyl woven polyester. 25' length
--------	--



**PORTABLE BLOWER, 120 VOLT**

12" Axial blower/extractor fan, steel housing,

Dimensions: 18" H x 16" L x 14" W

<u>PART#</u>	<u>DESCRIPTION</u>
50 129	120 Volt, 50 Hz, 430 Watt 3/8 HP, 3.8 Amp 2905 RPM Weight: 14 kg/31 lbs



50 131	Ducting for above fan Flexible, light duty double-ply PVC Coated polyester. 20' length
--------	---