

ABRASIVES

ABRASIVES



TYPE 1 STAINLESS CUT-OFF WHEELS

Double external reinforced with high tensile strength fiberglass. Extra thin design. Heat-treated Aluminum Oxide grain for cutting stainless steel and non-ferrous metals.

PART #	SIZE	MAX RPM
80 014	4-1/2" x .045" x 7/8"	13,300
80 029	5" x .045" x 7/8"	12,200
80 003	6" x .045" x 7/8"	10,200
80 090	7" X .045" x 5/8"	8,500
80 091	7" x 5/64" x 7/8"	8,500
80 092	9" x 5/64" x 7/8"	6,600
80 007	14" x 1/8" x 1"	4,400



TYPE 27 DEPRESSED CENTER STAINLESS CUT-OFF WHEELS

Double external reinforced with high tensile strength fiberglass. Heat-treated Aluminum Oxide grain for cutting stainless steel and non-ferrous metals.

PART #	SIZE	MAX RPM
80 093	4" x 0.45 x 5/8"	19,000
80 094	4-1/2" x .045" x 7/8"	13,300
80 096	5" x .045" x 7/8"	12,200
80 095	6" x 0.45" x 7/8"	13,300
80 004	7" X .045" X 7/8"	8,500



TYPE 27 DEPRESSED CENTER STAINLESS GRINDING WHEELS - [Zirconia](#)

PART #	SIZE	MAX RPM
80 009	4-1/2" x 1/4" x 7/8"	13,300
80 008	4-1/2" x 1/4" x 5/8"-11	13,300
80 010	5" x 1/4" x 7/8"	12,200
80 099	5" x 1/4" x 5/8"-11	12,200
80 011	7" x 1/4" x 7/8"	8,500
80 097	7" x 1/4" x 5/8"-11	8,500
80 012	9" x 1/4" x 7/8"	6,500



GRINDING BENCH WHEELS

Gray Aluminum oxide grinding bench wheel or
Green Silicone Carbide

Gray PART #	SIZE	Green PART #
80 120	150 x 25 x 25mm	80 140
80 121	200 x 25 x 25mm	80 141
80 122	250 x 32 x 32mm	80 142
80 123	300 x 38 x 32mm	80 143

ABRASIVES

PH: 954-641-7840 FAX: 954-641-7850

**UTILITY ROLLS**

Abrasive handy rolls, aluminum oxide Grain,
Metal, Wood, Fiberglass, Resin on resin bond,
Flexible cloth backing

1-1/2" (40mm) wide

<u>PART #</u>	<u>GRIT</u>
80 006	40
80 025	50
80 020	60
80 021	80
80 022	100
80 023	120
80 037	150
80 024	180
80 026	220
80 027	240
80 028	320
80 005	400
80 135	600

2" (50mm) wide

<u>PART#</u>	<u>GRIT</u>
80 340	40
80 341	50
80 342	60
80 343	80
80 344	100
80 345	120
80 346	150
80 347	180
80 348	220
80 349	240
80 350	320
80 351	400

**GRINDING COMPOUNDS**

For precision lapping, fitting, surfacing, polishing
and other general use in machine shops. 454 grams/1 lb.

<u>PART #</u>	<u>GRIT</u>		<u>PART#</u>	<u>GRIT</u>	
80 050	36	Ex. Coarse	80 053	240	Fine
80 048	50	Coarse	80 045	280	Fine
80 046	80	Coarse	80 054	400	Very fine
80 051	100	Coarse	80 041	600	Very fine
80 049	120	Medium	80 055	700	Extra fine
80 052	150	Medium	80 042	800	Extra fine
80 043	180	medium	80 039	1000	Micro fine
80 044	220	Fine	80 056	1200	Micro fine,

**OIL STONES**

Carborundum oil stone. May be used dry or
with oil or water. Combination fine/medium.

<u>PART #</u>	<u>SIZE</u>	<u>ISSA #</u>
80 060	100 x 25 x 13mm	61 47 85
80 061	200 x 50 x 25mm	61 47 86
80 129	200 x 50 x 25mm in cedar box	
	Grit 600 medium	

ABRASIVES

PH: 954-641-7840 FAX: 954-641-7850

**FLAP DISCS—ZIRCONIA, TYPE 29**

Aluminum Oxide, standard density,
fiberglass backing, resin on resin bond.

Contaminant **FREE**

4" X 5/8" Max RPM 15,300

PART # **GRIT**

80 001	36
80 019	40
80 002	60
80 300	80
80 301	120

4-1/2" X 7/8" Max RPM 13,300

80 302	24
80 303	36
80 304	40
80 305	60
80 306	80
80 307	120

4-1/2" x 5/8"-11 Max RPM 13,300

80 308	24
80 309	36
80 310	40
80 311	60
80 312	80
80 313	120

5" x 7/8" Max RPM 12,200

PART# **GRIT**

80 314	36
80 315	40
80 316	60
80 317	80
80 318	120

5" x 5/8"-11 Max RPM 12,200

80 319	36
80 320	40
80 321	60
80 322	80
80 323	120

7" x 7/8" Max RPM 8,600

80 324	36
80 325	40
80 326	60
80 327	80
80 328	120

7" 5/8"-11 Max RPM 8,600

80 329	36
80 330	40
80 331	60
80 332	80
80 333	120

ABRASIVES

PH: 954-641-7840 FAX: 954-641-7850

**HOOK AND LOOP DISCS**

Premium gold stearated non-loading.
 Aluminum Oxide grain.
 Durable C-weight backing.
 Resin on resin bond
 Sold in pack of 50 only!

5" DIAMETER X NO DUST HOLES

<u>PART #</u>	<u>GRIT</u>
5530060	60C
5530080	80C
5530100	100C
5530120	120C
5530150	150C
5530180	180C
5530220	220C
5530320	320C

6" DIAMETER X NO DUST HOLES

<u>PART #</u>	<u>GRIT</u>
5520060	60C
5520080	80C
5520100	100C
5520120	120C
5520150	150C
5520180	180C
5520220	220C
5520320	320C

5" DIAMETER X 5 DUST HOLES

<u>PART#</u>	<u>GRIT</u>
5535040	40C
5535060	60C
5535080	80C
5535100	100C
5535120	120C
5535150	150C
5535180	180C
5535220	220C
5535320	320C

6" DIAMETER X 6 DUST HOLES

<u>PART #</u>	<u>GRIT</u>
5526040	40C
5526060	60C
5526080	80C
5526100	100C
5526120	120C
5526150	150C
5526180	180C
5526220	220C
5526320	320C

5" DIAMETER X 8 DUST HOLES

<u>PART #</u>	<u>GRIT</u>
5538040	40C
5538060	60C
5538080	80C
5538100	100C
5538120	120C
5538150	150C
5538180	180C
5538220	220C
5538320	320C

6" DIAMETER X 8 DUST HOLES

<u>PART #</u>	<u>GRIT</u>
5528060	60C
5528080	80C
5528100	100C
5528120	120C
5528150	150C
5528180	180C
5528220	220C
5528320	320C

ABRASIVES

PH: 954-641-7840 FAX: 954-641-7850



WATERPROOF SANDING PAPER– 9”x 11”

Premium Silicon Carbide Paper Sheets
Applications: Lacquers, paint, glass, metal,
plastic, stone, sold in packs only

<u>Part #</u>	<u>Grit</u>	<u>Sheets/Pack</u>
80 240	60	50
80 241	80	50
80 242	100	50
80 243	120	50
80 244	150	50
80 245	180	50
80 246	220	50
80 247	240	50
80 248	280	50
80 249	320	50
80 250	360	50
80 251	400	50
80 252	500	50
80 253	600	50
80 254	800	50
80 255	1000	50
80 256	1200	50
80 257	1500	50
80 258	2000	50



SANDING PAPER– 9”x 11”

Premium Aluminum Oxide Paper Sheets
Applications: Wood, metal, pain, plastic, fi-
berglass, Sold in packs only

<u>Part #</u>	<u>Grit</u>	<u>Sheets/Pack</u>
80 260	36	50
80 261	40	50
80 262	50	50
80 263	60	50
80 264	80	50
80 265	100	100
80 266	120	100
80 267	150	100
80 268	180	100
80 269	220	100
80 270	240	100
80 271	280	100
80 272	320	100

SANDING BELTS

Premium Sanding Belts, Aluminum Oxide
Grain. Applications: Wood, metal, pain, plas-
tic, stone. Sold in packs of 10.



<u>3” x 21”</u>	<u>Grit</u>	<u>4” x 24”</u>
80 160	24	80 172
80 161	36	80 173
80 162	40	80 174
80 163	50	80 175
80 164	60	80 176
80 165	80	80 177
80 166	100	80 178
80 167	120	80 179
80 168	150	80 180
80 169	180	80 181
80 170	220	80 182
80 171	240	80 183