



TOPTUL HAND SOCKETS



6PT Sockets

CR-V DIN3124



METRIC Mirror / Satin Chrome Finished

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
1/4"	BAAE0804	4	25 30 540
1/4"	BAAE0804E	4.5	25 30 540
1/4"	BAAE0805	5	25 30 540
1/4"	BAAE0805E	5.5	25 30 540
1/4"	BAAE0806	6	25 30 540
1/4"	BAAE0807	7	25 30 540
1/4"	BAAE0808	8	25 20 360
1/4"	BAAE0809	9	25 20 360
1/4"	BAAE0810	10	25 20 360
1/4"	BAAE0811	11	25 10 180
1/4"	BAAE0812	12	25 10 180
1/4"	BAAE0813	13	25 10 180
1/4"	BAAE0814	14	25 10 180

3/8"	BAAE1206	6	28 15 270
3/8"	BAAE1207	7	28 15 270
3/8"	BAAE1208	8	28 15 270
3/8"	BAAE1209	9	28 15 270
3/8"	BAAE1210	10	28 15 270
3/8"	BAAE1211	11	28 15 270
3/8"	BAAE1212	12	28 15 270
3/8"	BAAE1213	13	28 10 160
3/8"	BAAE1214	14	28 10 160
3/8"	BAAE1215	15	28 10 160
3/8"	BAAE1216	16	30 10 160
3/8"	BAAE1217	17	30 10 160
3/8"	BAAE1218	18	30 10 160
3/8"	BAAE1219	19	30 10 160
3/8"	BAAE1220	20	30 10 160
3/8"	BAAE1221	21	30 10 160
3/8"	BAAE1222	22	30 10 160
3/8"	BAAE1224	24	30 10 160

1/2"	BAAE1608	8	38 15 240
1/2"	BAAE1609	9	38 15 240
1/2"	BAAE1610	10	38 15 240
1/2"	BAAE1611	11	38 15 240
1/2"	BAAE1612	12	38 15 240
1/2"	BAAE1613	13	38 15 240
1/2"	BAAE1614	14	38 15 240
1/2"	BAAE1615	15	38 15 240
1/2"	BAAE1616	16	38 15 240
1/2"	BAAE1617	17	38 10 160
1/2"	BAAE1618	18	38 10 160
1/2"	BAAE1619	19	38 10 160
1/2"	BAAE1620	20	38 10 160
1/2"	BAAE1621	21	38 10 160
1/2"	BAAE1622	22	40 10 160
1/2"	BAAE1623	23	40 10 160
1/2"	BAAE1624	24	40 10 100
1/2"	BAAE1625	25	42 10 100
1/2"	BAAE1626	26	42 10 100
1/2"	BAAE1627	27	44 10 100
1/2"	BAAE1628	28	44 10 100
1/2"	BAAE1629	29	44 10 100
1/2"	BAAE1630	30	45 10 100
1/2"	BAAE1631	31	45 10 100
1/2"	BAAE1632	32	45 10 100
1/2"	BAAE1634	34	45 5 40

13PCS

1/4" DR. 6PT Socket Rail Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
3/4"	BAAE2419	19	50 5 80
3/4"	BAAE2421	21	50 5 80
3/4"	BAAE2422	22	50 5 80
3/4"	BAAE2423	23	50 5 80
3/4"	BAAE2424	24	51 5 80
3/4"	BAAE2426	26	52 5 80
3/4"	BAAE2427	27	52 5 80
3/4"	BAAE2428	28	52 5 40
3/4"	BAAE2429	29	52 5 40
3/4"	BAAE2430	30	54 5 40
3/4"	BAAE2432	32	56 5 40
3/4"	BAAE2433	33	56 5 40
3/4"	BAAE2434	34	56 5 40
3/4"	BAAE2435	35	58 5 40
3/4"	BAAE2436	36	58 5 40
3/4"	BAAE2437	37	60 5 40
3/4"	BAAE2438	38	60 5 40
3/4"	BAAE2439	39	62 5 40
3/4"	BAAE2440	40	62 2 16
3/4"	BAAE2441	41	64 2 16
3/4"	BAAE2442	42	64 2 16
3/4"	BAAE2443	43	65 2 16
3/4"	BAAE2444	44	66 2 16
3/4"	BAAE2445	45	66 2 16
3/4"	BAAE2446	46	68 2 16
3/4"	BAAE2448	48	70 2 16
3/4"	BAAE2450	50	72 2 16
3/4"	BAAE2451	51	72 2 16
3/4"	BAAE2452	52	72 2 16
3/4"	BAAE2454	54	74 2 16
3/4"	BAAE2455	55	76 2 16
3/4"	BAAE2456	56	76 2 16
3/4"	BAAE2457	57	76 2 16
3/4"	BAAE2458	58	78 2 16
3/4"	BAAE2460	60	78 2 16
3/4"	BAAE2465	65	82 2 8
3/4"	BAAE2470	70	86 2 8

11PCS

1/2" DR. 6PT Socket Rail Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
1"	BAAE3236	36	65 3 24
1"	BAAE3238	38	65 3 24
1"	BAAE3241	41	70 3 24
1"	BAAE3246	46	75 2 16
1"	BAAE3250	50	75 2 16
1"	BAAE3254	54	80 2 16
1"	BAAE3255	55	80 2 16
1"	BAAE3258	58	80 2 16
1"	BAAE3260	60	84 2 8
1"	BAAE3263	63	87 2 8
1"	BAAE3265	65	87 2 8
1"	BAAE3267	67	90 2 8
1"	BAAE3270	70	93 2 8
1"	BAAE3271	71	93 2 8
1"	BAAE3275	75	97 2 8
1"	BAAE3277	77	103 2 8
1"	BAAE3280	80	103 2 8

20PCS

1/2" DR. 6PT Socket Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
1"	BAAE3236	36	65 3 24
1"	BAAE3238	38	65 3 24
1"	BAAE3241	41	70 3 24
1"	BAAE3246	46	75 2 16
1"	BAAE3250	50	75 2 16
1"	BAAE3254	54	80 2 16
1"	BAAE3255	55	80 2 16
1"	BAAE3258	58	80 2 16
1"	BAAE3260	60	84 2 8
1"	BAAE3263	63	87 2 8
1"	BAAE3265	65	87 2 8
1"	BAAE3267	67	90 2 8
1"	BAAE3270	70	93 2 8
1"	BAAE3271	71	93 2 8
1"	BAAE3275	75	97 2 8
1"	BAAE3277	77	103 2 8
1"	BAAE3280	80	103 2 8

37PCS

1/4", 3/8" & 1/2" DR. 6PT Socket Rail Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
1/4"	BAAE0804	4	25 30 540
1/4"	BAAE0804E	4.5	25 30 540
1/4"	BAAE0805	5	25 30 540
1/4"	BAAE0805E	5.5	25 30 540
1/4"	BAAE0806	6	25 30 540
1/4"	BAAE0807	7	25 30 540
1/4"	BAAE0808	8	25 20 360
1/4"	BAAE0809	9	25 20 360
1/4"	BAAE0810	10	25 20 360
1/4"	BAAE0811	11	25 10 180
1/4"	BAAE0812	12	25 10 180
1/4"	BAAE0813	13	25 10 180
1/4"	BAAE0814	14	25 10 180
3/8"	BAAE1206	6	28 15 270
3/8"	BAAE1207	7	28 15 270
3/8"	BAAE1208	8	28 15 270
3/8"	BAAE1209	9	28 15 270
3/8"	BAAE1210	10	28 15 270
3/8"	BAAE1211	11	28 15 270
3/8"	BAAE1212	12	28 15 270
3/8"	BAAE1213	13	28 10 160
3/8"	BAAE1214	14	28 10 160
3/8"	BAAE1215	15	28 10 160
3/8"	BAAE1216	16	30 10 160
3/8"	BAAE1217	17	30 10 160
3/8"	BAAE1218	18	30 10 160
3/8"	BAAE1219	19	30 10 160
3/8"	BAAE1220	20	30 10 160
3/8"	BAAE1221	21	30 10 160
3/8"	BAAE1222	22	30 10 160
3/8"	BAAE1224	24	30 10 160
1/2"	BAAE1608	8	38 15 240
1/2"	BAAE1609	9	38 15 240
1/2"	BAAE1610	10	38 15 240
1/2"	BAAE1611	11	38 15 240
1/2"	BAAE1612	12	38 15 240
1/2"	BAAE1613	13	38 15 240
1/2"	BAAE1614	14	38 15 240
1/2"	BAAE1615	15	38 15 240
1/2"	BAAE1616	16	38 15 240
1/2"	BAAE1617	17	38 10 160
1/2"	BAAE1618	18	38 10 160
1/2"	BAAE1619	19	38 10 160
1/2"	BAAE1620	20	38 10 160
1/2"	BAAE1621	21	38 10 160
1/2"	BAAE1622	22	40 10 160
1/2"	BAAE1623	23	40 10 160
1/2"	BAAE1624	24	40 10 100
1/2"	BAAE1625	25	42 10 100
1/2"	BAAE1626	26	42 10 100
1/2"	BAAE1627	27	44 10 100
1/2"	BAAE1628	28	44 10 100
1/2"	BAAE1629	29	44 10 100
1/2"	BAAE1630	30	45 10 100
1/2"	BAAE1631	31	45 10 100
1/2"	BAAE1632	32	45 10 100
1/2"	BAAE1634	34	45 5 40

10PCS

1/2" DR. 6PT Socket Rail Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
1"	BAAE3236	36	65 3 24
1"	BAAE3238	38	65 3 24
1"	BAAE3241	41	70 3 24
1"	BAAE3246	46	75 2 16
1"	BAAE3250	50	75 2 16
1"	BAAE3254	54	80 2 16
1"	BAAE3255	55	80 2 16
1"	BAAE3258	58	80 2 16
1"	BAAE3260	60	84 2 8
1"	BAAE3263	63	87 2 8
1"	BAAE3265	65	87 2 8
1"	BAAE3267	67	90 2 8
1"	BAAE3270	70	93 2 8
1"	BAAE3271	71	93 2 8
1"	BAAE3275	75	97 2 8
1"	BAAE3277	77	103 2 8
1"	BAAE3280	80	103 2 8

13PCS

1/4" DR. 6PT Socket Rail Set


GAB52001	18	BAAE1608-1632	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
	1	CAAA1605	1/2" Dr. Extension Bar - 5" (L)
	1	CJBG1627	1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

6PT Deep Sockets

(CR-V) DIN3124

13PCS

1/4" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	10 (SET)
GAAQ1309	BAEE0804-0814 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14

13PCS

3/8" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	5 (SET)
GAAQ1311	BAEE1207-1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21

11PCS

1/2" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	5 (SET)
GAAQ1106	BAEE1610-1622 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22

37PCS

1/4", 3/8" & 1/2" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	3 (SET)
GAAQ3703	BAEE0804-0814 1/4" Dr. - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 3/8" Dr. - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21 1/2" Dr. - 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22

6PT Deep Sockets


(CR-V) DIN3124



ITEM NO.	CONTENTS
Satin	10 (SET)
GAAQ1309	BAEE0804-0814 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14

13PCS

3/8" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	5 (SET)
GAAQ1311	BAEE1207-1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21

11PCS


1/2" DR. 6PT Deep Socket Rail Set



ITEM NO.	CONTENTS
Satin	5 (SET)
GAAQ1106	BAEE1610-1622 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22

37PCS

1/4", 3/8" & 1/2" DR. 6PT Deep Socket Rail Set







ITEM NO.	CONTENTS
Satin	3 (SET)
GAAQ3703	BAEE0804-0814 1/4" Dr. - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 3/8" Dr. - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21 1/2" Dr. - 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22







12PT Sockets

(CR-V) DIN3124



11PCS

1/2" DR. 12PT Socket Rail Set



10PCS

1/2" DR. 12PT Socket Rail Set



12PT Sockets

(CR-V) DIN3124

11PCS

1/2" DR. 12PT Socket Rail Set

12PT Deep Sockets

(CR-V) DIN3124



ITEM NO.	CONTENTS	Mirror Polished
GBAQ1102	11 BBE1612-1632 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	10 (SET)



13PCS

3/8" DR. 12PT Socket Rail Set

12PT Deep Sockets

(CR-V) DIN3124

(SAE) Mirror Polished

DRIVE	ITEM NO.	SIZE (inch)	L (mm)
-------	----------	-------------	--------

1/4"	BBE0806	3/16	25 30 540
	BBE0807	7/32	25 30 540
	BBE0808	1/4	25 30 540
	BBE0809	9/32	25 30 540
	BBE0810	5/16	25 30 360
	BBE0811	11/32	25 30 360
	BBE0812	3/8	25 30 360
	BBE0814	7/16	25 30 180
	BBE0816	1/2	25 30 180
	BBE0818	9/16	25 30 180

3/8"	BBE1208	1/4	28 15 270
	BBE1210	5/16	28 15 270
	BBE1211	11/32	28 15 270
	BBE1212	3/8	28 15 270
	BBE1214	7/16	28 15 270
	BBE1216	1/2	28 15 270
	BBE1218	9/16	28 15 270
	BBE1219	19/32	28 15 270
	BBE1220	5/8	30 10 160
	BBE1222	11/16	30 10 160
	BBE1224	3/4	30 10 160
	BBE1226	13/16	30 10 160
	BBE1228	7/8	30 10 160

1/2"	BBE1610	5/16	38 15 240
	BBE1612	3/8	38 15 240
	BBE1614	7/16	38 15 240
	BBE1616	1/2	38 15 240
	BBE1618	9/16	38 15 240
	BBE1619	19/32	38 15 240
	BBE1620	5/8	38 15 240
	BBE1622	11/16	38 10 160
	BBE1624	3/4	38 10 160
	BBE1625	25/32	38 10 160
	BBE1626	13/16	38 10 160
	BBE1628	7/8	40 10 160
	BBE1630	15/16	40 10 100
	BBE1632	1	42 10 100
	BBE1634	1-1/16	44 10 100
	BBE1636	1-1/8	44 10 100
	BBE1638	1-3/16	45 10 100
	BBE1640	1-1/4	45 10 100

3/4"	BBE2424	3/4	50 5 80
	BBE2426	13/16	50 5 80
	BBE2428	7/8	50 5 80
	BBE2430	15/16	51 5 80
	BBE2432	1	52 5 40
	BBE2434	1-1/16	52 5 40
	BBE2436	1-1/8	52 5 40
	BBE2438	1-3/16	54 5 40
	BBE2440	1-1/4	56 5 40
	BBE2442	1-5/16	56 5 40
	BBE2444	1-3/8	58 5 40
	BBE2446	1-7/16	58 5 40
	BBE2448	1-1/2	60 5 40
	BBE2452	1-5/8	64 2 16
	BBE2454	1-11/16	64 2 16
	BBE2456	1-3/4	66 2 16
	BBE2460	1-7/8	70 2 16
	BBE2464	2	72 2 16



(METRIC) Satin Chrome Finished

DRIVE	ITEM NO.	SIZE (mm)	L (mm)
-------	----------	-----------	--------

1/4"	BAEF0806	6	50 20 360
	BAEF0807	7	50 20 360
	BAEF0808	8	50 20 360
	BAEF0809	9	50 20 320
	BAEF0810	10	50 20 320
	BAEF0811	11	50 20 320
	BAEF0812	12	50 20 320
	BAEF0813	13	50 20 320
	BAEF1206	6	63 20 320
	BAEF1207	7	63 20 320
	BAEF1208	8	63 20 320
	BAEF1209	9	63 10 160
	BAEF1210	10	63 10 160
	BAEF1211	11	63 10 160
	BAEF1212	12	63 10 160
	BAEF1213	13	63 10 160
	BAEF1214	14	63 10 160
	BAEF1215	15	63 10 160
	BAEF1216	16	63 10 160
	BAEF1217	17	63 10 160
	BAEF1218	18	63 10 100
	BAEF1219	19	63 10 100
	BAEF1220	20	63 10 100
	BAEF1221	21	63 10 100
	BAEF1222	22	63 10 100
	BAEF1608	8	77 10 160
	BAEF1609	9	77 10 160
	BAEF1610	10	77 10 160
	BAEF1611	11	77 10 160
	BAEF1612	12	77 10 160
	BAEF1613	13	77 10 160
	BAEF1614	14	77 10 160
	BAEF1615	15	77 10 100
	BAEF1616	16	77 10 100
	BAEF1617	17	77 10 100
	BAEF1618	18	77 10 100
	BAEF1619	19	77 10 100
	BAEF1620	20	77 5 80
	BAEF1621	21	77 5 80
	BAEF1622	22	77 5 80
	BAEF1623	23	77 5 50
	BAEF1624	24	77 5 50
	BAEF1626	26	77 5 50
	BAEF1627	27	77 5 50
	BAEF1628	28	77 5 50
	BAEF1629	29	77 5 50
	BAEF1630	30	77 5 40
	BAEF1632	32	77 5 40

3/8"	BBE1208	1/4	63 20 320
	BBE1210	5/16	63 20 320
	BBE1211	11/32	63 10 160
	BBE1212	3/8	63 10 160
	BBE1214	7/16	63 10 160
	BBE1216	1/2	63 10 160
	BBE1218	9/16	63 10 160
	BBE1220	5/8	63 10 160
	BBE1222	11/16	63 10 100
	BBE1224	3/4	63 10 100
	BBE1226	13/16	63 10 100
	BBE1228	7/8	63 10 100

1/2"	BBE1610	5/16	77 10 160
	BBE1612	3/8	77 10 160
	BBE1614	7/16	77 10 160
	BBE1616	1/2	77 10 160
	BBE1618	9/16	77 10 160
	BBE1620	5/8	77 10 160
	BBE1622	11/16	77 10 100
	BBE1624	3/4	77 10 100
	BBE1626	13/16	77 10 100
	BBE1628	7/8	77 10 100

3/4"	BBE2424	3/4	77 10 100
	BBE2426	13/16	77 10 100
	BBE2428	7/8	77 10 100
	BBE2430	15/16	77 10 100
	BBE2432	1	77 5 80
	BBE2434	1-1/16	77 5 80
	BBE2436	1-1/8	77 5 80
	BBE2438	1-3/16	77 5 50
	BBE2440	1-1/4	77 5 50
	BBE2442	1-5/16	77 5 50
	BBE2444	1-3/8	77 5 50
	BBE2446	1-7/16	77 5 50
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

1 1/4"	BBE2424	3/4	77 5 40
	BBE2426	13/16	77 5 40
	BBE2428	7/8	77 5 40
	BBE2430	15/16	77 5 40
	BBE2432	1	77 5 40
	BBE2434	1-1/16	77 5 40
	BBE2436	1-1/8	77 5 40
	BBE2438	1-3/16	77 5 40
	BBE2440	1-1/4	77 5 40
	BBE2442	1-5/16	77 5 40
	BBE2444	1-3/8	77 5 40
	BBE2446	1-7/16	77 5 40
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

1 1/2"	BBE2424	3/4	77 5 40
	BBE2426	13/16	77 5 40
	BBE2428	7/8	77 5 40
	BBE2430	15/16	77 5 40
	BBE2432	1	77 5 40
	BBE2434	1-1/16	77 5 40
	BBE2436	1-1/8	77 5 40
	BBE2438	1-3/16	77 5 40
	BBE2440	1-1/4	77 5 40
	BBE2442	1-5/16	77 5 40
	BBE2444	1-3/8	77 5 40
	BBE2446	1-7/16	77 5 40
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

1 3/4"	BBE2424	3/4	77 5 40
	BBE2426	13/16	77 5 40
	BBE2428	7/8	77 5 40
	BBE2430	15/16	77 5 40
	BBE2432	1	77 5 40
	BBE2434	1-1/16	77 5 40
	BBE2436	1-1/8	77 5 40
	BBE2438	1-3/16	77 5 40
	BBE2440	1-1/4	77 5 40
	BBE2442	1-5/16	77 5 40
	BBE2444	1-3/8	77 5 40
	BBE2446	1-7/16	77 5 40
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

1 7/8"	BBE2424	3/4	77 5 40
	BBE2426	13/16	77 5 40
	BBE2428	7/8	77 5 40
	BBE2430	15/16	77 5 40
	BBE2432	1	77 5 40
	BBE2434	1-1/16	77 5 40
	BBE2436	1-1/8	77 5 40
	BBE2438	1-3/16	77 5 40
	BBE2440	1-1/4	77 5 40
	BBE2442	1-5/16	77 5 40
	BBE2444	1-3/8	77 5 40
	BBE2446	1-7/16	77 5 40
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

2"	BBE2424	3/4	77 5 40
	BBE2426	13/16	77 5 40
	BBE2428	7/8	77 5 40
	BBE2430	15/16	77 5 40
	BBE2432	1	77 5 40
	BBE2434	1-1/16	77 5 40
	BBE2436	1-1/8	77 5 40
	BBE2438	1-3/16	77 5 40
	BBE2440	1-1/4	77 5 40
	BBE2442	1-5/16	77 5 40
	BBE2444	1-3/8	77 5 40
	BBE2446	1-7/16	77 5 40
	BBE2448	1-1/2	77 5 40
	BBE2452	1-5/8	77 5 40
	BBE2454	1-11/16	77 5 40
	BBE2456	1-3/4	77 5 40
	BBE2460	1-7/8	77 5 40
	BBE2464	2	77 5 40

 12.5mm sq.	BAEF1609	9	77	10	160
	BAEF1610	10	77	10	160
	BAEF1611	11	77	10	160

TOPTUL Flexible Universal Sockets

3/8" DR. 12PT Flexible Universal Sockets



Satin Chrome Finished				
ITEM NO.	SIZE(mm)	L(mm)	10	160
BAAL1210	10	50	10	160
BAAL1211	11	51	10	160
BAAL1212	12	51	10	160
BAAL1213	13	52	10	160
BAAL1214	14	52	10	160
BAAL1215	15	55	10	160
BAAL1216	16	55	10	160
BAAL1217	17	56	10	100
BAAL1218	18	56	10	100
BAAL1219	19	58	10	100

Satin Chrome Finished				
ITEM NO.	SIZE(inch)	L(mm)	10	160
BBAL1212	3/8	50	10	160
BBAL1214	7/16	51	10	160
BBAL1216	1/2	52	10	160
BBAL1218	9/16	52	10	160
BBAL1220	5/8	55	10	160
BBAL1222	11/16	56	10	100
BBAL1224	3/4	58	10	100

10PCS 3/8" DR. 12PT Flexible Universal Socket Rail Set



Satin Chrome Finished				
ITEM NO.	CONTENTS	10 (SET)		
GAAG1004	BAAL1210-1219	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm		

7PCS 3/8" DR. 12PT Flexible Universal Socket Rail Set



Satin Chrome Finished				
ITEM NO.	CONTENTS	15 (SET)		
GBAG0701	BBAL1212-1224	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"		

3PCS Palm Ratchet Set



ITEM NO.	CONTENTS	30 (SET)
GAAR0302	CAUB0826-1633 1/4", 3/8" & 1/2" Dr. 52 Teeth Palm Ratchet	

Palm Ratchet

- Made of Chrome Vanadium Steel Material
- Palm control design
- Knurled edges for a non-slip grip
- 52 teeth gear action
- Slim design for use in confined spaces
- Ratchet mechanism: Forward / Reverse



DRIVE	ITEM NO.	D(mm)	L(mm)	30	240
1/4"	CAUB0826	31.5	25.5	30	240
3/8"	CAUB1229	31.5	28.5	30	240
1/2"	CAUB1633	31.5	32.5	30	240

1/4" DR. Finger Ratchet & Bit Driver

- Palm control design
- 3 position, reversible ratchet mechanism: Forward / Lock / Reverse
- High torque performance: 350 kgf-cm
- 36 teeth gear action
- Internal retaining clip hold bit securely in place
- Contoured grip for comfort and power
- Designed to use in confined spaces
- Material: Anodized Aluminum Color Grip



DRIVE	ITEM NO.	L(mm)	10	80
1/4" x 1/4"	CAUA0808	33.5	10	80



45° Universal Ball Joint


- Ball-shaped design allows for smooth rotation and high torque
- Short pattern design with 45° action angle provides effective use in narrow spaces



Satin Chrome Finished				
DRIVE	ITEM NO.	L(mm)	10	180
1/4"	CAHD0834	34.5	10	180
3/8"	CAHD1246	46	10	160
1/2"	CAHD1662	62	10	100

Super-Torque Universal Joint


- With new construction design to provide higher working performance than traditional type
- 60° action angle



Satin Chrome Finished				
DRIVE	ITEM NO.	L(mm)	10	180
1/4"	CAHK0840	35	10	180
3/8"	CAHK1254	52	10	160
1/2"	CAHK1678	68	10	100

Universal Joint

- 60° action angle



Mirror / Satin Chrome Finished				
DRIVE	ITEM NO.	L(mm)	10	180
1/4"	CAHA0840	39	10	180
3/8"	CAHA1254	54	10	160
1/2"	CAHA1678	71	10	100

Satin Chrome Finished				
DRIVE	ITEM NO.	L(mm)	5	40
3/4"	CAHA24A0	108	5	40

4PCS
Magnetic Insert Adapter Set (CR-MO) (DIN3120)

- Made of heat treated, durable Chrome Molybdenum Alloy Steel
- Ideal for where space is limited or a regular adapter is not suitable
- Additional magnets help ensure the adapters stay attached to the sockets
- Set includes 1/4", 3/8", 1/2", 3/4" female to male drive adapters



ITEM NO.	CONTENTS	Black Phosphate Finished
GAAR0404	1 CAFB0812 Magnetic Insert Adapter 1/4"(F) x 3/8"(M) 1 CAFB1216 Magnetic Insert Adapter 3/8"(F) x 1/2"(M) 1 CAFB1624 Magnetic Insert Adapter 1/2"(F) x 3/4"(M) 1 CAFB2432 Magnetic Insert Adapter 3/4"(F) x 1"(M)	5 50

Magnetic Socket Pick-Up (CR-V) (DIN3120)



DRIVE	ITEM NO.	Satin Chrome Finished
1/4"	CAEE0820	20 30 540

Adapter (CR-V) (DIN3123)



ITEM NO.	DRIVE	L(mm)	Mirror / Satin Chrome Finished
CAEA0812	1/4"(F) x 3/8"(M)	26	20 360
CAEA1208	3/8"(F) x 1/4"(M)	25	20 360
CAEA1216	3/8"(F) x 1/2"(M)	36	10 180
CAEA1612	1/2"(F) x 3/8"(M)	36	10 180

ITEM NO.	DRIVE	L(mm)	Satin Chrome Finished
CAEA1624	1/2"(F) x 3/4"(M)	51	10 80
CAEA2416	3/4"(F) x 1/2"(M)	57	10 80

Adapter (Knurled Grip) (CR-V) (DIN3123)



ITEM NO.	DRIVE	L(mm)	Satin Chrome Finished
CAEB0812	1/4"(F) x 3/8"(M)	26	20 360
CAEB1208	3/8"(F) x 1/4"(M)	25	20 360

ITEM NO.	DRIVE	L(mm)	Mirror Polished
CAEB1612	1/2"(F) x 3/8"(M)	36	10 180

3-Way Adapter (CR-V) (DIN3123)



ITEM NO.	DRIVE	L(mm)	Mirror / Satin Chrome Finished
CAGA1208	1/4"(M) x 3/8"(M) x 1/4"(M)	28	10 160
CAGA1216	3/8"(M) x 1/2"(M) x 3/8"(M)	44	10 160
CAGA1612	1/2"(M) x 3/8"(M) x 1/2"(M)	40	10 160

ITEM NO.	DRIVE	L(mm)	Satin Chrome Finished
CAGA3232	1"(M) x 3/4"(M) x 1"(M)	74	5 40

Ratchet Unit (CR-MO) (DIN3120)



DRIVE	ITEM NO.	72 Gears / Satin Chrome Finished
3/8"	CAQA1255	56 10 80

Spark Plug Sockets (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
3/8"	BAAR1216	16	22	65	10 160
	BAAR1218	18	26	64	10 80
	BAAR1221	21	28	67	10 80
1/2"	BAAR1616	16	22	65	10 160
	BAAR1621	21	28	67	10 80

DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
1/2"	BBAR1626	13/16	28	67	10 80

Magnetic Spark Plug Sockets (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
3/8"	BAAT1216	16	22	65	10 160
	BAAT1221	21	28	67	10 80
1/2"	BAAT1616	16	22	65	10 160
	BAAT1621	21	28	67	10 80

1/2" DR. Magnetic Spark Plug Socket (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
1/2"	BAAT1614	14	21.8	77	10 160

1/2" DR. Magnetic Spark Plug Socket (Thin Wall) (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
1/2"	BAAV1616	16	20.7	65	10 160

3/8" DR. Spark Plug Socket (Leaf Spring) (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Satin Finished
3/8"	BAAU1214	14	17.5	63	10 160

1/2" DR. Spark Plug Socket (Thin Wall) (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
1/2"	BAAU1616	16	20.7	65	10 160

1/2" DR. Stud Puller Sockets (CR-V) (DIN3120)



DRIVE	ITEM NO.	SIZE (mm)	D (mm)	L (mm)	Dual Finished
1/2" (12.5mm)	BAAU1606	6	23.6	60	10 160
	BAAU1608	8	23.6	60	10 160
	BAAU1610	10	27.6	69	10 80
	BAAU1612	12	27.6	69	10 80

4PCS 1/2" DR. Stud Puller Socket Set



ITEM NO.	CONTENTS	Dual Finished
GAAJ0401	1 BAAU1606-1612 1/2" Dr. Stud Puller Sockets 6, 8, 10, 12 mm	10 (SET)

1/2" DR. Damaged Bolt Remover Sockets (CR-MO) (DIN3120)

- Made of Chrome Molybdenum Alloy Steel
- For easy removal of rounded-off, rusted tight or painted-over bolts and nuts



- A unique, reverse spiral flute design provides a positive grip to remove rounded or damaged bolts and nuts


9PCS 1/2" DR. Damaged Bolt Remover Socket Rail Set

DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Black Phosphate Finished
1/2"	BAAK1610	10	34	20 320
	BAAK1611	11	34	20 320
	BAAK1612	12	34	20 320
	BAAK1613	13	34	20 320
	BAAK1614	14	34	20 320
	BAAK1615	15	34	15 240
	BAAK1616	16	34	15 240
	BAAK1617	17	34	15 240
	BAAK1618	18	34	10 160
	BAAK1619	19	34	10 160
	BAAK1621	21	34	10 160
	BAAK1622	22	34	10 160
	BAAK1624	24	34	10 80
	BAAK1627	27	34	10 80

9PCS 1/2" DR. Damaged Bolt Remover Socket Rail Set




ITEM NO.	CONTENTS	Black Phosphate Finished
GAAQ0903	1 BAAK1610-1619 1/2" Dr. Damaged Bolt Remover Sockets 10, 11, 12, 13, 14, 15, 16, 17, 19 mm	10 (SET)




Magnetic Aluminum Socket Rail

- Portable socket holder
- Anodized Aluminum rail construction
- Super strong magnet for solid placement
- Holds both standard and deep sockets
- 360° rotatable fasteners



ITEM NO.	DRIVE	Fastener	L (mm)	Black Phosphate Finished
PBKB2B2614	1/4"	14 pcs	260	10 60
PBKB3B2612	3/8"	12 pcs	260	10 60
PBKB4B2610	1/2"	10 pcs	260	10 60





TOPTUL
STANDARD, LONG & EXTRA LONG
BIT SOCKETS

Hex Bit Sockets

CR-V+S2 DIN 7422

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	
1/4"	BCDA082E	2.5	37	30 540
	BCDA0803	3	37	30 540
	BCDA0804	4	37	30 540
	BCDA0805	5	37	30 540
	BCDA0806	5.5	37	30 540
	BCDA0806	6	37	30 540
	BCDA0806E	6.5	37	30 540
	BCDA0807	7	37	30 540
	BCDA0808	8	37	30 540
	BCDA0810	10	37	30 540
3/8"	BCDA1203	3	48	10 180
	BCDA1204	4	48	10 180
	BCDA1205	5	48	10 180
	BCDA1206	6	48	10 180
	BCDA1207	7	48	10 180
	BCDA1208	8	48	10 180
	BCDA1210	10	48	10 180
	BCDA1604	4	55	15 240
	BCDA1605	5	55	15 240
	BCDA1606	6	55	15 240
1/2"	BCDA1607	7	55	15 240
	BCDA1608	8	55	15 240
	BCDA1609	9	55	10 160
	BCDA1610	10	55	10 160
	BCDA1612	12	55	10 160
	BCDA1614	14	55	10 160
	BCDA1617	17	55	10 100
	BCDA1619	19	55	10 100

Hex Bit Sockets

CR-V DIN 7422

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	
3/4"	BCDA2414	14	79	5 50
	BCDA2417	17	79	5 50
	BCDA2419	19	79	5 50
	BCDA2422	22	79	5 50

SAE

DRIVE	ITEM NO.	SIZE(inch)	L(mm)	
1/4"	BDDA0804	1/8	37	30 540
	BDDA0805	5/32	37	30 540
	BDDA0806	3/16	37	30 540
	BDDA0807	7/32	37	30 540
	BDDA0808	1/4	37	30 540
	BDDA1204	1/8	48	10 180
	BDDA1205	5/32	48	10 180
	BDDA1206	3/16	48	10 180
	BDDA1207	7/32	48	10 180
	BDDA1208	1/4	48	10 180
3/8"	BDDA1210	5/16	48	10 180
	BDDA1212	3/8	48	10 180
	BDDA1608	1/4	55	15 240
	BDDA1610	5/16	55	15 240
	BDDA1612	3/8	55	10 160
	BDDA1614	7/16	55	10 160
	BDDA1616	1/2	55	10 160
	BDDA1618	9/16	55	10 160
	BDDA1620	5/8	55	10 100
	BDDA1624	3/4	55	10 100

Phillips Bit Sockets

CR-V+S2 DIN ISO 8764-1

DRIVE	ITEM NO.	SIZE	L(mm)	
1/4"	BCFA08P0	PH0	37	30 540
	BCFA08P1	PH1	37	30 540
	BCFA08P2	PH2	37	30 540
	BCFA08P3	PH3	37	30 540
	BCFA08P4	PH4	37	30 540
	BCFA12P1	PH1	48	10 180
	BCFA12P2	PH2	48	10 180
	BCFA12P3	PH3	48	10 180
	BCFA12P4	PH4	48	10 180
	BCFA16P2	PH2	55	10 160
1/2"	BCFA16P3	PH3	55	10 160
	BCFA16P4	PH4	55	10 160

Slotted Bit Sockets

CR-V+S2 DIN ISO 2380-1

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	
1/4"	BCCA0803	0.5x3	37	30 540
	BCCA0804	0.5x4	37	30 540
	BCCA0804E	0.6x4.5	37	30 540
	BCCA0805E	1.0x5.5	37	30 540
	BCCA0806	1.0x6	37	30 540
	BCCA0806E	1.2x6.5	37	30 540
	BCCA0807	1.2x7	37	30 540
	BCCA0808	1.2x8	37	30 540
	BCCA1205E	1.0x5.5	48	10 180
	BCCA1206E	1.2x6.5	48	10 180
3/8"	BCCA1208	1.2x8	48	10 180
	BCCA1210	1.6x10	48	10 180
	BCCA1608	1.2x8	55	10 160
	BCCA1610	1.6x10	55	10 160
	BCCA1612	2.0x12	55	10 160
	BCCA1614	2.5x14	55	10 160
	BCCA1616	2.5x16	55	10 160

Pozi Bit Sockets

CR-V+S2 DIN ISO 8764-1

DRIVE	ITEM NO.	SIZE	L(mm)	
1/4"	BCBA08P0	P20	37	30 540
	BCBA08P1	P21	37	30 540
	BCBA08P2	P22	37	30 540
	BCBA08P3	P23	37	30 540
	BCBA08P4	P24	37	30 540
	BCBA12P1	P21	48	10 180
	BCBA12P2	P22	48	10 180
	BCBA12P3	P23	48	10 180
	BCBA12P4	P24	48	10 180

Star Bit Sockets

CR-V+S2

DRIVE	ITEM NO.	SIZE	L(mm)	
1/4"	BCFA0806	T6	37	30 540
	BCFA0807	T7	37	30 540
	BCFA0808	T8	37	30 540
	BCFA0809	T9	37	30 540
	BCFA0810	T10	37	30 540
	BCFA0815	T15	37	30 540
	BCFA0820	T20	37	30 540
	BCFA0825	T25	37	30 540
	BCFA0827	T27	37	30 540
	BCFA0830	T30	37	30 540
3/8"	BCFA0835	T35	37	30 540
	BCFA0840	T40	37	20 360
	BCFA1215	T15	48	10 180
	BCFA1220	T20	48	10 180
	BCFA1225	T25	48	10 180
	BCFA1227	T27	48	10 180
	BCFA1230	T30	48	10 180
	BCFA1240	T40	48	10 180
	BCFA1245	T45	48	10 180
	BCFA1250	T50	48	10 180
1/2"	BCFA1255	T55	48	10 180
	BCFA1620	T20	55	10 160
	BCFA1625	T25	55	10 160
	BCFA1627	T27	55	10 160
	BCFA1630	T30	55	10 160
	BCFA1640	T40	55	10 160
	BCFA1645	T45	55	10 160
	BCFA1650	T50	55	10 160
	BCFA1655	T55	55	10 160
	BCFA1660	T60	55	10 160

Star Tamperproof Bit Sockets

CR-V+S2

DRIVE	ITEM NO.	SIZE	L(mm)	
1/4"	BCLA0808	T8	37	30 360
	BCLA0809	T9	37	30 360
	BCLA0810	T10	37	30 360
	BCLA0815	T15	37	30 360
	BCLA0820	T20	37	30 360
	BCLA0825	T25	37	30 360
	BCLA0827	T27	37	30 360
	BCLA0830	T30	37	30 360
	BCLA0835	T35	37	30 360
	BCLA0840	T40	37	30 360
3/8"	BCLA1215	T15	48	10 180
	BCLA1220	T20	48	10 180
	BCLA1225	T25	48	10 180
	BCLA1227	T27	48	10 180
	BCLA1230	T30	48	10 180
	BCLA1240	T40	48	10 180
	BCLA1245	T45	48	10 180
	BCLA1250	T50	48	10 180
	BCLA1620	T20	55	10 160
	BCLA1625	T25	55	10 160
1/2"	BCLA1627	T27	55	10 160
	BCLA1630	T30	55	10 160
	BCLA1640	T40	55	10 160
	BCLA1645	T45	55	10 160
	BCLA1650	T50	55	10 160
	BCLA1655	T55	55	10 160
	BCLA1660	T60	55	10 160

Pentacle Bit Sockets

CR-V+S2

DRIVE	ITEM NO.	SIZE	L(mm)	
1/4"	BCNA0808	T8	37	30 360
	BCNA0810	T10	37	30 360
	BCNA0815	T15	37	30 360
	BCNA0820	T20	37	30 360
	BCNA0825	T25	37	30 360
	BCNA0827	T27	37	30 360
	BCNA0830	T30	37	30 360
	BCNA0840	T40	37	30 360
	BCNA1620	T20	55	10 160
	BCNA1625	T25	55	10 160
1/2"	BCNA1627	T27	55	10 160
	BCNA1630	T30	55	10 160
	BCNA1640	T40	55	10 160
	BCNA1645	T45	55	10 160
	BCNA1650	T50	55	10 160
	BCNA1655	T55	55	10 160

Spline Bit Sockets

CR-V+S2 DIN 2324

DRIVE	ITEM NO.	SIZE	L(mm)	
3/8"	BCHA1205	M5	48	10 180
	BCHA1206	M6	48	10 180
	BCHA1208	M8	48	10 180
	BCHA1210	M10	48	10 180
	BCHA1605	M5	55	15 240
	BCHA1606	M6	55	15 240
	BCHA1608	M8	55	15 240
	BCHA1610	M10	55	15 240
	BCHA1612	M12	55	15 240
	BCHA1614	M14	55	10 160
1/2"	BCHA1616	M16	55	10 100

Ribe Bit Sockets

CR-V+S2

DRIVE	ITEM NO.	SIZE	L(mm)	
1/2"	BCQA1605	M5	55	15 240
	BCQA1606	M6	55	15 240
	BCQA1607	M7	55	15 240
	BCQA1608	M8	55	15 240
	BCQA1609	M9	55	15 240
	BCQA1610	M10	55	15 240
	BCQA1612	M12	55	15 240
	BCQA1613	M13	55	10 160
	BCQA1614	M14	55	10 160
	BCQA1616	M16	55	10 100

Standard

7PCS
3/8" DR. Hex Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0702	7 BCDA1203-1210 3/8" Dr. Hex Bit Sockets (48mmL) 3, 4, 5, 6, 7, 8, 10 mm	15 (SET)

7PCS
3/8" DR. Hex Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GBAG0702	7 BDDA1204-1212 3/8" Dr. Hex Bit Sockets (48mmL) 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	15 (SET)

8PCS
1/4" DR. Star Tamperproof Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0809	8 BCLA0808-0840 1/4" Dr. Star Tamperproof Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	20 (SET)

10PCS
1/2" DR. Hex Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1005	10 BCDA1604-1619 1/2" Dr. Hex Bit Sockets (55mmL) 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm	10 (SET)

8PCS
1/2" DR. Hex Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GBAG0801	8 BDDA1608-1624 1/2" Dr. Hex Bit Sockets (55mmL) 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	10 (SET)

9PCS
1/2" DR. Star Tamperproof Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0904	9 BCLA1620-1660 1/2" Dr. Star Tamperproof Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60	10 (SET)



TOPTUL
Standard Bit Sockets

7PCS
1/2" DR. Spline Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0703	7 BCHA1605-1616 1/2" Dr. Spline Bit Sockets (55mmL) M5, M6, M8, M10, M12, M14, M16	8 (SET)

8PCS
1/4" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0808	8 BCFA0808-0840 1/4" Dr. Star Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	20 (SET)

8PCS
3/8" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0804	8 BCFA1215-1250 3/8" Dr. Star Bit Sockets (48mmL) T15, T20, T25, T27, T30, T40, T45, T50	15 (SET)

10PCS
1/2" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1006	10 BCFA1620-1670 1/2" Dr. Star Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60, T70	10 (SET)

10PCS
1/4" & 3/8" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1009	10 BCFA0810-0830 1/4" Dr. Star Bit Sockets (37mmL) T10, T15, T20, T25, T27, T30 4 BCFA1240-1255 3/8" Dr. Star Bit Sockets (48mmL) T40, T45, T50, T55	15 (SET)

12PCS
1/4" & 1/2" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1202	12 BCFA0810-0840 1/4" Dr. Star Bit Sockets (37mmL) T10, T15, T20, T25, T27, T30, T40 5 BCFA1645-1670 1/2" Dr. Star Bit Sockets (55mmL) T45, T50, T55, T60, T70	10 (SET)

12PCS
1/4", 3/8" & 1/2" DR. Star Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1201	12 BCFA0808-0815 1/4" Dr. Star Bit Sockets (37mmL) T8, T10, T15 4 BCFA1220-1230 3/8" Dr. Star Bit Sockets (48mmL) T20, T25, T27, T30 5 BCFA1640-1660 1/2" Dr. Star Bit Sockets (55mmL) T40, T45, T50, T55, T60	10 (SET)

10PCS
1/2" DR. Ribe Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG1002	10 BCQA1605-1616 1/2" Dr. Ribe Bit Sockets (55mmL) M5, M6, M7, M8, M9, M10, M12, M13, M14, M16	10 (SET)

8PCS
1/2" DR. Pentacle Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0806	8 BCNA1620-1655 1/2" Dr. Pentacle Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55	10 (SET)

8PCS
1/4" DR. Pentacle Bit Socket Rail Set



ITEM NO.	CONTENTS	Satin Chrome Finished
GAAG0805	8 BCNA0808-0840 1/4" Dr. Pentacle Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	20 (SET)

Hex Bit Sockets

CR-V+S2 DIN 7422

DRIVE **ITEM NO.** **SIZE(mm)** **L(mm)** **W(mm)** **W2(mm)**

Satin Chrome Finished

 1/2" 12.5mm sq.	BCWA1604	4	80	20	160
	BCWA1605	5	80	20	160
	BCWA1606	6	80	20	160
	BCWA1607	7	80	20	160
	BCWA1608	8	80	20	160
	BCWA1610	10	80	20	160
	BCWA1612	12	80	20	160
	BCWA1614	14	80	20	160
	BCWA1617	17	80	15	120

Pentacle Bit Sockets

CR-V+S2

Satin Chrome Finished

12.5mm sq.

ITEM NO.

Satin

SIZE

L (mm)

BCOA1620

T20

100

10

160

BCOA1625

T25

100

10

160

BCOA1627

T27

100

10

160

BCOA1630

T30

100

10

160

BCOA1640

T40

100

10

160

BCOA1645

T45

100

10

160

BCOA1650

T50

100

10

160

BCOA1655

T55

100

10

160

9PCS

1/2" DR. Long Hex Bit Socket Rail Set



Star Bit Sockets

CR-V+S2

DRIVE

12.5mm sq.

ITEM NO.

BCXA1620
BCXA1625
BCXA1627
BCXA1630
BCXA1640
BCXA1645
BCXA1650
BCXA1655
BCXA1660

SIZE

T20
T25
T27
T30
T40
T45
T50
T55
T60

L (mm)

80
80
80
80
80
80
80
80
80

W (mm)

20
20
20
20
20
20
20
20
20

W2 (mm)

160
160
160
160
160
160
160
160
160

Satin Chrome Finished

Ribe Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCRA1605	M5	100	10	160
	BCRA1606	M6	100	10	160
	BCRA1607	M7	100	10	160
	BCRA1608	M8	100	10	160
	BCRA1609	M9	100	10	160
	BCRA1610	M10	100	10	160
	BCRA1612	M12	100	10	160
	BCRA1613	M13	100	10	160
	BCRA1614	M14	100	10	160
	BCRA1616	M16	100	10	160

8PCS

1/2" DR. Long Pentacle Bit Socket Rail Set



Hex Bit Sockets

CR-V+S2 DIN 7422



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCEA1605	5	100	10	160
	BCEA1606	6	100	10	160
	BCEA1607	7	100	10	160
	BCEA1608	8	100	10	160

Ball Point Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCPA1605	5	100	10	160
	BCPA1606	6	100	10	160
	BCPA1607	7	100	10	160
	BCPA1608	8	100	10	160
	BCPA1610	10	100	10	160

10PCS

1/2" DR. Long Ribe Bit Socket Rail Set



Spline Bit Sockets

CR-V+S2 DIN 2324



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCJA1606	M6	100	10	160
	BCJA1608	M8	100	10	160
	BCJA1609	M9	100	10	160
	BCJA1609E	M9.5	100	10	160
	BCJA1610	M10	100	10	160

Star Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCGA1640	T40	120	10	100
	BCGA1645	T45	120	10	100

Spline Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCJD1610	M10	100	10	160
	BCJD1612	M12	100	10	160
	BCJD1614	M14	100	5	80

Star Tamperproof Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCKA1640	T40	120	10	100
	BCKA1645	T45	120	10	100
	BCKA1650	T50	120	10	100

Extra Long

Hex Bit Sockets

CR-V+S2 DIN 7422



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCIA1606	6	140	10	100
	BCIA1610	10	140	10	100
	BCIA1612	12	140	10	100

Star Bit Sockets

CR-V+S2

Satin Chrome Finish					
DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCUA1655	T55	140	10	100
	BCUA1670	T70	140	10	100
	BCUA1685	T85	140	10	100

Ball Point Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCSA1605	5	140	10	100
	BCSA1606	6	140	10	100
	BCSA1608	8	140	10	100
	BCSA1610	10	140	10	100

Spline Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCMD1610	M10	140	10	100
	BCMD1612	M12	140	10	100
	BCMD1614	M14	140	5	50

Star Tamperproof Bit Sockets

CR-V+S2



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCVA1655	T55	140	10	100
	BCVA1660	T60	140	10	100

Hex Bit Sockets

CR-V+S2 DIN 7422



Satin Chrome Finished

DRIVE	ITEM NO.	SIZE	L(mm)	W(mm)	W2(mm)
1/2"	BCTA1605	5	180	10	100

One-Piece Stubby Bit Sockets

- Made of high quality SNCM+V Alloy Steel
- Precision machined one-piece construction
- High torque performance
- Manganese phosphate finished
- Stubby model for working in confined spaces
- Hand-operated tool

19.5MM
SHORT LENGTH
12.9MM
DIAMETER



One-Piece Stubby Phillips Bit Sockets

SNCM+V

One-Piece Stubby Slotted Bit Sockets

SNCM+V




Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L (mm)	D (mm)	W (mm)
1/4"	BCAB08P1	PH1	19.5	12.9	50 900
	BCAB08P2	PH2	19.5	12.9	50 900
	BCAB08P3	PH3	19.5	12.9	50 900
1/4"	BCCB0803	0.5 x 3	19.5	12.9	50 900
	BCCB084E	0.6 x 4.5	19.5	12.9	50 900
	BCCB086E	1.2 x 6.5	19.5	12.9	50 900
	BCCB0808	1.2 x 8	19.5	12.9	50 900

One-Piece Stubby Star Bit Sockets

SNCM+V



Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L (mm)	D (mm)	W (mm)
1/4"	BCFB0806	T6	19.5	12.9	50 900
	BCFB0807	T7	19.5	12.9	50 900
	BCFB0808	T8	19.5	12.9	50 900
	BCFB0809	T9	19.5	12.9	50 900
	BCFB0810	T10	19.5	12.9	50 900
	BCFB0815	T15	19.5	12.9	50 900
	BCFB0820	T20	19.5	12.9	50 900
	BCFB0825	T25	19.5	12.9	50 900
	BCFB0827	T27	19.5	12.9	50 900
	BCFB0830	T30	19.5	12.9	50 900

One-Piece Stubby Hex Bit Sockets

SNCM+V

Black Phosphate Finish

DRIVE

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

L (mm)

D (mm)

W (mm)

H (mm)

ITEM NO.

SIZE

(mm)

Power Speed Reversible Ratchet Handle Kit

- Innovative ratchet handle design integrated with electric motor for 10-20 times faster working speed when tightening / loosening fasteners
- Bi-directional driving in both powered and manual modes
- Equipped with clutch mechanism to notify user to change over to manual mode when maximum turning torque is reached
- Switch-actuated locking design to prevent unintentional rotation
- Multi-color LED indicator (low battery, over temperature, over current)
- Precision and high torque 60 teeth ratcheting mechanism with hard-wearing construction
- Quick release design allowing firm retention and easy removal of sockets
- Ergonomically anti-slip grip handle
- Kit includes one spare battery

NEW



Kit Contents	Q'TY
Cordless Ratchet Wrench	1
Rechargeable Li-ion Battery Pack	2
Battery Charger	1
Adapter	1



3/8" DR

ITEM NO.	KPEA1236	60 Gears
SPECIFICATIONS		
Maximum Torque (Manual Mode)	244 Nm / 180 ft-lb	5
Maximum Torque (Powered Mode)	1Nm / 0.74 ft-lb	
Free Speed (at DC 3.6V)	200 / min	
Power	Battery Rechargeable Li-ion Battery 3.6V 2000mAh Power Supply AC 100-240V / 50-60Hz Power Consumption DC 5V 2A	
Types of Plug Adapter (power charger)	A (US) E (EU)	
Charging Time Approx.	45 minutes	
Charging Temperature	0°C - 40°C	
Operation Temperature	-20°C - 60°C	
Storage Temperature	< 35°C	
Overall Length	11-9/16" / 294 mm	
Net Weight	655 g (with battery)	
BLOW CASE: W350 x D217 x H63 (mm)		

1/2" DR

ITEM NO.	KPEA1636	60 Gears
SPECIFICATIONS		
Maximum Torque (Manual Mode)	610 Nm / 450 ft-lb	5
Maximum Torque (Powered Mode)	1Nm / 0.74 ft-lb	
Free Speed (at DC 3.6V)	200 / min	
Power	Battery Rechargeable Li-ion Battery 3.6V 2000mAh Power Supply AC 100-240V / 50-60Hz Power Consumption DC 5V 2A	
Types of Plug Adapter (power charger)	A (US) E (EU)	
Charging Time Approx.	45 minutes	
Charging Temperature	0°C - 40°C	
Operation Temperature	-20°C - 60°C	
Storage Temperature	< 35°C	
Overall Length	12-13/32" / 315 mm	
Net Weight	765 g (with battery)	
BLOW CASE: W350 x D217 x H63 (mm)		

1/4" (H) Locking Flexible Head Mini Reversible Bit Ratchet Handle

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Quick-disk on the drive head allows for quick tightening or loosening of fasteners
- Flex head for accessing hard to reach fastener
- Reversible and micro head profile, ideal for use in confined space
- Multi-Functional Head design, converts bit ratchet handle to L-type or T-type hex key wrench
- For use in combination with FTDF0810



1/4" DR. Mini Reversible Ratchet Handle with Quick Release

- Chrome Vanadium Steel Material (ASME B107.10)
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Quick-disk on the drive head allows for quick tightening or loosening of fasteners
- Quick release button ensures firm socket retention and easy socket removal
- Reversible and micro head profile, ideal for use in confined space



1/4" (H) Mini Reversible Bit Ratchet Handle

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Quick-disk on the drive head allows for quick tightening or loosening of fasteners
- Reversible and micro head profile, ideal for use in confined space



Mini Swivel-Head Ratchet Handle

- Robust Chrome Molybdenum Steel Ratchet Head (DIN 3120) (DIN 3122)
- Reversible gear drive ratchet mechanism for high torque applications
- 90 teeth ratcheting action only requires a 4-degree swing arc to operate, perfect for close quarters work in tight spots
- 180 degree swivel head design for accessing hard to reach fasteners



1/4" DR. Reversible Ratchet Handle with Quick Release (DIN 3122)

- Anti-slip grip handle design
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	S135	135	10	100

Stubby Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJDI0812	115	10	80
3/8"	CJDI1215	145	5	40

Stubby Swivel-Head Ratchet with Bit Drives (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
3/8" x 1/4" (H)	CJOM1216	173	2	32

Stubby Swivel-Head Ratchet (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/2"	CJNM1616	173	2	32

Stubby Swivel-Head Ratchet with Dual Drives (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
3/8" x 1/4"	CJMM1216	173	2	32
1/2" x 1/4"	CJMM1616	173	2	32

Rotatory Ratchet Handle with Push-Through mechanism (DIN 3122)

- Chrome Molybdenum Steel Ratchet Head
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Unique 360° rotatory handle, ideal for access in confined spaces
- One-way ratcheting mechanism
- Anti-slip bi-component PP+TPR plastic soft grip handle



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJTV0818	180	5	60
3/8"	CJTV1224	240	5	30
1/2"	CJTV1629	290	5	30

Gearless Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJBT0816	155	10	100
3/8"	CJBT1220	200	5	40
1/2"	CJBT1627	265	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)

- Chrome Molybdenum Steel Ratchet Head
- Reversible 72 gear teeth high torque ratchet mechanism
- The Nano-Ratchet dual pawl provides a minimal 2.5° swing angle, ideal for use in confined space
- Quick release button ensures firm socket retention and easy socket removal
- Torque exceeds ANSI and DIN standards



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJFM0815	145	10	100
3/8"	CJFM1220	200	5	40
1/2"	CJFM1627	265	5	30

Curved Reversible Compact-Head Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CHJM0815	145	10	100
3/8"	CHJM1220	200	5	40
1/2"	CHJM1625	250	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJBG0815	150	10	100
3/8"	CJBG1220	200	5	40
1/2"	CJBG1627	270	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJPI0815	145	10	100
3/8"	CJPI1220	200	5	40
1/2"	CJPI1627	265	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJBM0815	145	10	100
3/8"	CJBM1220	200	5	40
1/2"	CJBM1627	265	5	30

Compact Head Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJSU0815	145	10	100
3/8"	CJSU1220	202	5	40
1/2"	CJSU1626	262	5	30

REVERSIBLE RATCHET HANDLE WITH QUICK RELEASE



Ergonomic Soft Handle Design
Safety, comfort and practicality are the notable features of this super-grip handle. The special, new developed anti-slip soft PP material on the handle is delicately formed to fit users' palm shapes, so the comfort is doubtless. Moreover, these slip-proof handles can always prevent incidental slip while conducting on-site fastening tasks.
TOPTUL Professional Tool truly grasps the power for you.

Reversible Ratchet Handle with Quick Release (DIN 3122)

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/2"	CMBG1627	273	5	30

Compact Head Reversible Ratchet Handle with Quick Release (DIN 3122)

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/2"	CMSU1627	270	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/2"	CMRM1627	270	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJRM0815	145	10	100
3/8"	CJRM1220	202	5	40
1/2"	CJRM1626	262	5	30

Flexible Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJHM0814	140	10	100
3/8"	CJHM1228	280	5	40
1/2"	CJHM1631	310	5	30

Rapid Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJEK0819	190	5	60
3/8"	CJEK1225	250	5	40

Swivel Head Reversible Ratchet Handle (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJLN0816	155	10	100
3/8"	CJLN1224	240	5	40
1/2"	CJLN1632	315	5	30

Super Long Flex-Head Ratchet Handle (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJKN0818	180	5	60
1/2"	CJKN1643	430	2	12

Extra Long Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	L(mm)	Weight	Material
1/4"	CJCK0819	195	5	60
3/8"	CJCK1228	320	5	30
1/2"	CJCK1640	400	3	18



Stubby Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	45 Gears / Mirror Polished	L(mm)	Weight
1/4"	CHDI0809	90	10	80
3/8"	CHDI1211	110	5	40
1/2"	CHDI1613	130	5	40

Reversible Ratchet Handle with Quick Release (Knurled Handle) (DIN 3122)



DRIVE	ITEM NO.	36 Gears / Satin Finished	L(mm)	Weight
1/4"	CHUG0812	124	10	100
3/8"	CHUG1218	180	5	40
1/2"	CHUG1626	250	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	36 Gears / Mirror Polished	L(mm)	Weight
1/4"	CHAG0813	131	10	100
3/8"	CHAG1218	180	5	40
1/2"	CHAG1626	255	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	48 Gears / Mirror Polished	L(mm)	Weight
1/2"	CHOK1625	250	5	30

Compact Head Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	60 Gears / Mirror Polished	L(mm)	Weight
3/8"	CHAU1220	198	5	40
1/2"	CHAU1625	250	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	72 Gears / Mirror Polished	L(mm)	Weight
1/4"	CHAM0813	130	10	100
3/8"	CHAM1220	198	5	40
1/2"	CHAM1625	250	5	30

Reversible Ratchet Handle with Quick Release (DIN 3122)

- Made of Chrome Molybdenum Alloy Steel
- Drop forged one piece steel construction ratchet body and driver
- Reversible 72 gear teeth high torque ratchet mechanism
- Quick release with spring-ball socket retention
- Compact ratchet head
- Light weight model
- Ergonomically designed anti-slip grip handle



DRIVE	ITEM NO.	72 Gears / Satin Chrome Finished	L(mm)	Weight
3/4"	CHWM2451	20	2	8

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	43 Gears / Satin Chrome Finished	L(mm)	Weight
3/4"	CHFS2451	20	2	8

Reversible Ratchet with Adjustable Tube Handle (Quick-Release) (DIN 3122)



DRIVE	ITEM NO.	43 Gears / Satin Chrome Finished	L(mm)	Weight
3/4"	CHES2408	500 - 800	1	4
1"	CHES3208	500 - 800	1	4

Reversible Ratchet with Adjustable Tube Handle (Quick-Release) (DIN 3122)



DRIVE	ITEM NO.	43 Gears / Satin Chrome Finished	L(mm)	Weight
3/4"	CHES2408	500 - 800	1	4
1"	CHES3208	500 - 800	1	4

Dustproof Reversible Ratchet Handle with Quick Release

- Made of Chrome Molybdenum Alloy Steel
- Reversible 120 gear teeth with high torque ratchet mechanism
- Quick release with spring-ball socket retention
- Compact ratchet head for maximum durability and tool life
- Double sealed ratchet head prevents internal mechanism from dust and particulate contamination series
- Handle can extend up to 1050mm with CABO series



• CHHW2451 + CABO Series



DRIVE	ITEM NO.	120 Gears / Satin Chrome Finished	L(mm)	Weight
3/4"	CHHW2451	510	2	8

Reversible Ratchet Handle with Quick Release (DIN 3122)



DRIVE	ITEM NO.	36 Gears / Satin Chrome Finished	L(mm)	Weight
1/2"	CHAG1636	360	16	3 12

Adjustable Handle (turn-lock)



DRIVE	ITEM NO.	Dual Finished	L(mm)	Weight
1/2"	COAI1633	325	29.8	5 30

Ratchet with Adjustable Handle



DRIVE	ITEM NO.	Dual Finished	L(mm)	Weight
1/2"	COAI1633	325	29.8	5 30

ITEM NO. CONTENTS 6 (SET)

- CHAG1636
- 1/2" Dr. Reversible Ratchet Handle with Quick Release
- COAI1633
- 1/2" Dr. Adjustable Handle (turn-lock) Design



DRIVE	ITEM NO.	Dual Finished	L(mm)	Weight
1/2"	COAI1633	325	29.8	5 30

TOPTUL REVERSIBLE RATCHET WITH ADJUSTABLE & EXTENDABLE TUBE HANDLE

Reversible Ratchet with Tube Handle (Quick-Release) (DIN 3122)



DRIVE	ITEM NO.	24 Gears / Dual Finished	L(mm)	Weight
3/4"	CHNC2420	20	3	6

Reversible Ratchet with Tube Handle (DIN 3122)



DRIVE	ITEM NO.	24 Gears / Dual Finished	L(mm)	Weight
1"	CHND3226	26	5	5

Reversible Ratchet with Tube Handle (DIN 3122)



DRIVE	ITEM NO.	24 Gears / Dual Finished	L(mm)	Weight
1"	CHNC3232	32	1	4

Ratchet Head Swivel Handle

- Chrome Molybdenum Steel ratchet head
- Reversible 3-way ratchet mechanism: Driving, Fixed & Withdrawing



Swivel Handle with Adjustable Tube Handle (Quick-Release) (CR-V DIN 3122)



DRIVE	ITEM NO.	24 Gears / Mirror Polished	L(mm)	Weight
3/8"	CEAD1215	15	3	18
1/2"	CEAD1618	18	3	18

Swivel Handle with Adjustable Tube Handle (Quick-Release) (CR-V DIN 3122)



DRIVE	ITEM NO.	24 Gears / Mirror Polished	L(mm)	Weight
3/8"	CEAD1215	15	3	18
1/2"	CEAD1618	18	3	18

Swivel Handle (Quick-Release) (DIN 3122)




DRIVE	ITEM NO.	Satin Chrome Finished	L(mm)	Weight
3/4"	CFDC2408	500 - 800	2	8

Swivel Handle (DIN 3122)



DRIVE	ITEM NO.	Mirror Polished	L(mm)	Weight
1/4"	CFAC0806	6	10	80
3/8"	CFAC1210	10	5	40
1/2"	CFAC1615	15	5	30
3/4"	CFAC1618	18	5	20
1"	CFAC1624	24	5	10
1 1/2"	CFAC2418	18	2	8
2"	CFAC2424	24	2	4

Swivel Handle (Knurled Grip) (DIN 3122)



DRIVE	ITEM NO.	Satin Chrome Finished	L(mm)	Weight
1/4"	CFAC0806	6	10	80
3/8"	CFAC1210	10	5	40
1/2"	CFAC1615	15	5	20
3/4"	CFAC1618	18	5	25

Extra Long Swivel Handle (DIN 3122)



DRIVE	ITEM NO.	Mirror Polished	L(mm)	Weight
3/8"	CFBC1215	15	5	30
1/2"	CFBC1618	18	5	20
3/4"	CFBC1630	30	6	12
1"	CFBC2440	40	6	6
1 1/2"	CFBC3240	40	6	6

Swivel Handle (DIN 3122)



DRIVE	ITEM NO.	Satin Chrome Finished	L(mm)	Weight
1/4"	CFKA0806	6	10	80
3/8"	CFKA1210	10	5	40
1/2"	CFKA1615	15	3	18
3/4"	CFKA1618	18	2	10
1"	CFKA1624	24	2	4

Swivel Handle (Quick-Release) (DIN 3122)



DRIVE	ITEM NO.	Satin Chrome Finished	L(mm)	Weight
3/4"	CFJB2419	21	5	10

Sliding T-Handle (CR-V DIN 3122)



DRIVE	ITEM NO.	Mirror / Satin Chrome Finished	L(mm)	Weight
1/4"	CTCK0811	115	15	240
3/8"	CTCK1220	202	5	40
1/2"	CTCK1625	250	5	40
3/4"	CTCK1630	303	5	40

Sliding T-Handle (CR-V DIN 3122)



DRIVE	ITEM NO.	Mirror / Satin Chrome Finished	L(mm)	Weight
3/4"	CTCA2446	460	5	10
1"	CTCA2451	508	5	10

Sliding T-Handle (CR-V DIN 3122)



DRIVE	ITEM NO.	Dual Finished	L(mm)	Weight
1"	CTCK3222	560	2	4

Sliding T-Handle with Quick Release (CR-V DIN 3122)




DRIVE	ITEM NO.	Dual Finished	L(mm)	Weight
1"	CTCK3222	560	2	4

• The connected extension bar will not be slipped out or removed unless the quick-release button is pressed.




DRIVE	ITEM NO.	Satin Chrome Finished	L(mm)	Weight
3/8"	CTCJ1208	202	5	60
1/2"	CTCJ1610	250	5	40
3/4"	CTCJ2418	457	5	10
1"	CTCJ2420	497	5	10
1 1/2"	CTCJ3222	560	2	4

T-Handle Magnetic Spark Plug Socket



ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
CTFB1435	14	350	2 12

T-Handle Magnetic Spark Plug Socket



ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
CTFB1635	16	350	2 12
CTFB2135	21	350	2 12

Extension Bar with Swivel Magnetic Spark Plug Socket




DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
3/8"	CACN1208	21	8 5	30
	CACN1215	21	15 5	30
1/2"	CACN1608	21	8 5	30
	CACN1615	21	15 5	30

L-Handle / 105°



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
1/2"	AFAS1612	12	16 5	30

L-Handle (90° Offset)



DRIVE	ITEM NO.	SIZE (mm)	L1 (mm)	L2 (mm)	Mirror / Satin Chrome Finished
3/8"	AFAN1208	8	45	210	10 80
	AFAN1610	10	60	250	5 40
1/2"	AFAN1612	12	60	300	5 30
	AFAN1614	14	120	360	4 16
3/4"	AFAN2416	16	150	400	4 12

L-Handle with Adjustable Handle



ITEM NO.	CONTENTS	6 (SET)
GBAE0202	AFAS1612 1/2" Dr. L-Handle COAR633 1/2" Dr. Adjustable Handle (turn-lock design)	

Extension Bar with Quick Release



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
3/4"	CABA2404	4	2 32	
	CABA2408	8	2 24	
	CABA2416	16	2 12	
1"	CABA3208	8	2 16	
	CABA3216	16	2 8	


Extension Bar with Quick Release

- Made of Chrome Vanadium Steel Material
- Quick-release mechanism for easy lock and release the socket
- Can be used as a handle extension of CHHW2451




DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
3/4"	CABO2404	4	5 40	
	CABO2408	8	2 24	
	CABO2416	16	2 12	

Extension Bar



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
3/4"	CAAO2404	4	5 40	
	CAAO2408	8	2 24	
	CAAO2416	16	2 12	
1"	CAAO3208	8	2 16	
	CAAO3216	16	2 8	

Extension Bar




DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
3/8"	CAAA0802	2	30 480	
	CAAA0803	3	30 480	
1/4"	CAAA0804	4	30 480	
	CAAA0806	6	30 300	
	CAAA1203	3	25 200	
3/8"	CAAA1206	6	15 120	
	CAAA1210	10	10 80	
1/2"	CAAA1603	3	10 80	
	CAAA1605	5	10 80	
	CAAA1610	10	5 40	

Extension Bar (Knurled Grip + Hex Head)




DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror / Satin Chrome Finished
1/4"	CAAH0809	9	10 100	

Extension Bar (Knurled Grip)



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CAAF0802	2	30 480	
	CAAF0803	3	30 480	
	CAAF0804	4	30 480	
	CAAF0806	6	30 300	
3/8"	CAAF1203	3	25 200	
	CAAF1206	6	15 120	
	CAAF1209	9	10 80	
1/2"	CAAF1602	2	10 160	
	CAAF1605	5	10 80	
	CAAF1610	10	5 40	

Extra Long Extension Bar



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/2"	CAAJ1615	15	10 20	
	CAAJ1624	24	10 20	

Flexible Extension Bar




DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CASA0806	6	30 300	

Extra Long Flexible Extension Bar



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CASA0818	18	10 60	

Speed Brace



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CADC0840	400	5 20	
3/8"	CADC1240	400	5 20	
1/2"	CADC1642	420	5 10	

Spinner Handle



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CAIA0815	150	10 100	

Spinner Handle



DRIVE	ITEM NO.	SIZE (mm)	L (mm)	Mirror Polished
1/4"	CAIP0814	135	5 40	
	CAIP0816	165	5 50	

LED LIGHTING ADAPTER

- Expert quality made of Chrome Vanadium Steel
- Strong LED light pass through socket overcomes working with bolts or nuts in the deep and dark space
- A perfect auto mechanical tool for working under the chassis or hood
- Available in satin-chrome finish

Low Profile Adapter (Knurled Grip)



ITEM NO.	SIZE	L (mm)	Mirror / Satin Chrome Finished
CAEC1216	3/8" (F) x 1/2" (M)	30 15 240	

15PCS 1/2" DR. LED Lighting Adapter W/Display Color Box



ITEM NO.	SIZE	L (mm)	Mirror / Satin Chrome Finished
CAED1612	1/2" (F) x 3/8" (M)	58 1 12	
CAED1616	1/2" (F) x 1/2" (M)	63 1 12	

28PCS Professional Grade 1/2" DR. Flank Socket Set



ITEM NO. 6PT Mirror GCAI2801 Satin GCAI2802

- CONTENTS**
- 13 BAE1608-1632 1/2" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
 - 2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L)
 - 1 CAHA1678 1/2" Dr. Universal Joint
 - 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
 - 1 CYCK1625 1/2" Dr. Sliding T-Handle - 10" (L)
 - 1 CAED1616 1/2" DR. LED Lighting Adapter
 - 3 ALDA1205 LED Battery (LR44)

BLOW CASE: W392 x D210 x H88 (mm)



TOPTUL METAL CASE SERIES



27PCS 1/4" DR. Socket Set 1/4"

ITEM NO.			
6PT	Satin	GCAD2701	
12PT	Satin	GCAD2702	
CONTENTS			10 (SET)
11 BAEA0804-0813			
1/4" Dr. 6PT Flank Sockets			
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm			
12 CAHA0840			
1/4" Dr. Universal Joint			
13 CAAA0802 & 0804			
1/4" Dr. Extension Bar - 2" & 4" (L)			
14 CTCK0811			
1/4" Dr. Sliding T-Handle			
15 S135			
1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release			
16 CAIA0815			
1/4" Dr. Spinner Handle			
17 BCDB0804-0808			
O 1/4" Dr. One-Piece Stubby Hex Bit Sockets			
4, 5, 6, 8 mm			
18 BCCB084E-0808			
O 1/4" Dr. One-Piece Stubby Slotted Bit Sockets			
4, 5, 6.5, 8 mm			
19 BCAB08P1-08P3			
O 1/4" Dr. One-Piece Stubby Phillips Bit Sockets			
PH1, PH2, PH3			
METAL CASE: W197 x D103 x H33 (mm)			



Stubby 19.5mmL One-Piece Construction Bit Sockets

- Made of SNCM+V Alloy Steel
- Black Phosphate Finish
- Ideal for Use in Confined Spaces

17PCS 1/4" DR. Socket Set 1/4"



GCAD1701



GCAD1702

ITEM NO.	6PT	Mirror	GCAD1701	Satin	GCAD1702
CONTENTS	 10 (SET)				
12 BAEA0804-0813	1/4" Dr. 6PT Flank Sockets				
	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm				
1 CAHA0840	1/4" Dr. Universal Joint				
1 CAAA0804	1/4" Dr. Extension Bar - 4" (L)				
1 CTCK0811	1/4" Dr. Sliding T-Handle				
1 CAIA0815	1/4" Dr. Spinner Handle				
1 CHAG0813 - Mirror					
	1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release				
1 CHAG0815 - Satin					
	1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release				
METAL CASE: W197 x D103 x H33 (mm)					

17PCS 1/4" DR. Socket Set 1/4"



9PCS 1/2" DR. Star Bit Socket Set 1/2"



10PCS 1/2" DR. Hex Bit Socket Set 1/2"



ITEM NO.		
6PT	Satin	GCAD1703
CONTENTS		 10 (SET)
12 BAEA0804-0813		
1/4" Dr. 6PT Flank Sockets		
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm		
13 CAHA0840		
1/4" Dr. Universal Joint		
14 CAAA0804		
1/4" Dr. Extension Bar - 4" (L)		
15 CTCK0811		
1/4" Dr. Sliding T-Handle		
16 CAIA0815		
1/4" Dr. Spinner Handle		
17 CJFM0815		
1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release		
METAL CASE: W197 x D103 x H33 (mm)		

			
ITEM NO.	CONTENTS	 10 (SET)	
Satin			
GAAD0903 • BCFA1620-1660			
Q 1/2" Dr. Star Bit Sockets (55mmL)			
T20, T25, T27, T30, T40, T45, T50, T55, T60			
METAL CASE: W197 x D103 x H33 (mm)			

			
ITEM NO.	Satin	CONTENTS	 10 (SET)
GAAD1007 19 BCDA1604~1619			
○ 1/2" Dr. Hex Bit Sockets (55mmL.) 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm			
METAL CASE: W197 x D103 x H33 (mm)			

9PCS 1/2" DR. Long Star Bit Socket Set 1/2"



9PCS 1/2" DR. Long Hex Bit Socket Set 1/2"



			
ITEM NO.	CONTENTS		
Satin	 10 (SET)		
GAAD0906	BCXA1620~1660		
	○ 1/2" Dr. Long Star Bit Sockets (80mmL)		
	T20, T25, T27, T30, T40, T45, T50, T55, T60		
METAL CASE: W197 x D103 x H33 (mm)			

			
ITEM NO.	Satin	CONTENTS	 10 (SET)
GAAD0905 • BCWA1604-1617			
○ 1/2" Dr. Long Hex Bit Sockets (80mmL, 4, 5, 6, 7, 8, 10, 12, 14, 17 mm			
METAL CASE: W197 x D103 x H33 (mm)			