



## 264614 Torch 2315 ZO c/w Helmet Bracket



Engineered with an aluminum core and ABS overmoulded plastic, this flashlight is built for rough handling and can survive hard drops. ATEX Safety Certified for hazardous areas.

- LED light up to 115 lumens/75m distance
- Switch type: momentary push button
- Light modes: on/off
- Length: 15,8cm
- Weight with batteries 130gr
- Battery size AA
- Alkaline battery
- Batteries included (2)
- Volts: 3.0v
- IPX8 (1m)
- Tail switch button activation even when using heavy-duty work gloves
- Sturdy clip attaches to a work vest for fast access
- Helmet mount holder included in the pack

Certification | ATEX Zone 0  
IECEX ia



## 264580 Torch 3315ZO LED



Torch lightweight compact design, huge Led performance, one of the most efficient torches on the market. ATEX Safety Certified for hazardous areas.

- LED light up to 138 lumens/146m distance
- Switch type: push button
- Light modes: on/off
- Length: 15,6cm
- Weight with batteries 176gr
- Battery size AA
- Alkaline battery
- Batteries included (3)
- Volts: 4.5v
- IP67

Certification | ATEX ZONE 0



## 264566 Torch 2410ZO StealthLite™ LED



Torch StealthLite™ Led is corrosion proof & resistant to extreme temperatures. ATEX Safety Certified for hazardous areas.

- LED light up to 153 lumens/165m distance
- Switch type: One-handed safety switch
- Light modes: on/off
- Length: 17,8cm
- Weight with batteries 207gr
- Battery size: AA
- Alkaline battery
- Battery quantity: 4
- Batteries not included
- Volts: 3.2v
- IPX7

Certification | ATEX ZONE 0



## 264594 Torch 3315RZO



Rechargeable torch ATEX certified for hazardous areas.

- LED light up to 132 lumens/108m distance
- Switch type push button
- Light modes: High/Low/Flashing
- Length: 15,cm
- 176gr weight with batteries
- Battery type: Lithium Iron Phosphate
- Batteries included (1)
- Volts 3.2v
- IP67
- Battery level indicator intergrated into the switch

Certification | ATEX ZONE 0  
IECEX ia  
CE



**264579 Torch 3415MZ0 LED**

A multi-tasking torch that can be angled due to its articulating head. The built-in clip and integrated magnet expanding its hands free application. ATEX Safety Certified for hazardous areas.

- LED light up to 329 lumens/133m distance
- Switch type: push button
- Light modes: High/Flashing
- 18.9cm length
- 272gr weight with batteries
- Battery size: AA
- Alkaline battery
- Battery quantity :3
- Batteries not included
- Volts: 4.5v
- IPX8(1m)

Certification | ATEX ZONE 0

**264583 Right Angle Light 3715Z0 LED**

Featuring downcast LEDs for illuminating your path and a flashing mode. With a built-in battery life indicator. ATEX Safety Certified for hazardous areas.

- LED light up to 189 lumens/249m distance
- Switch type push button
- Light modes: High/Low/Downcast/Flashing
- Length: 13,6cm
- Weight with batteries: 408gr
- Battery size: AA
- Alkaline battery
- Battery quantity: 4
- Batteries not included
- Volts 6.0v
- IPX4

Certification | ATEX ZONE 0

**264565 Lantern 9415Z0 LED**

One of the most compact & high output lanterns on the market. ATEX Safety Certified for hazardous areas.

- LED light up to 530 lumens/272m distance
- Switch type push button
- Light modes: High/Low/Flashing
- Length: 22,2cm
- Weight with batteries: 1605gr
- Battery size: C
- Battery type: NiMH
- Battery quantity: 4
- Batteries included
- Volts 4.8V
- IPX4

Certification | ATEX ZONE 0

**264595 Torch 7600 Tactical Rechargeable**

Compact torch plated with a Type III hard anodizing finish and with an array of features is one of the best Tactical series flashlights.

- LED light up to 944 lumens/225m distance
- Switch type: push button
- Light modes: High/Strobe/Medium/Low
- 3 LED colours: white, green, red
- Length: 15,7cm
- Weight with batteries: 196gr
- Battery type: Lithium-Ion
- Batteries included (1)
- Rechargeable
- Volts 3.7V
- IPX8 (1m)
- Battery level indicator
- USB charging cable





## 264590 Torch 3310 ELS case



When the power goes out, the Peli™ 3310 ELS appears: a self-contained glowing beacon and flashlight that's easy to locate in the dark. Housed in a clear tamper-proof case suitable for wall mounting in the home, office or factory, making it available during any power outage.

- LED light up to 378 lumens/196m distance
- Length: 15,6cm
- Weight with batteries: 176gr
- Switch type push button
- Light modes High/Low/Flashing
- Battery size AA
- Battery type alkaline
- Batteries included (3)
- Volts 4.5V
- IPX8 (1m)

## 264636 Rals 9455



Remote Area Lighting System ATEX and IECEx safety certified light for hazardous areas around the globe.



- LED light head spec 10 leds with output high 1600 lumens, low 800 lumens and 125° beam spread
- Light modes: High/Low/Flashing
- NiMH rechargeable battery, 12W, 10.8V, 8 hours charge time, 300 cycles
- Body polycarbonate (PC) ABS, head aluminium
- IP54

Certification | ATEX ZONE 0  
IECEx ia  
Class I Division  
InMetro

## 264604 Headlamp 2765Z0



Ultra-compact and lightweight, equipped with three uniquely positioned LEDs, 4 multiple modes and with a full time battery level indicator. ATEX Safety Certified for hazardous areas.

Certification | ATEX ZONE 0



- LED light up to 141 lumens/78m distance
- Length: 5,7cm
- Weight with batteries: 96gr
- Switch type push button
- Light modes High/Low/Downcast/Flashing
- Battery size AAA
- Battery type Alkaline
- Battery quantity 3
- Batteries included
- Volts 4.5V
- IP54
- 2 straps included: rubber strap for helmets and a cloth strap for bare heads

## 264600 Headlamp 2690Z0



Headlamp HeadsUp Lite™ with no-nonsense rotary bezel switch is easy to operate, even when wearing bulky gloves. ATEX Safety Certified for hazardous areas.

Certification | ATEX ZONE 0



- LED light up to 74 lumens/92m distance
- Length: 7,6cm
- Weight with batteries: 116gr
- Switch type: one-handed rotary switch
- Light modes: on/off
- Battery size: AAA
- Alkaline battery
- Batteries included (3)
- Volts: 4.5V
- IPX7
- 2 straps included: rubber strap for helmets and a cloth strap for bare heads

## 264575 Headlamp 2610Z0



Headlamp with a dual mode button activates all 3 LEDs for full brightness, or just 1 to extend battery life. ATEX Safety Certified for hazardous areas.

Certification | ATEX ZONE 0



- LED light up to 30 lumens/28m distance
- Switch type: push button
- Light modes: on/off
- Length: 3,8cm
- Weight with batteries: 91gr
- Battery size: AAA
- Alkaline battery
- Batteries included (3)
- Volts 4.5V
- IPX4
- 2 straps included: rubber strap for helmets and a cloth strap for bare heads

## Headlamp 2780R Rechargeable



Rechargeable headlamp with 3 interchangeable covers and selectable light modes: flashing for emergency & rescue, downcast providing safe pathways, illuminated reading spaces and allowing for non-blinding face to face conversations.



- Led light output Up to 558 lumens/127m
- Switch type: Rotary/push button
- Light modes 5: High/Medium/Low/Downcast/Spot/Flashing
- Battery Level Indicator with 3 Blue leds
- Rear mounted red LED at the back
- Length: 7,6 cm
- Weight: 207gr with batteries
- Battery type: 1 x Lithium-Ion rechargeable battery
- Batteries included
- Rechargeable
- Volts: 3.7V
- Comfortable cloth strap
- Includes 3 interchangeable covers (black, white, photoluminescent)
- IPX4





**264926 Headlamp TIKKA® Black**

Simple and compact classic headlamp with Hybrid concept design: comes with 3 standard batteries and is also compatible with the CORE rechargeable battery.

- Brightness up to 300 lumens/65m
- 3 options white lighting levels: proximity, movement and distance
- Red lighting for night vision
- Ergonomic button
- Phosphorescent reflector is useful for locating the lamp in the dark
- Adjustable elastic headband
- Weight: 82gr
- IPX4
- Hybrid Concept: The headlamp can operate with three AAA/LR03 batteries (included), as well as with the CORE USB rechargeable battery (sold separately 264916)

**264920 Headlamp TACTIKKA® CORE Rechargeable Black**

Rechargeable and ultra compact headlamp with Hybrid concept design. Comes with the CORE rechargeable battery and is also compatible with three AAA/LR03 batteries.

- Brightness up to 450 lumens/90m
- 3 options versatile lighting: comfortable proximity lighting for close-range work, focused lighting for distance vision when moving around
- White or red lighting for night vision
- Ergonomic button, even with gloves
- Adjustable elastic headband
- E099AHA00 black
- Weight: 77gr
- Batteries not included

**264921 Headlamp ACTIK® CORE Rechargeable Black**

Rechargeable and compact active headlamp with Hybrid concept design. Comes with the CORE rechargeable battery and is compatible with three AAA/LR03 batteries.

- Brightness up to 450 lumens/90m
- 3 options versatile lighting: comfortable proximity lighting for close-range work, focused lighting for distance vision when moving around
- White or red lighting for night vision
- Ergonomic button, even with gloves
- Adjustable elastic headband
- E099GA00 black
- Weight: 75gr
- Batteries not included

### 264407 Micro Case 1050 Black-clear



Crushproof, watertight and dustproof micro case to protect your gear, small sensitive components to smartphones.

Certification | IP67



- Exterior dimensions (16x9,3x7cm)
- Material body: Polycarbonate (PC)
- Colour Black-Clear
- No foam
- Rubber liner for extra protection doubles as o-ring seal
- Easy open latch
- Carabiner
- Automatic pressure equalization valve balances interior pressure, keeps water out

### 264476 Case 1500 EU Black



Protector case watertight, crushproof and dustproof to protect sensitive equipment. Designed rugged to travel the harshest environments against extreme weather conditions.

Certification | IP67



- Exterior dimensions (47,1x35,7x17,5cm)
- Pick N Pluck™ with convoluted lid foam
- Body: Polypropylene
- Latch: ABS
- Watertight, crushproof, dustproof
- Easy-open double throw latches
- Automatic Pressure Equalization Valve - balances interior pressure, keeps water out
- Stainless steel padlock protectors
- Comfortable rubber over-molded handle

### 210110 Tool Bucket 590101 TB-15



Ergonomic tool bucket made of robust PP material for versatile use such as carrying tools or necessities. The tool bucket is stackable.



- Robust handle for comfortable carrying
- Handle can be put in standing position when put down
- Holes for attaching a shoulder strap
- Measuring scale on the inside
- Can take a burden of 100 kilograms
- Material: durable PP-plastic
- Dimension: 304mm x 433mm x 239mm
- 1,5L

### 230341 Waterproof Duffel Bag 30L 9626



Lightweight and hardwearing 100% waterproof duffel bag keeps your gear dry and clean.



- 100% waterproof
- 100% ripstop polyamide
- Welded waterproof seams
- Easy roll-to-close design with clips
- Waterproof ID-pocket and easy access to your smaller belongings in waterproof front compartment with zipper
- Ergonomic shoulder strap
- Comfortable and convenient handle design



## 230346 Waterproof Backpack 20L 9623

Lightweight and hardwearing 100% waterproof backpack for dry and clean storage of clothes and gear.



- 100% waterproof
- 100% ripstop polyamide
- One-size
- Easy roll top closure design with clips
- Welded, waterproof seams
- Padded back for extra comfort and ventilation
- Chest strap and padded, adjustable shoulder straps for optimal fit
- Waterproof see-through ID-pocket on the outside

## 230343 Transport Duffle Backpack 50L

Waterproof duffle bag, lightweight, hardwearing, offers 50-litre volume ideal storage for short or extended trips.



- Exterior small end-cap YKK zippered pocket fits keys, a wallet or small items
- Detachable, adjustable, shoulder straps for an ergonomic fit with minimal twisting
- Transparent ID pocket on top
- Easy-to-fold design for easy transport and storage
- Comfortable and convenient handle design
- Rugged construction with water-resistant base material and double stitching for durability
- D-zip opening with a weather-resistant, YKK zippered flap
- Mesh sleeve pocket in end-cap compartment for additional organization
- Four compression handles on each end of the bag for bigger comfort and convenience in transport
- Mesh-bag packaging keeps the duffel clean
- Available printable area for your logo

Material | PVC 600D Polyester  
Nylon  
Size | 53,5x33x33cm



### 205218 7260BT AXION® MSR Haws® Eyewash Wall Mounted



This evolutionary inverted flow design provides a Medically Superior Response consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity.



- AXION® MSR eye and face wash wall mounted
- 28cm ABS plastic receptor is resistant to damage of alkalies
- Aluminum wall bracket
- Tailpiece and trap
- Includes a mesh in-line to collect line debris and ball valve with stainless steel ball and stem durability

Certification | CSA meet ANSI Z358.1  
EN 15154 compliant

### 205209 8100 AXION® MSR Emergency Shower Unit



Floor mounted drench shower with showerhead offers a new hydrodynamic shower design that minimizes the strong physical pressure that drives the water to the outer rim of normal showerheads, making the distribution equal across the entire footprint of the flow.



- AXION® MSR hydrodynamic ABS plastic showerhead with self-regulating 20gpm
- Flow control
- Valve assembly is pre-built for reduced installation time
- Pull rod stainless steel triangular provides a reachable height for users

Certification | CSA meet ANSI Z358.1

### 205207 8320 AXION® MSR Emergency Combination Shower & Eyewash Unit 8325 ABS Plastic Bowl



The only product on the market that provides a medically superior response (MSR) consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity.



- ABS green plastic 28cm bowl
  - AXION® MSR eye/face wash head inverted directional laminar flow supplied with an integral 14L flow control
  - Axion MSR hydrodynamic ABS plastic showerhead with 75,7L flow control
- Optional:
- 205208 SP200 Foot treadle not included (sold separately)

Certification | CSA meet ANSI Z358.1  
EN 15154 compliant

## 205225 7603 Portable Eyewash 56,8L



Air pressure operated 56,8 liter capacity is an ideal solution for a facility's ANSI eyewash requirements in locations without access to a continuous potable water source.

- Stainless steel constructed tank, resistance against corrosion and breakage
- Pressure gauge and safety relief valve
- ABS plastic eyewash anti-surge heads with intergal flow controls and dust covers
- Chrome plated brass stay-open 1/2" BSP eyewash valve with stainless steel ball and valve stem
- Push handle activation
- Measurements: 100,3cm high with 40,6cm diameter

Certification | CSA meet ANSI Z358.1

### Optional:

- 205059 9082 Water additive not included, sold separately
- 205226 8901B emergency body spray, not included sold separately



## 205228 7501 Portable Eyewash 34,1L



Compact portable tank maybe installed in a wide variety of locations, it is ideal for remote areas where protective measures are needed. Using gravity to supply a continuous flow of clean water to injured personnel.

- FDA high density green Polythelene tank
- ABS plastic eyewash heads with 1,5 litre flow rate over 15 minutes
- Yellow pull-down activation arm
- Intergal handle with "lift here" graphics on top
- Stainless steel wall bracket (unit must be hung)
- Measurements: 36,8cm high and 55,9cm wide and 25,7cm deep

Certification | CSA meet ANSI Z358.1

### Optional:

- 205059 9082 Water additive not included, sold separately





### 211001 Welding Curtain Green-6

**CEPRO**  
LEADING IN WELDING SAFETY

For use in workplaces where bystanders must be protected against the hazardous radiation emitted during welding work.

Certification | EN ISO 25980:2014




- Transparent which allows a good overview of the work area
- PVC material: 0,40mm
- Dimensions: 140cm (width) x 200cm
- Fully sealed seam all-around with a 5cm wide seam
- Snap-fasteners on both sides spaced at 40cm one above the other to enable the user to connect the curtains
- 7 very strong synthetic suspension eyelets embedded in the top seam
- 7 pcs of steel suspension rings (for tube O 33,7mm) to hang the curtain
- Protection against the hazardous radiation emitted during welding work (Blue Light & Ultra Violet (UV) rays)
- Protection against the reflection of the welding light

### 211002 Sprint Screen c/w Cepro Bronze-CE Curtain

**CEPRO**  
LEADING IN WELDING SAFETY

Sprint welding all-round screen can be used in diverse working conditions. Internal use quality made screens provide protection & flexibility for organizing workspace.


Certification | EN ISO 25980:2014



- Screen is made of galvanized round (22x1mm) and rectangular pipe (30x30x2mm) powder-coated colour red RAL 3020. This screen is standard and supplied without castors

**Optional code:**

- 211003 castor with brake
- Welding curtain: Bronze-CE transparent
- Dimensions: 200cm (H) x 160cm (W), 0.40mm thickness
- Seamed all around, reinforced eyelets every 22.5cm at top side and snap fasteners every 40cm at both sides
- Steel suspension rings included







### 205100 Skin Protection Cream pr88 101-P-1000 1 litre

rath's

Protects the skin against contact with oily and greasy dirt as well as paint, lacquer, (PU) adhesives, artificial resins, polyester and silicone. Rub in before starting work and the cream provides a reliable protective film that prevents the penetration of dirt and particles into the skin, makes cleansing after work easier.



- Simple in use, quick drying time
- Does not stick
- Does not leave any fingerprints behind
- Dirt is simply washed off together with the protected film
- Steady tool grip
- Dexterity is maintained
- Free of preservatives and silicone
- Dermatologically tested

### 205102 Hand Cleanser Clean Intense Scrub 204-P-1000 1 litre

rath's

Hand cleanser with natural abrasive agent for heavy levels of oily, greasy dirt. Ideal for workshop areas, servicing, repair departments wherever tough, stubborn dirt can only be removed with the help of abrasive agents.



- Natural abrasive (from the cob of corn)
- Intensive lipid replenishment
- Solvent-free
- Ph-neutral
- Dermatologically tested

Optional codes available:

- 205101 250ml, 205103 2.5lt, 205104 5lt

### 205310 Kneepads D3O® Lite™ 9111



High-tech kneepads featuring advanced knee protection with enhanced impact protection. Designed to reduce strain during every day use, material provides impact protection, ventilation and a lightweight construction.

- 100% polyolefin polymer blend
- Curved ergonomic design for ventilation, stability and lightweight
- One size
- Compatible with the Snickers Workwear KneeGuard™ positioning system

Certification | CAT II  
EN 14404:2004+A1:2011



### 205311 Kneepads Craftsmen 9110



Lightweight kneepads featuring advanced knee protection and comfortable fit. Designed to reduce strain. The lightweight, flexible and durable kneepads provide everyday working comfort.

- 50% EVA, 50% Polyethylene
- Lightweight flexible design
- One size
- Compatible with the Snickers Workwear KneeGuard™ positioning system

Certification | CAT II  
EN 14404:2004+A1:2011



### 205305 Knee pads Gel/Rubber



Gel rubber kneepads which absorb impact and are designed to offer protection over a prolonged period of time.

- Fabric polyester
- Elastic straps
- Hook and loop closure
- One size

Certification | CAT I  
EN 14404:2004



### 205307 Knee Pads KPA 200



The essential knee protection for work in kneeling protection.

- 100% polyolefin foam
- Height: 200mm
- Width: 150mm
- Thickness: 20mm
- Weight per pair: 85gr

Certification | CAT II  
EN 14404:2004+A1:2011







### 235015 TSK 30 Tanker Spill Response Kit



Effective way to control and clean up spills, particularly those resulting from liquid fuel deliveries. It is easily stored in confined spaces.

- 50 sheets: 48x43cm
- 2 minibooms: 7,5x1,2cm
- 1 disposal bag and tie
- 1 disposal guide and label



### 235019 Multi-Format M-F2001 Maintenance Sorbent



For control of accidental and routine leaks, drips and spills of oils, lubricants and other non-aggressive liquids, help to maintain a clean and safe working environment.

- May be used as booms, pillow, sheets or rolls
- Perforated at 40cm with simple tear off allows to select the length needed
- Made of synthetic fibers principally of polypropylene and polyester
- Lightweight and dust free



### 235012 Multi-Format P-F2001 Chemical Sorbent



Chemical sorbent for control of spills of hazardous liquids. With high absorption capacity which minimises the amount of waste disposal.

- May be used as booms, pillow, sheets or rolls
- Perforated at 40cm-simple tear off allows to select the length needed
- Made of inert, synthetic fibers principally of polypropylene
- Lightweight and dust free



### 235013 Multi-Format T-F2001 Oil Spills Sorbent



Oil spills sorbent for control of spills of hydrocarbons on water and on land. Oil sorbents repel water and float. They are typically used on water to contain and absorb hydrocarbons that are on the surface or in an emulsion in the water.

- May be used as booms, pillow, sheets or rolls
- Perforated at 40cm-simple tear off allows to select the length needed
- Made of inert, synthetic fibers principally of polypropylene
- Lightweight and dust free







### 264322 Anti-Slip Tape Aqua Safe™ H3405



Ideal for boats, showers, baths and other bare foot areas. Perfect combination of grip and comfort under skin.



- Width 50mm x 18.3m length roll
- Non-abrasive waterproof anti-slip tape
- Combination of grip and comfort under skin
- Ideal for boats, showers, bath and barefoot areas
- Ideal for kitchen and food preparation areas
- Without cavities for bacteria and dirt to harbor
- Available in colors: white, beige, grey

### 264309 Anti-Slip Tape Safety Grip Tape™ H3401



Great for general anti-slip requirements possessing excellent levels of grip.



- Width 25mm x 18.3m length
- Water resistant anti-slip tape
- 60 grit aluminium oxide surface
- Internal and external application

### 264308 Anti-Slip Tape Safety Grip Tape™ H3401



Standard safety grip tape is great for general anti-slip requirements possessing excellent levels of grip. Made of fine grade aluminium oxide which makes it suitable in a wide range of applications. Exceptional durability in external or internal areas.



- Width 50mm x 18.3m length
- Water resistant anti-slip tape
- 60 grit aluminium oxide surface
- Internal and external application
- Available in colors: black, clear, grey, black-yellow

