



## 370103 Shield Maxim NFT™ Cool



A light multipurpose gloves based on New Foam Technology (NFT™) nitrile coating on the palm, which repels excess liquid from the glove's surface, keeping hands dry and cool and ensures excellent grip on oily and wet surfaces.

- Lightweight, comfortable and durable gloves
- Offering excellent breathability and flexibility
- Ergonomic design allows minimum hand fatigue, increasing productivity
- Sanitized Actifresh treatment for freshness feeling
- Knitted elastic for better fit. Prevents dirt to insert the glove
- Wing thumb for enhanced flexibility



**Certification** | CAT II  
EN 388:2016 (4131X)  
EN 407:2004 (X1XXXX)  
EN 420:2003+A1:2009  
**Material** | Nylon/Spandex  
Nitrile Palm Coating  
**Length** | 190-280mm  
**Size** | 7/S, 8/M, 9/L, 10/XL, 11/XXL  
**Packing** | 12 prs/packet, 10 packets/  
carton



## 370101 Shield HPT™



General purpose gloves made from Nylon™ with HPT™ (Hydropellent Technology) polyurethane coating. More flexibility and dexterity comparing to cotton gloves.

- Sanitized Actifresh treatment for freshness feeling
- Highly flexible coating and breathable nylon liner offer all-day comfort
- Soft, durable and flexible micro-foam coating with a non-slip surface
- High level of dexterity in wet, oily and dry surfaces
- Seamless structure ensures comfort
- Black color design masks dirt



**Certification** | CAT II  
EN 388:2016 (3131X)  
EN 420:2003+A1:2009  
**Material** | Nylon  
PVC-HPT Coating  
**Length** | 210-300mm  
**Size** | 7/S, 8/M, 9/L, 10/XL, 11/XXL  
**Packing** | 12 prs/packet, 10 packets/  
carton



## 370023 Edge® 48-126

**Ansell**

Cost effective solution for light duty applications requiring a good level of abrasion resistance & grip, as well as high tactility in dry to slightly oily environments.



- Made with a black 15 gauge highly comfortable and dexterous polyester liner
- Combines a seamless knitted liner with elasticized knit wrist dipped into black polyurethane coating
- Seamless structure
- Ensures comfort and encourages safety and glove usage
- Efficient choice for an inexpensive light duty glove solution with quality features

**Certification** | CAT II  
EN 388:2016+A1:2018 (4121A)  
EN ISO 21420:2020  
**Material** | Polyester  
Polyurethane Coating  
**Length** | 215-270mm  
**Size** | 6, 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370024 Edge® 48-128

**Ansell**

Industrial working gloves combine a seamless knitted polyester liner with elasticized knit wrist dipped in straight nitrile coating. Better alternatives to light or medium weight knitted cotton gloves due to the Nitrile coating.



- The practical choice for light applications where oil is present
- Dark colour, ideal for dirty environments
- Very light and comfortable
- Good level of abrasion and oil resistance
- High level of dexterity and flexibility

**Certification** | CAT II  
EN 388:2016+A1:2018 (4121A)  
EN ISO 21420:2020  
**Material** | Polyester  
Nitrile Coating  
**Length** | 220mm-270mm  
**Size** | 6, 7, 8, 9, 10  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370506 HyFlex® 48-101

**Ansell**

Black PU-coated multi-purpose gloves, designed for comfortable light-duty handling.



- Thin, flexible nylon liner ensures optimal dexterity, for ease of use in daily applications
- Designed for light applications that require comfort and abrasion resistance
- Offering precise handling of small objects in dry or light oily environments
- Can be used for a variety of different applications
- Washable at maximum 40°C

**Certification** | CAT II  
EN 388:2016+A1:2018 (4131A)  
EN ISO 21420:2020  
**Material** | Nylon  
Polyurethane Coating  
**Length** | 220-270mm  
**Size** | 6, 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370300 SHOWA 377

**SHOWA**

The 377 chemical-resistant glove is championed for its ultra-tactile grip and superior durability.



- Fully coated, with an extra foamed nitrile finish on palm
- Nitrile foam coating enables you to handle the toughest jobs with ease
- Seamless liner and elasticated cuff keep debris out of the glove whilst keeping hands warm
- Protection against a wide range of harmful substances

**Certification** | CAT II  
EN 388:2016 (4121X)  
EN 420:2003+A1:2009  
**Material** | Polyester, Nylon  
Nitrile and Nitrile Foam Coating  
**Length** | 250-280mm  
**Size** | 6/S, 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 10 prs/packet, 12 packet/  
carton







## 370055 ActivArmr® 80-100

**Ansell**

The smart and logical choice for optimum productivity and safety in construction, transport, and shipping and receiving.



- Natural rubber coating delivers excellent overall mechanical performance for maximal protection and durability
- Crinkled finished coating for an excellent dry or wet grip for better safety and productivity
- Automatic knitted liner provides optimum tensed inner surface
- Knit wrist cuff for easier donning and safer wear
- Designed for use in a wide range of handling and carrying applications
- Washable at 40°C for ongoing hygiene maintenance

**Certification** | CAT II  
EN 388:2016+A1:2018 (2242B)  
EN ISO 21420:2020  
**Material** | Cotton, Polyester  
Natural Latex Rubber Coating  
**Length** | 235-280mm  
**Size** | 6, 7, 8, 9, 10  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370019 ActivArmr® Hycron® 27-805

**Ansell**

Nitrile dipped coating gloves on a jersey liner. A big tough glove for a rough tough life.



- Unique Ansell nitrile formulation offers superior resistance to sharp and abrasive materials
- Three times more durable than heavy-duty leather
- Provide excellent barrier to grease and oil
- Safety cuff offers improved protection during wear
- Antistatic
- Silicone free, latex free to reduce the risk of reactions
- Washable at maximum 40°C

**Certification** | CAT II  
EN 388:2016+A1:2018 (4121B)  
EN ISO 21420:2020  
**Material** | Cotton jersey  
Nitrile Coating  
**Length** | 256mm-272mm  
**Size** | 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370016 ActivArmr® Hylite™ 47-400

**Ansell**

Combine the comfort of a cotton or light leather glove with outstanding abrasion resistance and oil repellence of a nitrile coated glove.



- Special nitrile formulation provides an excellent combination of flexibility, mechanical resistance and oil repellency
- Silicone-free
- Natural hand shape - easier to wear for long periods
- Interlock knit lining, generous sizing, and contoured designs
- Finishing: 3/4 dipped

**Certification** | CAT II  
EN 388:2016+A1:2018 (3111A)  
EN ISO 21420:2020  
**Material** | Interlock Cotton  
Nitrile Coating  
**Length** | 265-295mm  
**Size** | 8, 9, 10  
**Packing** | 12 prs/packet, 12 packets/  
carton







### 370214 FastFit®



Take control with high-dexterity 0.6mm synthetic leather and stay connected with touch screen technology in the palm of your hands.



- Reinforced thumb and index finger provide added durability
- Stretch-elastic cuffs create a secure fit
- Anatomically designed two-piece palm design eliminates material bunching
- Form-fitting TrekDry® material to keep hands cool and comfortable
- Pinched fingertip construction improves fingertip strength and durability
- Machine washable

Certification | CAT II  
EN 388:2016 (2121X)  
EN ISO 21420:2020  
Material | Form-fitting TrekDry®  
Synthetic leather  
Size | S, M, L, XL, XXL  
Packing | Pair



### 370218 Specialty Grip



Work smarter not harder with the Specialty Grip gloves. They feature the Wide-Fit™ closure so you can adjust your level of comfort.



- Form-fitting TrekDry® material keeps working hands cool and comfortable
- Adjustable Wide-Fit™ closure provides a secure fit
- Textured Armortex® provides enhanced gripping power in dry, oily and wet conditions
- Pinched fingertip construction improves fingertip strength and durability
- Machine washable

Certification | CAT II  
EN 388:2016 (1121X)  
EN ISO 21420:2020  
Material | Form-fitting TrekDry®  
Textured Armortex®  
Size | M, L, XL  
Packing | Pair





## 310010 Atlas

Premium working gloves made from high quality cowhide and cotton lining. Thanks to the high-quality material mix these gloves are very sturdy and durable.



- Made of quality cowhide and cotton lining
- Leather knuckle protection
- Reinforced palm for added protection
- Wing thumb construction
- Canadian Style
- Elasticated back
- Large, flexible design ensures high dexterity
- Suitable for the intended use in a wide range of general-purpose work

**Certification** | CAT II  
EN 388:2016 (3144X)  
EN 420:2003+A1:2009  
**Material** | Cowhide  
Cotton dock, Cotton Lining  
**Length** | 250-280mm  
**Size** | 9, 10, 11, 12  
**Packing** | 12 prs/packet, 10 packets/  
carton



## 310100 Iraklis

Perfect for most medium-risk tasks outdoors. They provide the dexterity needed for handling tools and equipment, and the durability needed for tougher outdoor work.



- Split leather ensures excellent durability
- Leather knuckle protection
- Reinforced palm for added protection
- Wing thumb construction
- Canadian Style
- Elasticated back
- Breathable with good sweat absorption

**Certification** | CAT II  
EN 388:2016 (4144X)  
EN 420:2003+A1:2009  
**Material** | Split cowhide  
Cotton dock, Cotton Lining  
**Length** | 240-280mm  
**Size** | 8, 9, 10, 11, 12  
**Packing** | 12 prs/packet, 10 packets/  
carton



## 310058 Iason

General purpose working gloves made from a split leather and cotton dock. The cotton inner liner provides the user with enough comfort for extended use.



- Safety cuff
- Wing thumb construction
- Leather knuckle protection
- Canadian Style
- Elasticated back
- Combine excellent durability and protection
- Suitable for the intended use in a wide range of general-purpose work

**Certification** | CAT II  
EN 388:2016 (3133X)  
EN 420:2003+A1:2009  
**Material** | Split cowhide  
Cotton dock, Cotton Lining  
**Length** | 240-280mm  
**Size** | 8, 9, 10, 11, 12  
**Packing** | 12 prs/packet, 10 packets/  
carton







### 310302 Artemis

Superior quality cowhide leather gloves. Suitable for tasks that require manual handling, these gloves provide the user with excellent performance.



- Cowhide leather for exceptional durability
- Offers increased abrasion, tear and puncture resistance properties
- Driver style provides flexibility and comfortably
- Features keystone thumbs
- Suitable for a range of different industries

Certification | CAT II  
EN 388:2016 (3122X)  
EN 420:2003+A1:2009  
Material | Cowhide  
Length | 250-270mm  
Size | 9, 10, 11  
Packing | 12 prs/packet, 10 packets/  
carton



### 310301 Ira

Driver working gloves made from cowhide and split cowhide leather which provide soft and strong performance.



- Special leathers allow high flexibility, comfortability and durability
- Excellent tear resistance
- Provide strong grip on most wet or dry surfaces
- Coloured tape is sewn for sizing identification
- Suitable for delicate work (Dexterity 5)

Certification | CAT II  
EN 388:2016 (3121X)  
EN 420:2003+A1:2009  
Material | Cowhide  
Split Cowhide  
Length | 230-270mm  
Size | 7, 8, 9, 10, 11  
Packing | 12 prs/packet, 10 packets/  
carton





### 330206 Tellus



General purpose knitted working gloves, offer PVC dots coating on both sides ensuring ambidexterity, easy donning and exceptional grip.

- Features full PVC dot coating ensures exceptional grip
- Ambidextrous design increases glove life
- Knit wrist
- Designed to protect from superficial mechanical injuries
- Cat I Minimal risk

Certification | CAT I  
EN 420:2003+A1:2009  
Material | Polycotton  
PVC Dots  
Length | 270mm  
Size | L  
Packing | 12 prs/packet, 20 packets/  
carton



### 330202 Ceres



Durable polycotton material for high performance and maximum wearer comfort.

- Polyester/ cotton knit
- Knit wrist
- Designed to protect from superficial mechanical injuries
- Cat I Minimal risk
- Suitable for general purpose tasks

Certification | CAT I  
EN 420:2003+A1:2009  
Material | Polycotton  
Length | 270mm  
Size | L  
Packing | 12 prs/packet, 20 packets/  
carton



### 330010 Terra



General purpose cotton gloves with PVC dots offer a high level of grip and comfort for general handling applications.

- PVC dots offer enhanced grip
- Knit wrist
- Designed to protect from superficial mechanical injuries
- Cat I Minimal risk
- Suitable for general handling activities

Certification | CAT I  
EN 420:2003+A1:2009  
Material | Cotton  
PVC Dots  
Length | 270mm  
Size | 10  
Packing | 12 prs/packet, 25 packets/  
carton



### 330114 Knitted Gloves O60



A great winter essential, these knitted gloves will keep them warm and snug.

- Knit gloves have been made from soft touch yarn
- Offer warmth and comfort

Material | Acrylic  
Size | One size  
Packing | 240 prs/carton

**390103 RINGERS® R179****Ansell**

Medium Duty Impact glove with synthetic leather palm is specially designed to provide excellent levels of protection against impact hazards and cuts in any application.



- Improved TPR design for greater impact protection
- Durable synthetic leather palm for enhanced grip
- Additional palm layer for enhanced cut resistance
- Slip-on elastic cuff allows for easy on and off
- Wrap around index finger protecting wear and tear zone
- High visibility for increased safety
- Extended cuff style
- Washable at 30°C

Certification | CAT II  
 EN 388:2016+A1:2018 (3X43FP)  
 EN 407:2020 (X1XXXX)  
 EN ISO 21420:2020  
 Material | HPPE  
 Size | 7, 8, 9, 10, 11, 12  
 Packing | 5 prs/bag, 10 bags/carton

**390104 RINGERS® R259B****Ansell**

Heavy duty impact technology glove combined with cut resistance and a waterproof barrier.



- TPR impact protection on top of hand and full length of fingers
- Durable synthetic leather palm for enhanced grip
- Additional palm layer for cut resistance
- Waterproof barrier to keep hands dry
- Provides durable bond between layers, eliminating glove separation when doffing
- Liquid resistant
- Extended neoprene wrist closure with TPR pull tab
- Kevlar™ stitched palm
- High visibility and reflective cuff piping for increased safety

Certification | CAT II  
 EN 388:2016+A1:2018 (4X44FP)  
 EN 511:2006 (021)  
 EN ISO 21420:2020  
 Material | HPPE  
 Size | 8, 9, 10, 11, 12  
 Packing | 5 prs/bag, 10 bags/carton

**390101 RINGERS® R065****Ansell**

Gloves with innovative impact and cut protection combined with superior dexterity for ultimate comfort.



- Breathable knit shell offers cut resistance
- TPR impact protection on top of hand and full length of fingers
- Half-dipped nitrile coating on palm with sandy finish for enhanced grip
- High visibility for increased safety
- Touchscreen compatible index, middle and thumb tips
- Superior grip on wet and dry surfaces

Certification | CAT II  
 EN 388:2016+A1:2018 (4X43DP)  
 EN 407:2020 (X1XXXX)  
 EN ISO 21420:2020  
 Material | HPPE  
 Nitrile Coating  
 Size | 7, 8, 9, 10, 11, 12, 13  
 Packing | 12 prs/bag, 6 bags/carton

**370305 SHOWA 377-IP****SHOWA**

Impact protection gloves reduce shock energy on the knuckles, fingers, and metacarpals.



- Designed to protect the most fragile parts of the hand
- Fluorescent features offer high-visibility for hand signaling
- Foam finish disperses oil to improve grip in wet, dry, or greasy conditions
- Seamless liner and latex-free design prevents irritation
- Excellent fitting

Certification | CAT II  
 EN 388:2016 (4121XX)  
 EN 420:2003+A1:2009  
 Material | Nylon, Polyester  
 Nitrile and Nitrile Foam Coating  
 Length | 265-280mm  
 Size | 7/M, 8/L, 9/XL, 10/XXL  
 Packing | 5 prs/packet, 12 packets/carton



## 360084 AlphaTec® 58-535W

**Ansell**

Unrivalled combination of chemical resistance, confident grip and a comfortable inner lining.



- Featuring Ansell Grip Technology™ technology to enable users to handle wet or oily objects with better grip and more control
- Solid nitrile shell for high protection against exposure to bases, oils, fuels, some solvents and greases
- Unique combination of liquid-proof chemical resistance and grip, together with flexibility and dexterity
- Utilizes white nylon liner which is ideal for indoor applications
- Complies with EU food handling requirement
- Silicone free, latex free
- Antistatic

**Certification** | CAT III  
EN 388:2016+A1:2018 (3132A)  
EN ISO 374-1:2016 Type A (AJKLOPT)  
EN ISO 374-5:2016  
EN 407:2020 (X1XXXX)  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 340-348mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 6 prs/packet, 12 packets/  
carton



## 360082 AlphaTec® 58-530W

**Ansell**

Unique combination of grip and chemical resistance, confident grip and a comfortable inner lining.



- Ansell Grip™ Technology: Less force needed to grip wet or oily parts
- White nylon inner liner enhances comfort and offers excellent durability
- Bonded construction: Zero liner penetration, heightened dexterity
- Utilizes white nylon liner which is ideal for indoor application
- Complies with EU food handling requirement
- Silicone free, latex free
- Antistatic

**Certification** | CAT III  
EN 388:2016+A1:2018 (3132A)  
EN ISO 374-1:2016 Type A (AJKLOPT)  
EN ISO 374-5:2016  
EN 407:2020 (X1XXXX)  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 290mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 6 packets/  
carton



## 360076 AlphaTec® Solvex® 37-675

**Ansell**

Thin, versatile chemical resistant gloves that deliver comfortable hand protection. Their 0.38mm thickness results in heightened dexterity.



- A high-performance nitrile compound composition delivers EN 374 Type A chemical resistance
- Excellent chemical protection with a good level of grip, fit and comfort
- Cotton flocking absorbs sweat, for greater wearer comfort
- Suitable in both wet and dry conditions
- Complies with EU food handling requirement
- Thickness: 0,38mm
- Sandparch grip design
- Silicone free, latex free
- Antistatic

**Certification** | CAT III  
EN 388:2016+A1:2018 (4101X)  
EN ISO 374-1:2016 Type A (JKLOPT)  
EN ISO 374-5:2016  
ISO 18889:2019 (G2)  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 330mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 360077 AlphaTec® Solvex® 37-695

**Ansell**

High-comfort, chemical resistant, 0.425 mm glove for a wide range of applications.



- High performance nitrile compound provides chemical resistance and strength for optimal results in wet or dry work environments
- Fully reusable, with an unequaled abrasion resistance
- Reversed lozenge finishes further enhancing levels of grip
- Provides superb comfort for the wearer
- Suitable for heavy-duty cleaning applications
- Complies with EU food handling requirements
- Thickness: 0,425mm
- Silicone free, latex free
- Antistatic

**Certification** | CAT III  
EN 388:2016+A1:2018 (4101A)  
EN ISO 374-1:2016 Type A (AJKLPT)  
EN ISO 374-5:2016  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 380mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton





### 360075 AlphaTec® Solvex® 37-900

Ansell

A premium nitrile gloves 100% individually testing, providing superior standards of safety for high-risk chemical handling. Fully reusable with an unequaled abrasion resistance.



- A newly developed nitrile film offers greater strength and superior chemical resistance
- Sets new standards for mechanical performance, abrasion resistance and puncture resistance
- Designed to deliver optimal results in wet or dry work environments where chemical resistance is crucial
- Reversed lozenge grip design
- Provides superb comfort for the wearer
- Thickness: 0,425mm
- Silicone free, latex free
- Antistatic

**Certification** | CAT III  
EN 388:2016+A1:2018 (4101X)  
EN ISO 374-1:2016 Type A (AJKLOPT)  
EN ISO 374-5:2016  
ISO 18889:2019 (G2)  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 380mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 6 packets/  
carton



### 360410 SHOWA 731

SHOWA

Chemical-resistant gloves, ideal for working with harmful substances such as acids and solvents.



- Strong chemical resistance
- Eco Best Technology® (EBT)
- Biodegradable, despite being extremely strong and acid-resistant
- Water-resistant with bisque grip, to allow for tactile precision even when operating in wet environments
- Strong chemical resistance
- Increased dexterity
- Created with premium-grade compounds
- Unsupported



**Certification** | CAT III  
EN 388:2016 (2001X)  
EN ISO 374-1:2016 Type A (JKLOPT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Biodegradable Nitrile  
**Length** | 330mm  
**Size** | 7/S, 8/M, 9/L, 10/XL, 11/XXL  
**Packing** | 12 prs/packet, 12 packets/  
carton



### 360110 AlphaTec® 87-950

Ansell

Thick natural rubber, latex glove, when extra protection for heavy duty applications is needed.



- 50% thicker than standard flock lined gloves
- Extremely high resistance to many ketones, salts, detergents, alcohols, alkalies and fats
- Excellent resistance to mechanical hazards plus increased chemical protection
- Chlorinated
- Extra heavy duty black glove
- 100% cotton flock lining to help absorb perspiration
- AQL 1.5

**Certification** | CAT III  
EN 388:2016+A1:2018 (X121X)  
EN ISO 374-1:2016 Type B (AKLOPS)  
EN ISO 374-5:2016  
EN ISO 21420:2020  
**Material** | Natural Latex Rubber  
**Length** | 325mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



### 360114 AlphaTec® 87-955

Ansell

Thicker natural rubber latex glove for extra protection in heavy duty applications.



- 50% thicker than standard flock lined gloves
- High resistance to many ketones, salts, detergents, alcohols, alkalies and fats
- Excellent resistance to mechanical hazards plus increased chemical protection
- Chlorinated
- 100% cotton flock lining to help absorbing perspiration
- Extra heavy duty orange glove
- 100% cotton flock lining
- AQL 1.5

**Certification** | CAT III  
EN 388:2016+A1:2018 (X121X)  
EN ISO 374-1:2016 Type A (AKLOPS)  
EN ISO 374-5:2016  
EN ISO 21420:2020  
**Material** | Cotton Flocked  
Natural Latex Rubber  
**Length** | 325mm  
**Size** | 7.5, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 360115 AlphaTec® 29-500

**Ansell**

Medium duty, unsupported neoprene glove, with outstanding flexibility incorporating ease of handling.



- Flock lined in pure cotton for better comfort and perspiration absorption
- Superior flexibility
- Contains natural rubber
- Protects against a wide range of acids, caustics, alcohols and many solvents
- Ideal for use in cold conditions: neoprene maintains its superb elasticity even at low temperatures. Much less tiring to the hands than other heavy-duty gloves
- Lozenge grip design
- Antistatic
- Thickness: 0,70mm

**Certification** | CAT III  
 EN 388:2016+A1:2018 (X121A)  
 EN ISO 374-1:2016 Type A (AKLNPT)  
 EN ISO 374-5:2016  
 EN ISO 21420:2020  
**Material** | Cotton Flocked  
 Natural Latex Rubber, Neoprene Blend  
**Length** | 300mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 12 packets/  
 carton



## 360166 AlphaTec® 37-310

**Ansell**

Food processing gloves, offering light chemical protection.



- Posses EN 374 Type B chemical protection, guarding against light acids, grease, oils and liquids
- 0.2mm palm offers allows dexterity and tactility without a loss of durability
- Reversed lozenge grip improves handling in wet, dry, and oily condition
- Long cuff extends to the forearm
- Complies with EU food handling requirements
- Latex-free formulation presents no risk of Type 1 allergies
- Antistatic

**Certification** | CAT III  
 EN 388:2016+A1:2018 (2001X)  
 EN ISO 374-1:2016 Type B (JKT)  
 EN ISO 374-5:2016  
 EN 421:2010  
 ISO 18889:2019 (G1)  
 EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 310mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 6 packets/  
 carton



### 360247 AlphaTec® 09-922

Ansell



Neoprene anatomical gloves designed to protect hands from a wide range of chemicals, oils, acids and mechanical hazards.

- Good resistance against abrasions and all mechanical hazards
- Special Hi-Lo insulated gauntlet option with quilted cotton liner, for use in both hot and cold temperatures
- Permits intermittent handling of hot liquids up to 180°C and handling in cold temperatures down to -25°C
- Ideal for providing hand protection during a multitude of tasks
- AQL 1,5
- Latex free

**Certification** | CAT III  
EN 388:2016+A1:2018 (3121B)  
EN ISO 374-1:2016 Type A (AKLMPT)  
EN ISO 374-5:2016  
EN 407:2020 (X1XXXX)  
EN ISO 21420:2020  
**Material** | Cotton Jersey Liner  
Neoprene Coating  
**Length** | 300mm  
**Size** | 10  
**Packing** | 12 prs/packet, 6 packets/  
carton



### 360335 Redcote Plus R50X

Honeywell



Chemical protection gloves made from PVC, thickness 1,4mm dipped on cotton interlock lining.

- Smooth finish offers an excellent touch and increases dexterity
- Articulated fingers offer superior comfort and reduce effort in cases extended use
- Multi-purpose and repetitive handling in an oily atmosphere
- Low resistance to ketones, aromatic and halogenated hydrocarbons

**Certification** | CAT III  
EN 388:2016 (4121X)  
EN ISO 374-1:2016 Type A (AKLNOT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Cotton Interlock  
PVC Coating  
**Length** | 350mm  
**Size** | 9, 10  
**Packing** | 12 prs/packet, 6 packets/  
carton



### 360419 SHOWA 660/36

Ansell



A seamless, soft cotton liner wicks away moisture to prevent odours, and the ergonomic design reduces hand fatigue.

- Triple-dipped PVC coating
- Seamless, soft cotton liner wicks away moisture to prevent odors
- Ergonomic design reduces hand fatigue
- The rough grip offers high-performance precision in greasy or damp environments
- Water-resistant
- Forearm protection
- Chemical-resistant
- Available in 300mm cuff length (SHOWA 660 - 360411)

**Certification** | CAT III  
EN 388:2016 (4121X)  
EN ISO 374-1:2016 Type B (JKL)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Cotton  
PVC Coating  
**Length** | 360mm  
**Size** | 10/XL, 11/XXL  
**Packing** | 10 prs/packet, 6 packet/  
carton



### 360314 SHOWA 660 ESD

SHOWA



Designed for handling flammable or explosive materials. Both the liner and coating aid in preventing sparks from the friction for safe use in extreme.

- When used for extended periods, the lining absorbs perspiration to prolong comfort and grip
- Full PVC Coating
- Anti-static liner
- Oil-resistant
- Rough grip
- Abrasion-resistant
- Chemical-resistant
- Form-fitting

**Certification** | CAT III  
EN 388:2016 (4121X)  
EN ISO 374-1:2016 Type B (AJKLMO)  
EN ISO 374-5:2016  
EN 16350:2014  
EN 420:2003+A1:2009  
**Material** | Cotton  
PVC Coating  
**Length** | 300-320mm  
**Size** | 9/L, 10/XL  
**Packing** | 10 prs/packet, 6 packet/  
carton





## 390110 Shield Maxim C5 NFT™



Cut resistance gloves combine satisfactory performance in TDM cut, ensuring better behavior during real-world cutting situations.

- High abrasion level extends its shelf life
- Sanitized Actifresh treatment for freshness feeling
- Knitted elastic cuff
- Seamless design
- Wide range in length and size ensure excellent fit and comfort
- Excellent performance in handling wet or dry materials

**Certification** | CAT II  
EN 388:2016 (4X43C)  
EN 420:2003+A1:2009  
**Material** | UHMWPE blend  
Nitrile NFT™ Coating  
**Length** | 230-270mm  
**Size** | 7/S, 8/M, 9/L, 10/XL, 11/XXL  
**Packing** | 12 prs/packet, 12 packets/  
carton



## 370301 SHOWA Duracoil 577



Cut and abrasion-resistant gloves protect the hand from a range of hazardous applications, thanks to engineered DURACOIL wrapping technology.

- Engineered DURACOIL liner
- HPPE reinforced
- Liquid-proof nitrile coating for added protection and comfort
- Coating provides superior wet and dry grip while remaining breathable and flexible
- Elasticated wrist cuff
- Ergonomic shaping replicates the hand's shape to reduce hand fatigue and maximize precision
- Machine washable

**Certification** | CAT II  
EN 388:2016 (4X42C)  
EN 420:2003+A1:2009  
**Material** | Engineered yarn, HPPE, Polyester  
Nitrile and Nitrile Foam Coating  
**Length** | 220-270mm  
**Size** | 6/S, 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 10 prs/packet, 12 packets/  
carton



## 370302 SHOWA 234



Flexible cut protection gloves combine foam nitrile with a HPPE reinforced liner to provide excellent cut resistance performance.

- Excellent cut resistance performance
- Foam nitrile coating protects against oils, hydrocarbons, grease and abrasions
- Offer excellent grip in wet and dry conditions
- Cooling HPPE properties and breathable back of the hand reduces perspiration and keeps hands dry
- Seamless knit designed to prevent irritation
- Heat-resistant
- Ergonomic
- Designed for use in "knife hand" applications in food processing
- Machine washable

**Certification** | CAT II  
EN 388:2016 (4X42D)  
EN 407:2004 (X2XXXX)  
EN 420:2003+A1:2009  
**Material** | Engineered yarn, HPPE, Spandex  
Nitrile Coating  
**Length** | 240-290mm  
**Size** | 6/S, 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 12 prs/packet, 6 packets/  
carton



## 370303 SHOWA S-TEX 377SC



Designed for optimal cut and abrasion resistance, the S-TEX 377SC feature a high-performance S-TEX® liner with Hagane Coil™ technology.

- Full nitrile coating with additional foam nitrile on palm dip provides superior grip and protects the hands from abrasions
- High-performance S-TEX® liner with Hagane coil technology
- A gauntlet style reinforced safety cuff provides additional protection to the wrist and forearm
- Seamless knit to reduce irritation and an ergonomic design that reduces hand fatigue

**Certification** | CAT II  
EN 388:2016 (4141D)  
EN 407:2004 (X1XXXX)  
EN 420:2003+A1:2009  
**Material** | Nylon, Polyester, Stainless steel  
Nitrile and Nitrile Foam Coating  
**Length** | 300-310mm  
**Size** | 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 5 prs/packet, 12 packets/  
carton





### 390002 RazorStop

Designed to protect the user while lays wire nettings or handling sharp objects.



- Fireproof split leather with palm and cuff reinforcement using high resistance silicon-coated aramide fabric
- Gauntlet cuff for wrist and arm protection
- Wing thumb construction
- Designed to protect the user while lays wire nettings or handling sharp objects
- Top protection against all hazards: abrasion, cut, tear and puncture related
- Ideal for waste handling, handling barbed and razor wire

**Certification** | CAT II  
EN 388:2016 (4444X)  
EN 420:2003+A1:2009  
**Material** | Fireproof split leather, Viscose  
Silicon-coated aramide,  
**Length** | 420mm  
**Size** | 10  
**Packing** | Pair



### 390085 Wilco

 Manulutex

Stainless steel metal mesh gloves offer a great protection for boning operations, cutting operations with hand knives or motorized knives and scissors.



- A reversible glove
- Patented closing system with stainless steel spring protected by mesh
- Following perfectly all movements of the wrist and forearm / no excessive pressure on it
- Great comfort - adapted perfectly to all types of hands shape
- Visual size identification with a colour tag

**Certification** | CAT II  
EN 1082-1  
**Material** | Stainless Steel  
**Size** | XS, S, M, L, XL, 2XL  
**Packing** | Single glove



### 390021 HyFlex® 70-114

 Ansell

Superior mechanical protection and cut-resistance.



- Constructed from high-tech 100% Kevlar® para-aramid short fibers
- Automatic knit liner
- Exceptional cut resistance and comfort
- Heat resistance up to 100°C
- Thumbslot for additional protection of the wrist

**Certification** | CAT III  
EN 388:2016 +A1:2018 (133XC)  
EN ISO 407:2020 (X1XXXX)  
EN ISO 21420:2020  
**Material** | Kevlar®  
**Length** | 356mm  
**Size** | One Size  
**Packing** | 12 pcs/bag, 12 bags/carton



## 370102 Shield Ice HPT™



Thermal resistant gloves based on HPT™ Technology. (Hydropellent Technology) coating is a PVC coating technology which ensures durability and flexibility.

- Protect during contact with cold materials, ensuring thermal insulation at low temperature environments
- Provides superior grip and dexterity in extremely cold, wet, oily and dry conditions
- Treated with Sanitized Actifresh® provide freshness and antimicrobial protection
- Knitted elastic cuff for better fit. Prevents dirt to insert the glove
- Wing thumb for enhanced flexibility



**Certification** | CAT II  
EN 388:2016 (3231X)  
EN 511:2006 (X2X)  
EN 420:2003+A1:2009  
**Material** | Nylon, Terry insulation with PVC-HPT Coating  
**Length** | 240-300mm  
**Size** | 7/S, 8/M, 9/L, 10/XL, 11/XXL  
**Packing** | 6 prs/packet, 10 packets/carton



## 390356 ActivArmr® 23-700

**Ansell**

PVC coated winter glove with foam insulation for extra warmth.



- Insulated winter glove with a turn-out barrier which prevents liquids from getting to the hand
- A rugged winter glove that outwears leather, sheds water, resists salts and chemicals and keeps hands warm
- Polyurethane foam insulation for extra warmth and comfort
- Rough finish PVC coating provides unbeatable grip on wet surfaces
- Fluorescent orange color

**Certification** | CAT III  
EN 388:2016 (3121B)  
EN ISO 374-1:2016 Type B (KLT)  
EN ISO 374-5:2016  
EN 511:2006 (111)  
EN 420:2003+A1:2009  
**Material** | Cotton, Nylon  
Polyurethane Foam Insulation  
**Length** | 275-300mm  
**Size** | 9, 10  
**Packing** | 6 prs/ packet, 12packets / carton



## 390151 SHOWA 477

**SHOWA**

Cold-resistant glove combines thermal insulation with tactical grip. Designed to keep hands warm and dry in the most extreme environments.



- Foam grip and a dual nitrile coating ensure precision in wet and oily environments
- Acrylic liner provides protection from cold weather
- Remain flexible down to -50°C
- Seamless knit
- Elasticated wrist cuff
- Thermal insulation
- Cold-resistant
- Water-resistant

**Certification** | CAT II  
EN 388:2016 (4231X)  
EN 511:2006 (011)  
EN 420:2003+A1:2009  
**Material** | Fixed insulated acrylic, Nylon, Polyester  
Nitrile and Nitrile Foam Coating  
**Length** | 275-290mm  
**Size** | 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 6 prs/polybag, 12 polybags/case



## 390099 ColdWork™ Original®

**MECHANIX WEAR**

Winter gloves with C40 3M Thinsulate Insulation offer optimal protection against the cold.



- Thermoplastic Rubber (TPR) closure creates a secure fit to your wrist
- Heavyweight fleece construction
- Water-resistant Soft Shell back of hand prevents the cold air from sneaking in
- C40 3M™ Thinsulate™ Insulation traps warm air to help regulate your body temperature
- Rugged Armortex® thumb saddle reinforcement
- Touch screen capable synthetic leather provides the perfect blend of dexterity and durability
- Machine Washable

**Certification** | CAT II  
EN 388:2016 (2121X)  
EN 511:2006 (22X)  
EN ISO 21420:2020  
**Material** | Fleece  
C40 3M™ Thinsulate™  
**Length** | NA  
**Size** | M, L, XL, XXL  
**Packing** | Pair





## 390126 GLB0-36



Natural rubber latex electrical insulating gloves class 0 offering max operating voltage 1.000V.



- Natural latex base offers high dielectric characteristics
- Ergonomic shape and lightly powdered interior make the glove easy to slip on and off
- Must be worn together with over gloves SKU 310500 for mechanical protection
- Max operating voltage 7500V (Proof Test (V)/AC 2500V)
- Additional protection: AZC
- Thickness: 1mm

Certification | CAT III  
EN 60903:2003  
Material | Natural Latex  
Length | 360mm  
Size | 8, 9, 10, 11, 12  
Packing | Pair



## 390129 GLB1-36



Natural rubber latex electrical insulating gloves class 1 offering max operating voltage 7.500V.



- Natural latex base offers high dielectric characteristics
- Ergonomic shape and lightly powdered interior make the glove easy to slip on and off
- Must be worn together with over gloves SKU 310500 for mechanical protection
- Max operating voltage 7500V (Proof Test (V)/AC 10000V)
- Additional protection: AZC
- Thickness: 1,5mm

Certification | CAT III  
EN 60903:2003  
Material | Natural Latex  
Length | 360mm  
Size | 8, 9, 10, 11, 12  
Packing | Pair



## 390077 GLB2-36



Natural rubber latex electrical insulating gloves class 2 offering max operating voltage 17.000V .



- Natural latex base offers high dielectric characteristics
- Ergonomic shape and lightly powdered interior make the glove easy to slip on and off
- Must be worn together with over gloves SKU 310500 for mechanical protection
- Max operating voltage 17000V (Proof Test (V)/AC 20000V)
- Additional protection: RC
- Thickness: 2,3mm

Certification | CAT III  
EN 60903:2003  
Material | Natural Latex  
Length | 360mm  
Size | 8, 9, 10, 11, 12  
Packing | Pair



## 310500 Dielectric Overgloves K-12105

Dielectric Overgloves offer excellent dexterity due to quality materials and seams, so as the user to easily handle small items.



- Very good behaviour in oils and grease providing excellent protection and long shelf life
- Velcro adjustment on the back of palm for better fit
- Gauntlet type made of leather to protect the wrist and forearm
- Wing thumb
- Excellent dexterity due to quality materials and seams
- User to easily handle small items
- Suitable for use over the electrician's gloves, for protection against mechanical risks

Certification | CAT II  
EN 388:2016 (2122X)  
EN 420:2003+A1:2009  
Material | Cowhide, Split leather  
Length | 330-360mm  
Size | 9, 10, 11  
Packing | 1 pr/packet, 100 packets/  
carton





### 320012 SparkSTOP

Multipurpose welding gloves made from split leather with 100% cotton lining and Kevlar® thread.



- Reinforced palm and thumb in split leather increases durability
- Kevlar® thread
- Protects from dirt in the absence of toxic substances
- Protects from mechanical aggression with risk of abrasion, cutting blade, tearing and puncture
- Protects from flame, contact with hot surfaces, convective heat, small splashes of molten metal
- Comfortable fit for enhanced dexterity
- Wing thumb construction
- Gauntlet cuff made from leather

**Certification** | CAT II  
 EN 388:2016+A1:2018 (4144X)  
 EN 407:2004 (413X4X)  
 EN 12477:2001+A1:2005 Type A  
 EN 420:2003+A1:2009  
**Material** | Split Cowhide  
 Cotton Lining  
**Length** | 330-380mm  
**Size** | 8, 9, 10, 11, 12  
**Packing** | 6 prs/packet, 10 packets/  
 carton



### 320020 ActivArmr® 43-217

TIG welding glove provides users with high tactility and dexterity while keeping their hands protected and safe.



- Premium full grain goatskin and welted seams with para-aramid thread
- 3-dimensional thumb design greatly increases fine dexterity for precise welding control
- High tactility and dexterity while keeping hands protected and safe
- Suitable for TIG welding, as well as grinding, brazing, metal fabrication and maintenance
- Provide protection from heat, flames, sparks and weld spatter
- Long split cowhide cuff extends protection to the forearms

**Certification** | CAT II  
 EN 388:2016+A1:2018 (2121A)  
 EN 407:2004 (41XX4X)  
 EN 12477:2001+A1:2005  
 EN 420:2003+A1:2009  
**Material** | Goatskin  
**Length** | 340mm, 350mm, 360mm  
**Size** | 9, 10, 11  
**Packing** | 6 prs/packet, 6 packets/  
 carton



**Ansell**



### 340390 Firemans Gloves 2MZO

SIEN

Heat and cut resistant leather gloves with Kevlar thread on seams. Perfect fit with elastic tightening at the wrists.



- Cow-Nappa leather
- Lining with cut resistant insulation material (100 % Para-aramide)
- Kevlar thread
- Eurotex membrane
- Sleeve narrowing by touch and close fastening
- SOLAS Approved

Certification | CAT III  
EN 659:2003+A1:2008  
EN 420:2003+A1:2009  
Material | Cow-nappa  
100% Para-aramide Lining  
Size | 9, 10, 11  
Packing | Pair



### 340384 Super Mars 5F

ESKA®

Designed and most functional leather glove for the fire brigade. Water and oil repellent as well as acid resistant.



- Insert: GORE-TEX® 3 layers
- Water- windproof and breathable GORE-TEX® insert is permanently attached to the inner glove (ESKA® patent)
- Fire Block leather: 0% shrinkage even at high temperatures
- Reinforced silicon/carbon coated Kevlar® on the palm and back side of the glove
- Cut resistant lining made of Kevlar® with steel fiberglass and silver threads guarantees highest level of safety for emergency services

Certification | CAT III  
EN 388:2016 (3444E)  
EN 659:2003+A1:2008  
EN 420:2003+A1:2009  
Material | Fire Block leather  
100% Kevlar®  
Steel Fiberglass Lining  
Size | 8/M, 9/L, 10/XL, 12/XXXL  
Packing | Pair



### 390326 Cryolite-HP



Cryogenic gloves manufactured with water resistant full grain leather and split leather cuff with Velcro fastener.



- Internal insulation consists of a soft lining
- Special polyolefin Porelle® membrane for an excellent waterproofness
- Split leather cuff with Velcro closure
- Maximum level of dexterity
- NYLON® seams
- Subject to specific test for resistance to liquid nitrogen (-195,82°C) through contact for 1 minute, following bending test (RCT method)

**Certification** | CAT III  
EN 388:2016 (2122X)  
EN 511:2006 (131)  
EN 407:2020 (X2XXXX)  
EN ISO 21420:2020  
**Material** | Grain leather  
Split Leather  
**Length** | 380mm  
**Size** | 8, 9, 10, 11  
**Packing** | 1 pair/packet





**360120 AlphaTec® 62-401****Ansell**

An excellent glove providing maximum comfort, with a natural rubber coating on a 100% cotton liner.

- Heavy duty glove
- Wrinkle finish for excellent wet & dry grip
- Ergonomically styled fit providing maximum comfort
- Liquid-proof coating
- Cotton liner provide excellent thermal insulation (hot or cold)
- Compliant with FDA food handling requirements
- Not to used in conjunction with pointed objects
- AQL 1.5

**Certification** | CAT III  
 EN 388:2016+A1:2018 (3131B)  
 EN ISO 374-1:2016 Type A (AKLMPT)  
 EN ISO 374-5:2016  
 EN 407:2020 (X2XXXX)  
 EN 511:2006 (011)  
 EN ISO 21420:2020  
**Material** | Cotton Jersey  
 Natural Latex Rubber  
**Length** | 320mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 6 prs/packet, 8 packets/  
 carton

**360166 AlphaTec® 37-310****Ansell**

Food processing gloves, offering light chemical protection.

- Posses EN 374 Type B chemical protection, guarding against light acids, grease, oils and liquids
- Their 0.2mm palm offers allows dexterity and tactility without a loss of durability
- Reversed lozenge grip improves handling in wet, dry, and oily condition
- Long cuff extends to the forearm
- Complies with EU food handling requirements
- Latex-free formulation presents no risk of Type 1 allergies
- Antistatic

**Certification** | CAT III  
 EN 388:2016+A1:2018 (2001X)  
 EN ISO 374-1:2016 Type B (JKT)  
 EN ISO 374-5:2016  
 EN 421:2010  
 ISO 18889:2019 (G1)  
 EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 310mm  
**Size** | 7, 8, 9, 10, 11  
**Packing** | 12 prs/packet, 6 packets/  
 carton

**390038 HyFlex® 72-400****Ansell**

Outstanding cut protection with enhanced durability at a great value.

- Light/Medium weight design provides softness and flexibility so it can comfortably worn for extended periods of time
- Ambidextrous glove design
- Machine washable with non caustic cleaners with no effect on performance and durability
- Made with a spandex elastic that keeps a snug fit, even after multiple laundering
- Compliant with FDA food handling requirements

**Certification** | CAT II  
 EN 388:2016+A1:2018 (3X4XF)  
 EN ISO 21420:2020  
**Material** | Fiber glass, Stainless steel, HPPE, Polyester, Lycra®  
**Length** | 230-267mm  
**Size** | 7, 8, 9, 10  
**Packing** | 12 pcs/bag, 2 bags/carton

**370302 SHOWA 234****SHOWA**

Flexible cut protection gloves combine foam nitrile with a HPPE reinforced liner to provide excellent cut resistance performance.

- Excellent cut resistance performance
- Foam nitrile coating protects against oils, hydrocarbons, grease and abrasions
- Offer excellent grip in wet and dry conditions
- Cooling HPPE properties and breathable back of the hand reduces perspiration and keeps hands dry
- Seamless knit designed to prevent irritation
- Heat-resistant
- Ergonomic
- Designed for use in "knife hand" applications in food processing
- Machine washable

**Certification** | CAT II  
 EN 388:2016 (4X42D)  
 EN 407:2006 (X2XXXX)  
 EN 420:2003+A1:2009  
**Material** | Engineered yarn, HPPE, Spandex  
 Nitrile Coating  
**Length** | 240-290mm  
**Size** | 6/S, 7/M, 8/L, 9/XL, 10/XXL  
**Packing** | 12 prs/packet, 6 packets/  
 carton



## 350013 TouchNTuff® 92-670

**Ansell**



Durable and comfortable nitrile glove with increased chemical splash protection. Textured fingers provide a reliable grip, making this glove ideal for laboratory and food processing applications.

- Robust protection for food processing and heavy-duty jobs
- Superior chemical splash protection
- Palm thickness 0,11mm
- Finger thickness 0,13mm
- Textured fingertips provide secure grip
- Complies with food handling requirements
- Allergy prevention type I
- Powder-Free
- Silicone-Free
- Antistatic
- 1.5 AQL

**Certification** | CAT III  
EN ISO 374-1:2016 Type B (JKT)  
EN ISO 374-5:2016  
EN 455 1-4  
EN 1149-1/2/3  
EC 2023/2006  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | S(6.5-7), M(7.5-8), L(8.5-9), XL(9.5-10)  
**Packing** | 100 gloves per dispenser, 10 dispensers per case



## 350025 Microflex® 93-852

**Ansell**



Disposable, Distinctive, Black Nitrile gloves. Thanks to the non-foaming special formulation, they offer a secure grip in wet applications.

- Distinctive black color hides stains and provides contrast for improved visibility
- Fully textured design for a firm grip when handling wet objects
- Palm thickness 0,12mm
- Finger thickness 0,15mm
- Allergy prevention type I
- Complies with EU food handling requirements
- Chlorinated
- Powder-Free
- Silicone-Free
- Antistatic
- 1.5 AQL

**Certification** | CAT III  
EN ISO 374-1:2016 Type B (JKT)  
EN ISO 374-5:2016  
EN 455 1-4  
EN 1149-1/2/3  
EC 2023/2006  
EN ISO 21420:2020  
**Material** | Nitrile  
**Length** | 245mm  
**Size** | S(6.5-7), M(7.5-8), L(8.5-9), XL(9.5-10)  
**Packing** | 100 gloves per dispenser, 10 dispensers per case



## 350040 SHOWA 7500PF

**SHOWA**



Engineered with SHOWA's revolutionary Eco Best Technology® (EBT), the 7500PF disposable glove is biodegradable, achieving 82% biodegradation in 386 days in a laboratory.

- Biodegradable
- Rolled cuff prevents dirt from entering
- The powder and latex-free design reduces risk of discomfort and allergies
- Approved for food handling and contact
- Textured surface grip makes wet work safer and easier
- Thickness 0,10mm
- Flexible
- Increased dexterity
- Silicone-Free

**Certification** | CAT III  
EN ISO 374-1:2016 Type B (JKT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | 6/XS, 7/S, 8/M, 9/L, 10/XL  
**Packing** | 100 gloves per dispenser, 10 dispensers per case



## 350041 SHOWA 7502PF

**SHOWA**



Biodegradable and accelerator-free disposable glove. The 0.06 mm nitrile provides good chemical protection from a wide array of chemical hazards.

- Accelerator-free formulation protects very sensitive skins
- Powder free
- Latex Free
- Featuring SHOWA's revolutionary Eco Best Technology (EBT)
- Engineered for accelerated biodegradation in biologically active landfills
- Approved for food handling and contact
- Chemical-resistant

**Certification** | CAT III  
EN ISO 374-1:2016 Type C (KT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | 6/XS, 7/S, 8/M, 9/L, 10/XL  
**Packing** | 200 gloves per dispenser, 10 dispensers per case



### 350042 SHOWA 6112PF



Approved for food handling and contact, these gloves are ideal for food preparation, use in laboratories, and general repair or maintenance work.



- Versatile, biodegradable single-use gloves prioritize sensitivity and dexterity
- Water-resistant provide extreme comfort during long periods of use
- Approved for food handling and contact
- Ideal for food preparation, use in laboratories and general repair
- Thickness: 0,10 mm
- Powder-Free
- Silicone-Free
- Ergonomic



**Certification** | CAT III  
EN ISO 374-1:2016 Type B (KPT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | 6/XS, 7/S, 8/M, 9/L, 10/XL  
**Packing** | 100 gloves per dispenser, 10 dispensers per case



### 350043 SHOWA 7500PF



Engineered with SHOWA's revolutionary Eco Best Technology® (EBT), the 7500PF disposable glove is biodegradable, achieving 82% biodegradation in 386 days in a laboratory.



- Biodegradable
- Rolled cuff prevents dirt from entering
- The powder and latex-free design reduces risk of discomfort and allergies
- Approved for food handling and contact
- Textured surface grip makes wet work safer and easier
- Thickness 0,10mm
- Flexible
- Increased dexterity
- Silicone-Free



**Certification** | CAT III  
EN ISO 374-1:2016 Type B (JKPT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | 11/2XL  
**Packing** | 90 gloves per dispenser, 10 dispensers per case



### 350044 SHOWA 7502PF



Biodegradable and accelerator-free disposable glove. The 0.06 mm nitrile provides good chemical protection from a wide array of chemical hazards.



- Accelerator-free formulation protects very sensitive skins
- Powder-Free
- Latex-Free
- Featuring SHOWA's revolutionary Eco Best Technology (EBT)
- Engineered for accelerated biodegradation in biologically active landfills
- Suitable for the food industry
- Chemical-resistant



**Certification** | CAT III  
EN ISO 374-1:2016 Type C (KT)  
EN ISO 374-5:2016  
EN 420:2003+A1:2009  
**Material** | Nitrile  
**Length** | 240mm  
**Size** | 11/2XL  
**Packing** | 180 gloves per dispenser, 10 dispensers per case



