


UV-C Sterilization Box



UV-C BOX



UV-C Sterilization BOX Recommended for ...



UV-C BOX

UV-C Sterilization BOX

Disinfection of things of everyday life



UV-C Sterilization BOX

UV-C closed system Box suitable for disinfection of daily used devices like mobile phones, glasses, keys, etc.

- Dimensions: 219x126x63 mm → Up to I-phone 11 Pro Max
- Type C USB charging port
- Two disinfection modes:
 - 6-minute Disinfection : appr. 25 times per full charged battery
 - 9-minute Disinfection : appr. 16 times per full charged battery
- LED wavelength : 270-280nm
- CE (Safety, EMC), RoHS, REACH, lithium battery safety IEC62133, UN38.3 test report
- Safety mechanism: UV radiation stops as soon its opened




Type	Microbe Disinfection	Bactericidal Rate
bacteria	大肠杆菌 (Escherichia coli) 8099	>99%
	铜绿假单胞菌(Pseudomonas aeruginosa) ATCC 9027	>99%
	金黄色葡萄球菌(Staphylococcus aureus) ATCC 6538	>99%
	白色葡萄球菌 (Staphylococcus albus) 8032	>99%



	Color	Lifetime	Wattage	Length In mm	Width In mm	Height In mm	Packaging Unit	Shipping Unit	EAN
UVC BOX 5V 1A TYPE C USB LEDV	White	Tbd	Tbd	126	219	63	1	6	4058075515994

Design & Dimension:


UV-C Sterilization BOX



Where are the UV-C LEDs attached:

The LED' are attached to the front inside of the box
Additional at the bottom of the box, are light height lines, so
that flat objects such as mobile phones do not lie
completely on.

UV-C Sterilization BOX




Instruction:




UV-C Sterilization BOX

Package Include



UV BOX-001



Manual



USB Charging Cable

Key Instruction

- 1st press to select 6-minute disinfection
- 2nd press to select 9-minute disinfection
- 3rd press to stop disinfection

Indicator Instruction

- Disinfection Indicator Light-white
- Flashing red light : low battery
- Indicator Light Steady red light : disinfection and discharge. Flashing green light : charging.
- Steady green light : fully charged.



Thank You

R&M Lumen Electrical Inc
12099 NW 98th Ave, Miami, FL 33018 USA

Tel: **+01(305) 828 0116** Email: **lumen@rm-electrical.com**