

OFFSHORE CATALOGUE



AKVAGROUPTM
EGERSUND TRADING

BASIC OFFSHORE COVERALL

Prod.no 940-87855-156 (Wenaas)

Prod.no 938-850-300-83 (Univern)



Coverall antifiame, fl. yellow/red.
50mm grey antifiame reflex on
arms and legs and 20mm over the
shoulders. With knee pockets.

ISO EN 11612
Weight: 350 g/m²
Size: 44 - 70

(71064)

LIGHT OFFSHORE COVERALL

Prod.no 953-2182557



Light coverall antifiame. Fl. yellow/
red with 50mm reflex on shoulders,
legs and arms. Knee pockets.

ISO EN 11612
Weight: 220g/m²
Size: S - XXL

(71076)

OFFSHORE QUILTED COVERALL

Prod.no 940-88355 (Wenaas)

Prod.no 938-9353 (Univern)



938-9353: Antifiame and water repellent
quilted coverall.
940-88355: The same type coverall, but
w/zipper on legs, and belt in waist.

ISO EN 14116 index1 EN 343, 1149
Weight: 300 g/m²
Size: XS - XXXL
40° vask

OFFSHORE COVERALL

Prod.no 938-850-350-80



Coverall antifiame red or orange.
Two chest pockets, two back
pockets, two front pockets and ruler
pocket. 50 mm reflex on arms, legs
and shouldres.

ISO EN 11612
Weight: 350 g/m²
Sizes: 46 - 64

(70300)

OFFSHORE COVERALL (LIGHT)

Prod.no 938-850-220-25 (Orange)

Prod.no 938-850-220-80 (Red)



Offshore coverall, light model.
Antifiame, orange or red, With
50 mm reflex on arms, legs and
shouldres. 2 chest pockets with
Velcro on flaps.

ISO EN 11642, 11612
Weight: 220 g/m²
Sizes: 46 - 64

(US-6303)

ANTIFIAME RED / YELLOW HV

Prod.no 938-450-300-83 (jacket)

Prod.no 938-250-300-83 (trousers)



Jacket antifiame with 5 cm reflex
around sleeves and over shoulders.

Trousers antifiame with 5cm refelfx
around legs.

ISO EN 1149-5
IEC 61482-2
Weight: 350 grams / m²
Sizes: 44 - 64

COVERALL FOR MACHINE USE

Prod.no 940-89870-125-80



Basic coverall with zipper in front. Chest pocket, mobile- and sleeve pocket, back-, and folding rule pocket. Pleat in back. Not antifiame. Material: 65% poly / 35% cotton.

Weight: 245 g/m²

Size: 46 - 64

QUILTED LONG JACKET

Prod.no 938-37125



100% polyester, 280 g/m²
Quilted lining.
EN ISO 20471, kl 3

Sizes: S - XXL

QUILTED RAIN JACKET OFFSHORE

Prod.no 938-FR-LR3456-53 (yellow)

Prod.no 938-FR-LR3456-05 (orange)



Collar with fleece on the inside.
Reflex on arm and over shoulders.
Flamme retardert.
Temperature resistant material.
Elastomer-coated polyester 255g/m².
Standard ISO 14116 index 1 and EN 343

Sizes: S - XXL

RAIN JACKET OFFSHORE

Prod.no 938-12255553 (yellow)

Prod.no 938-FR-LR255-03 (orange)



Microflex flame retardant jacket,
Quality: 50% polyester,
50% polyurethane,
Waterproof: 8000 mm water column,
Weight: 170 g / m², Wash: 40 ° C
Standard ISO 14116 kl.3 and
EN 343, 471

Sizes: S - XXXL

RAIN TROUSERS OFFSHORE

Prod.no 938-161647 (yellow)

Prod.no 938-161646 (orange)



Microflex flame retardant harness
pants, elastic braces, Quality: 50%
polyester, 50% polyurethane,
Waterproof: 8000 mm water column,
Weight: 170 g / m², Wash: 40 ° C
Standard ISO 14116 kl.3 and
EN 343, 471

Sizes: S - XXXL

CHALLENGER REGATTA OFFSHORE VEST 150N

Prod.no 957-4004906

RECHARGE

CO2 PATRON:

Prod.no 957-4804400 (60gr) x 1pcs

Prod.no 957-4804400 (33 gr) x 2pcs

UM CELLULOSE:

Prod.no 957-4804401



Solas approved. Comfortable
lifejacket to wear in work situations
and provides good buoyancy in an
emergency situation.

TROUSERS WENAAS

Prod.no 940-25000-133



Pants with side pockets.
Black

Trousers sizes: 46 - 64

SHORTS

Prod.no

930-BPC254 54 (khaki)

930-2508P154 (black)



Shorts sizes: 46- 64

UNIFORM SHIRT

LONG SLEEVE

Prod.no 71205 (white)

Prod.no 71201 (khaki)

SHORT SLEEVE

Prod.no 71200 (khaki)

Prod.no 71204 (white)



Poly/cotton. Shoulder pads.

Sizes: S - XXXL

UNIFORM TROUSER

BLACK

Prod.no 71208-1



Trousers sizes: S - XXL

DISTINCTIONS

Prod.no 71209-3 (Captain)

Prod.no 71209-4 (Chief Officer)

Prod.no 71209-5 (1st Officer)

Prod.no 71209-6 (2nd Officer)



CAPTAIN



CHIEF OFFICER



1ST OFFICER



2ND OFFICER

DISTINCTIONS

Prod.no 71209-7 (Chief Engineer)

Prod.no 71209-8 (1st Engineer)

Prod.no 71209-9 (2nd Engineer)

Prod.no 71209-13 (3rd Engineer)



CHIEF ENGINEER



1ST ENGINEER



2ND ENGINEER



3RD ENGINEER

DISTINCTIONS

Prod.no 71209-11

(Chief Electrician)

Prod.no 71209-10 (Electrician)

Prod.no 71209-12 (Steward)



CHIEF ELECTRICIAN



ELECTRICIAN



STEWARD

BRAGE SAFETY SHOES

Prod.no 938-121601



Safety shoe in leather with Boa lacing and membrane for outdoor use. Upper in black water-repellent leather with reflective details. Toe cap and spike sole in composite.

Sizes: 36 - 48

SAFETY SHOES I-ROBOX S3 CI ESD SRC

Prod.no 975-B1210BKB



Orthopaedic made to measure footbed, complying with european norms DGUV112-191, Women's width - Men's width, Metal free, Electronic devices protection from electrostatic discharges, Hydrocarbons resistant - Water resistant upper, 200 joules resistant toe-cap, Cold insulation up to -17°C, Puncture resistant sole, Shock absorption in the heel region - Anti-static footwear

Sizes: 35 - 48

PROTECTIVE SHOE, EXENA HAMILTON S3

Prod.no 940-1271-1205



Lightweight shoes with a wide fit with a leather upper and comfortable fabric lining.

Sizes: 35 - 48

PRO RUN SAFETY SHOES

Prod.no 940-76-850-10



Waterproof and breathable tough shoe lined with W-TEX membrane.

Sizes: 36 - 48

SAFETY SHOES PEZZOL TELLUS S3 SRC TG

Prod.no 938-31847



water-repellent quality leather and with a waterproof and breathable membrane. The outer sole is in PU/TPU with the highest level of slip resistance SRC. Toe cap in steel and nail tread protection in soft fibre. The shoe also has an additional toe protection in TPU ensures maximum protection from shock, friction and liquids.

Sizes: 39 - 47

SANDAL, OXYPAS ORTHOPEDIC

Prod.no 940-1122-3499



Designed for use by those who walk on hard surfaces all day. EN20347 certified and has ESD and SRC approval

Sizes: 35-47

DUNLOP PROTOMASTER RAINBOOTS S5 SRC

Prod.no 940-9505-0



PVC rain boots with steel toe and nail protection. Antistatic.

Sizes: 37 - 47

LEATHER BOOTS

Prod.no 940-2166 Panacea



removable insole
Sizes: 37 - 48

HAIX FIRE BOOT

Prod.no 940-2000-1190-10



Full gain and waterproof/ breathable fire boot. EN 15090: 2012, F2A HI3 CI AN SRC

Size: 41-48

Prod.no 975-FC16BRR



Upper of leather. Comfortable PU / PU sole. Composite toe cap. EN ISO 20345: 2011, S3 SRC

Sizes: 36 - 48

KNEEPADS PAIR

Prod.no 938- 972292



FILT SOLES

Prod.no 938-B115



Warm wool felt insole -
Keeps feet dry and warm

Sizes: 36 - 48

SHOCK ABSORBING SOLE SOLE ULTRA SU

Prod.no 71497



Mega Comfort Anti-Fatigue is
produced in patented 100%
HD Memory Foam.

Sizes:

36-38

39-40

41-42

43-44

45-46

47-48

OFFSHORE BAG

Prod.no 940-10160-0-10



Carrying straps, shoulder
strap, ID card pocket on
inside of bag. Black PVC.
60X30X30 cm

KNEEPADS PAIR

Prod.no 938-504SN



CENTURION COOLCAP S28

Prod.no 940-28-100



Cap with short shadow and
protection. Breathable. EN 812

HEAD LAMP LEDLENS- ER IH5R 400 LUMEN

Prod.no 25764-3 (I H5r)



Headlamp from Led Lenser
including helmet mount
and stepless headlamp
adjustment. Charged via
magnetic USB charging.
Type: High End Power LED.
Lumen: 400 lumens. Range:
180m. Duration (max) 35h

V-GARD MSA HELMET

Prod.no 73103-1 (yellow)

Prod.no 73103-3 (white)



Light safety helmet produced
in ABS plastic weighing
350g. Drain for rain, fitting
for earmuffs, short brim and
low in the neck. Comfortable
perspiration absorption band
in front and back. Certified
according to EN 397.

V-GARD HELMET ACCESSORY

Prod.no 938-10115730
Visor holder with particle
protection

Prod.no 938-10115863
Welding shade 3

Prod.no 938-10115861
Welding shade 5

Prod.no 940-1011-5828
Chin guard, retractable

Prod.no 940-1011-5856-98
Visir Clear protection against
splash/chemicals

Prod.no 940-1011-8427-60
Helmet hat V-Gard Supreme
grey

Prod.no 940-2593-78-98
Chin Strap elastic

V-GARD TOP HOOD (3PK)

Prod.no 940-1011-8427



SWEAT BAND ELASTIC

Prod.no 938-10153518
(10 pack)



HALF GAS MASK

Prod.no 938-7001 (small)
Prod.no 938-7002 (medium)
Prod.no 938-7003 (large)



Half gas mask EasyLock filter system.

Sizes: S, M, L

WHOLE GAS MASK

Prod.no 938-9001 (small)
Prod.no 938-9002 (medium)
Prod.no 938-9003 (large)



Whole gas mask Easylock filter system.

Sizes: S, M, L

FACE SHIELD WITH HEAD MOUNT SPHERE

Prod.no 938-SPHERPI



Complete face shield with head mount from Bollé. Forehead protection and steering wheel adjustment at the back and on the sides.

SPARE SHIELD FOR SPHERE

Prod.no 938-FASPERPI

Spare screen for Sphere face screen, 938-SPHERPI (331071) from Bollé.

FILTER

can be used on both, Half gas and Whole gas masks, and are sold pr. pair:

Prod.no 938-9020 – EasyLock Particle filter P2 RD
Prod.no 938-9100 – EasyLock Gas filter A1
Prod.no 938-9200 – EasyLock Gas filter A2
Prod.no 938-9400 – EasyLock Gas filter A1B1E1K1
Prod.no 938-9230-12 – EasyLock Combi filter A2P3 RD
Prod.no 938-345858 – Storage box for one half mask
Prod.no 938-40256 – Storage box for whole gas mas



SHORT TERM MASK FFP2

Prod.no 955-210 1012



- Non-reusable product (NR).
 - Meets requirements for resistance to clogging (D).
 - Internal nose seal.
 - Adjustable textile head straps.
- Ventilated for easier and comfortable breathing.
- In accordance with EN 149: 2001 + A1: 2009.
- 10 pcs pr box

SILUM SAFETY GLASSES

BOLLE

Prod.no

940-20110-15003 (Clear lens)

940-20111-15003 (Grey lens)



Protective goggles for general use. Highest mechanical protection (F). Highest optical class (1) Adjustable nose pads.

Antiripe / Antidugg / Anti UV / Anti-static Polycarbonate Lenses.

EN 166 F / EN 170

SAFETY GLASSES SGI

Prod.no

940-20310-15101 clear lens anti dew

940-20311-15101 Grey lens anti dew



Brass setting. Soft pvc nose pads. Anti scratch, anti dew, Anti UV polycarbonated lens. Is delivered with storage bag

EN 166, 170, 172

Weight: 34 g.

PROTECTIVE GOGGLES

Prod.no 938-IRIPSI



Protective goggles for general use - fits virtually everyone. Highest mechanical protection (F) - even at high temperatures. Highest optical class (1) - for all-day use. Soft, adjustable anti-glide bridge that adjusts in height, depth and width.

UVEX GOGGLE

Prod.no 938-7400204255



Comprehensive spectacle in soft PVC

- Highest mechanical protection (B)
- Highest optical class (1)
- Anti scratch / anti-fog polycarbonate lenses

EN 166 B

EYEGLOSS POLISH STATION

Prod.no 940-21410-2500



Eyeglass polish station with 400 pcs polishing cloth + 250 ml spray bottle.

DISPOSABLE COVERALL TYVEK 500 XPRT

Prod.no 938-7010



Protective suit for Industrial cleaning and maintenance, pharmaceutical industry, chemical industry, automotive industry, spray-painting, food industry, agriculture

Sizes: S - 3XL

BULLSKIN GLOVES

Prod.no 955-103.4190



Gloves for dry work and light mechanical industry.
EN 420, 388, 3134 cat. 2.

Sizes: 9 - 12

GOATSKIN GLOVES

Prod.no 938-442110



Powerful goatskin work glove for work in dry environments. Construction industry, Indoor, Forestry, Roofing, Outdoor, Workshop Reinforced fingers, Reflex, Silicone-free.
EN 388

Sizes: 7 - 12

PROTECTIVE GLOVE

Prod.no 955-115 9001



Produced for extreme working conditions for oil and gas professionals. Provides exceptional comfort and great grip.

Sizes: 8-12

COMING DECEMBER: TORQ STRIKE IMPACT GLOVES

Prod.no 71627



GLOVE GOATSKIN UNLINED

Prod.no 938-442100



Smooth goatskin glove for precision work in dry environments.

Certificate: EN 388

Sizes: 8 - 11

ASSEMBLY GLOVE, SYNTHETIC

Prod.no 955-107 4295



Synthetic leather with cotton hand back and Velcro, unlined.

Sizes: 7- 12

MOUNTING GLOVES

Prod.no 938-442304



Flexible glove in PU synthetic leather. For precision work in dry environments. Upper part in elastic mesh. Reinforced fingers and thumb. Velcro cuff. Reflective details.

Sizes: 7 - 12

MOUNTING GLOVES HALF DIPPED

Prod.no 955-114 0755



Assembly Gloves
Particularly nitrile foam coating
Very durable.
Model with good fit, comfortable and flexible.
Good breathing ability.

Sizes: 6 - 12

NITRILE GLOVES (FOR CHEMICAL)

Prod.no 955-114.1000



Resistant to grease, oil, detergents and certain solvents. Approved for food industry
EN 388, 374 cat. 3.

Sizes: 7 - 11

**JANUS PRO LONGS
ANTIFL/ANTISTAT**
Prod.no 947-4450-888



EN ISO 11612

Sizes: S - XXL

**JANUS PRO SWEATER
ANTIFL/ANTISTAT**
Prod.no 947-4450-890



EN ISO 11612

Sizes: S - XXL

**JANUS PRO POLO W/ZIP-
PER, ANTIFL/ANTISTAT**
Prod.no 947-4450-893



Standard ISO 11612

Sizes XS - 3XL

**THERMO JACKET
ANTIFLAME**
Prod.no 940-34300-206



EN ISO 14116

Sizes: S-XXL

T-SHIRT
Prod.no 71206-1 (navy)



Quality: 100% combed
cotton.
Single jersey knitted.
30 thread.

Sizes: S - XXL

POLO STANDARD
Prod.no 71207 (men)
Prod.no 71207-L (ladies)



Quality: 100% combed
cotton, 200 gsm.

Sizes: S - XXXL (men)
XS-XXL (ladies)

**JANUS PRO HOOD ANTIFL/
ANTISTAT**
Prod.no 947-4450-875



EN ISO 11612

Sizes: One size

KNITTED HAT
Prod.no 949-029208080



Knitted hat in acryl.

Sizes: One size

WOOL SOCK
Prod.no 938-121105



Extra warm and comfortable
sock.

Sizes: 36-38, 40-44, 45-48

SMOKE DIVERS HOOD PBI

Prod.no 940-19605-122



Knitted smoke divers hood in double PBI quality. Elastic in front opening. Provides good protection for chest and neck.

CEDERROTH EYE RINS 2X0,5LTR

Prod.no 938-725200



Contains: 2 x 500ml Eye rinse.

PLUM EYE WASH BOTTLE

Prod.no 938-91025



Specially developed eye cup as head flushing liquid directly into the eye. For single use. Suitable for mobile workplaces, where there is no access to eye irrigation. Durability 3.5 years

PLASTER ROLL REFILL SOFT 1 GLUEFREE

Prod.no 946-012343



SOFT1 is a blood absorbent, skin-friendly, crosselastic and glueless patch that provides great flexibility in ledd.SOFT1 glueless patch is abrasive and does not attach to the skin, hair or wounds. SOFT1 glueless patch notes even if the skin is dirty or wet. Height: 500 cm. Width: 6 cm

SNÖGG COMBI MEDICINE CASE

Prod.no 946-021040



Contains everything you need on the site.

SNÖGG COMBI REFILL FOR MEDICINE CASE

Prod.no 946-024505



Complete content for Combi medicine case.

PELTOR 3 EAR MUFFS

Prod.no 938-H540A-411

with headband

Prod.no 938-H540P3E-413

ear muffs for helmet

Prod.no 938-HY54 Spare set



Ear muffs with head bail developed for extremely noisy environments. Double shield reduces the resonance. Maximum muting of high and low frequency sounds. EN 352-1.

MOLDEX SPARK PLUG EAR PROTECTION

Prod.no 938-344961



Foam plugs. Comfortable for long time use. Box of 200 pairs. SNR 35 EN 352-2

MINI ROLL, TECLON-GREEN 10 CM Q

Prod.no 921-7950-100



paint roller for ceiling and walls

ROLLER HANDLE FOR 10CM ROLLERS

Prod.no 921-1402-390 (40 cm length)

Prod.no 921-1402-550 (55 cm length)



Roller bar that fits mini rear rollers in 10-12 and 15cm widths.

Plastic handle with 6mm steel diameter, suitable for extension shaft.

ROLL FELT FUR, FINE SURFACE

Prod.no 921-7910-100 (10 cm length)



Roll with 5mm felt fur that gives a nice finish on smooth surfaces with both oil- and water-based paint and varnish. Also suitable for epoxy, 2-comp., rust protection and polyester.

ROLLER HANDLE 18 CM

Prod.no 921-7201-180



Paint roller holder 18cm Norwegian Standard rolls

ROLL STANDARD GREEN 18 CM

Prod.no 921-7520-180



suitable for ceiling and walls.

RADIATOR INDUSTRY BRUSH, THIN NATURAL, BLAAUW

Prod.no 921-2140-025 (25mm)

Prod.no 921-2140-035 (35mm)

Prod.no 921-2140-050 (50mm)

Prod.no 921-2140-070 (70mm)



Radiator brush Blaauw in industrial quality with black 9mm natural bristles and long angled shaft. Long brush for use in industry and maintenance, withstands solvents and thinners.

BIRCHMEIER RONDO-MATIC 5E, COMPLETE (ACIDS AND ALKALINE)

Prod.no 22300



Compact compression sprayer with maximum chemical resistance against strong alkalis. Impact resistant polyethylene tank with 5 litres filling volume, transparent with litre and US gal. scale.

BIRCHMEIER RONDO-MATIC 5P SPRAY CAN (RED) ACID

Prod.no 22300-1



Compact compression sprayer with maximum chemical resistance against strong acids. Impact resistant polyethylene tank with 5 litres filling volume, transparent with litre and US gal. scale.

STEEL BRUSH HAND 2 ROW

Prod.no 933-32685000



Steel brush with plastic handle. 2 row. Acid-resistant stainless steel wire 0.25mm. For brushing stainless steel and aluminium.

FBK TANK BRUSH / BOAT BRUSH 200X120 BLUE

Prod.no 968-27134-2



Floor scrub with brush for corners. Brush with medium hardness, suitable for most surfaces.

FBK SHAFT ALUMINIUM-1750MM BLUE

Prod.no 968-29815-2



The length of the shaft makes it excellent when using a squeegee or swabs on it

FBK TELESCOPIC SHAFT ALUM.

Prod.no 968-29856-2



Telescopic shaft 1700/2800 x 32 mm, aluminum, ergonomic

BROOM SHAFT WOOD

Prod.no 921-2121115 (1800x24mm)

Prod.no 921-2121118 (1800x28mm)



Broom handle/wooden handle for broom, floor squeegee, brushes, floor scrub, etc. Circumference 24 and 28 mm

SHIP WASHING BROOM, WHITE FIBER M / VI

Prod.no 921-3520-200



Ship wash brush (medium hard) with vegetable natural fiber and long end bush. 23 x 6 cm. The inner fibers are about 40 mm, the outer fibers are about 68 mm

STRAPS 100-001TON PURPLE

Prod.no 100-00101	Strap 1 ton 1 meter
Prod.no 100-00103	Strap 1 ton 3 meter
Prod.no 100-00105	Strap 1 ton 5 meter
Prod.no 100-00106	Strap 1 ton 6 meter
Prod.no 100-00108	Strap 1 ton 8 meter
Prod.no 100-00110	Strap 1 ton 10 meter
Prod.no 100-00112	Strap 1 ton 12 meter
Prod.no 100-00102	Strap 1 ton 2 meter
Prod.no 100-00104	Strap 1 ton 4 meter



STRAPS 100-002TON, GREEN

Prod.no 100-00201	Strap 2 ton 1 meter
Prod.no 100-00202	Strap 2 ton 2 meter
Prod.no 100-00203	Strap 2 ton 3 meter
Prod.no 100-00208	Strap 2 ton 8 meter
Prod.no 100-00210	Strap 2 ton 10 meter
Prod.no 100-00212	Strap 2 ton 12 meter
Prod.no 100-00215	Strap 2 ton 15 meter
Prod.no 100-00204	Strap 2 ton 4 meter
Prod.no 100-00205	Strap 2 ton 5 meter
Prod.no 100-00206	Strap 2 ton 6 meter



STRAPS 100-003, YELLOW

Prod.no 100-00301	Strap 3 ton 1 meter
Prod.no 100-00310	Strap 3 ton 10 meter
Prod.no 100-00312	Strap 3 ton 12 meter
Prod.no 100-00315	Strap 3 ton 15 meter
Prod.no 100-00302	Strap 3 ton 2 meter
Prod.no 100-00303	Strap 3 ton 3 meter
Prod.no 100-00304	Strap 3 ton 4 meter
Prod.no 100-00305	Strap 3 ton 5 meter
Prod.no 100-00306	Strap 3 ton 6 meter
Prod.no 100-00308	Strap 3 ton 8 meter
Prod.no 100-00314	Strap 3 ton 14 meter
Prod.no 100-00316	Strap 3 ton 16 meter



ROUND SLING 100-01 PURPLE

Prod.no 1100-0101	Round sling 1 ton 0,5-1 meter
Prod.no 100-0102	Round sling 1 ton 1-2 meter
Prod.no 100-0103	Round sling 1 ton 1,5-3 meter
Prod.no 100-0104	Round sling 1 ton 2-4 meter
Prod.no 100-0105	Round sling 1 ton 2,5-5 meter
Prod.no 100-0106	Round sling 1 ton 3-6 meter
Prod.no 100-0108	Round sling 1 ton 4-8 meter
Prod.no 100-0110	Round sling 1 ton 5-10 meter
Prod.no 100-0112	Round sling 1 ton 6-12 meter



ROUND SLING 100-02 GREEN

Prod.no 100-0201	Round sling 2 ton 0,5-1 meter
Prod.no 100-0205	Round sling 2 ton 2,5-5 meter
Prod.no 100-0210	Round sling 2 ton 5-10 meter
Prod.no 100-0212	Round sling 2 ton 6-12 meter
Prod.no 100-0202	Round sling 2 ton 1-2 meter
Prod.no 100-0203	Round sling 2 ton 1,5-3 meter
Prod.no 100-0204	Round sling 2 ton 2-4 meter
Prod.no 100-0206	Round sling 2 ton 3-6 meter
Prod.no 100-0208	Round sling 2 ton 4-8 meter
Prod.no 100-0216	Round sling 2 ton 8-16 meter
Prod.no 100-0220	Round sling 2 ton 10-20 meter



ROUND SLING 100-03 YELLOW

Prod.no 100-0301	Round sling 3 ton 0,5-1 meter
Prod.no 100-0305	Round sling 3 ton 2,5-5 meter
Prod.no 100-0308	Round sling 3 ton 4-8 meter
Prod.no 100-0310	Round sling 3 ton 5-10 meter
Prod.no 100-0302	Round sling 3 ton 1-2 meter
Prod.no 100-0303	Round sling 3 ton 1,5-3 meter
Prod.no 100-0304	Round sling 3 ton 2-4 meter
Prod.no 100-0306	Round sling 3 ton 3-6 meter
Prod.no 100-0320	Round sling 3 ton 10-20 meter
Prod.no 100-0312	Round sling 3 ton 6-12 meter
Prod.no 100-0302	Round sling 3 ton 1-2 meter



ROUND SLING 100-05 RED

Prod.no 100-0501	Round sling 5 ton 0,5-1 meter
Prod.no 100-0502	Round sling 5 ton 1-2 meter
Prod.no 100-0503	Round sling 5 ton 1,5-3 meter
Prod.no 100-0504	Round sling 5 ton 2-4 meter
Prod.no 100-0505	Round sling 5 ton 2,5-5 meter
Prod.no 100-0506	Round sling 5 ton 3-6 meter
Prod.no 100-0508	Round sling 5 ton 4-8 meter
Prod.no 100-0510	Round sling 5 ton 5-10 meter
Prod.no 100-0512	Round sling 5 ton 6-12 meter
Prod.no 100-0516	Round sling 5 ton 8-16 meter
Prod.no 100-0520	Round sling 5 ton 10-20 meter



WE CAN DELIVER WEBBING STRAPS AND ROUND SLINGS IN HIGHER TONNAGES ON REQUEST. 8 T, 10 T, 15 T, ETC.

WE ALSO SUPPLY CERTIFIED HOOKS AND SLINGS AND OTHER LIFTING EQUIPMENT FROM GUNNEBO ANJA ON REQUEST.

ELASTIC HARNESS W/EKSTRA PADDING

Prod.no S/M: 966-100409900002

L/XXL: 966-100409900001



(AS-15100) Attachement point in the back and chest. Separate regulation for bones and shoulder. Padding on leg and shoulders for extra comfort. Quick links. EN361 standard.

TECHNICAL HARNES FOR CLIMBING/RESCUE

Prod.no S/M: 966-100403400044

L/XXL: 966-100403400045



Technical harness made in comfortable 3D EXO material. Back and front fixing fall protection A / 2. Aluminum rings. Floating belt with 3D EXO technology. H design with dual sternal and ventral fall arresters for superior comfort. Adjustable height and waist belt. Padded with RIPSTOP fabric on the back, shoulders and legs.

INSULATED HARNESS 9KV FOR ELECTRICAL WORK

Prod.no S/M: 966-100410600005

L/XXL: 966-100410600004



(AS-15600) Attachement point in the back and chest. Insulated metallparts for up to 9kV. Integrated supportbelt. EN358 and fallarrest EN361 standard.

HARNESS WITH PROTECTIVE COATING

Prod.no 966-FA1011300 (size S - L)

Prod.no 966-FA1011301 (L - XXL)



Kratos REVOLTA harness is made for harsh environments, the material is more resistant to water, oil and dirt. User weight up to 140kg
CE EN361
Manufactured in polyester and aluminium.

ATTACHMENT SLING, WEBBING 120CM

Prod.no 966-
100201700003



TOOL HOLDER

Prod.no.
938-UN50902 (Tool
holder elastic)
Prod.no.
966-FA1040100 Support-
belt



FALLARREST BLOCK

Prod.no 9966-100307700069



Fallarrest block 6m sharp edge

FALLARREST BLOCK

Prod.no 966-FA20402105



Helixon fall block with stainless
wire and carabiner, robust fall
block with carrying handle for
easy transport. Robust polymer
housing, integrated with:
– Carrying handle
– Wire cleaning brush
– Removable window for easy
inspection without disassem-
bling the drop block.

SHOCK ABSORBER

Prod.no
966-100102200030



Fall damper line 180cm.
18mm +2*50mm carabine
hooks
EN355 EN362, VG11.074

SHOCK ABSORBER

Prod.no 966-179890



RH60 Flex Y fall arrester
line with scaffolding
hook, sharp edge ap-
proved for 140kg user
weight.

WORK POSSITIONING

Prod.no 966-
101007100001



Positioning line 2m for
use with harnesses with
integrated support belt, or
separate support belt.

EN358, EN362

FALL ARREST BLOCK W/INT.RESCUE WINCH 100KG CAP


Prod.no 966-CRW300



Fallarrestblock 25m with
integrated rescuewinch,
100kg capacity. To be used in
confined spaces where quick
rescue is essential. Can also be
attached on the UN50505 tri-
pod with bracket UN50513

BRACKET FOR TRIPOD

Prod.no 966-PAD-
1003200000000STP0



Bracket for 966-CW300 to
be used on 966-AT01 1N
Tripod

TRIPOD WEIGHT 15,45 KG

Prod.no 966-AT011N



Tripod with adjustable height 147cm - 230cm. 500kg capacity and 22kN breaking force.

TRIPODEKIT W/15M COMBINED WINCH AND FALL-ARREST BLOCK

Prod.no 966-AS-39730



The ISC tripod system is manufactured from cast aluminum for strength and durability.

The version (TP143) is equipped with two pulleys on top, with removable locking pins to keep the rope/wire in place on the pulley.

The tripod stand also has two swivel-eye anchor points.

The tripod legs are adjustable, up to a maximum total height of 255 cm (approx. 100").

ISC Tripod Stands are ideal for work and rescue in tight spaces.

ISC TRIPOD FOR 2 PERSONS

Prod.no 966-TP143B



The ISC tripod system is manufactured from cast aluminum for strength and durability. The version (TP143) is equipped with two pulleys on top, with removable locking pins to keep the rope/wire in place on the pulley.

The tripod stand also has two swivel-eye anchor points.

The tripod legs are adjustable, up to a maximum total height of 255 cm (approx. 100"). ISC Tripod Stands are ideal for work and rescue in tight spaces.

ISC TRIPOD FOR 2 PERSONS

Prod.no 966-UB171A



The UB171 Fall block with integrated rescue winch has a cast aluminum housing, making it suitable for heavy-duty use, even in harsh environmental conditions.

UB171 is equipped with a rescue winch that can be easily connected in emergency situations.

RESCUE DEVICE FOR 1 PERSON

Prod.no 966-KT862A1



Descend/rescue device for 1 person, example crane operators. Fits easily to harness with included carry bag. Anti-panic system to prevent situations.

Lengths up to 120m on request

STEEL SLING W/CARABINE HOOK

Prod.no 966-WS150A



Steel sling with plastic cover to prevent scraping against the surface. 7mm galvanized steel 25kN breaking strength

EN795:12 At B
PD CEN/TS 16415:13

RESCUE KIT WITH PULLEY

Prod.no
30m: 966-RK041A1-030
50m: 966-RK041A1-050



Easy to use rescue kit with pulley, minimize the need to self-descend during rescue operations. Requires training. EN567, EN795B, EB1891A, EN12841-C, EN12278, EN362

CLIMBING HELMET WITH HEADBAND

Prod.no 940-9773-50



Light helmet approved for industry use, rescue, climbing etc. EN 12492
Color: white

PETZL VERTEX HELMET

Prod.no 966-A010CA00



ATTACHEMENT POINT H BEAM

Prod.no
966-100206200001



PRO11 attachment point for H beam, adjustable 84-265mm. Breaking strength 15kN and 2,2kg weight. Made of aluminium, polyester and a steelring. EN795B – 1 person

NEIL ROBERTSON STRETCHER FERNO 6090040

Prod.no 70894



Neil Robertson stretcher designed for use in difficult or unconventional rescue circumstances where a patient needs to be lowered or lifted to safety.

Length 150cm - Width 100cm - max capacity 136 kg

[See user manual HERE](#)

RESCUE DUMMY MAN OVERBOARD

Prod.no 966-RLNWMO



40kg, 1.8m
The base is anatomically weighted like a human, and positioned so that they simulate an unconscious human floating in the water. Several places the normal filling is replaced by cavities, made of nylon netting. This means that water can quickly fill these cavities, and almost double its weight when it is filled with water.

KNIFE STAINLESS BLADE

Prod.no 20131



Knife - 95mm blade length - 205mm total length - Stainless

STANDARD BACK-PACK 40L

Prod.no 966-103500300004



Back-pack for storing equipment, standard type with 40L space.

SUNDSTRØM FULL MASK SS200 PC POLYKARBONAT

Prod.no 938-12011212



In addition to the outer mask sealing in a conventional way, the design and construction of the inner mask provides extremely good sealing around the nose and mouth. The inner mask and outer mask are integrated and this makes the mask easy to use and easy to clean. The inhaled air is distributed according to completely new principles. 2/3 of the inhaled air is led directly into the inner mask instead of first being led around the outer mask. Very low weight compared to other full face masks: 450 grams. The full face mask can be used together with compressed air connection SR 307. Approved class 3 EN 136: 1998.

SUNDSTRØM COMPRESSED AIR REGULATOR SR307

Prod.no 938-40220



SR 307 compressed air regulator is designed for connection to Sundstrøm half masks and full masks. This combination forms a breathing apparatus designed for continuous airflow, for connection to a pressurized air source. SR 307 is an accessory that allows a specific face part to be used as either a filtration unit or a protective unit with compressed air. The compressed air regulator is particularly intended for use that includes heavy and persistent work in environments where the pollutants have poor warning properties or are particularly toxic. SR 307 is made of a material that does not generate friction sparks, which means that the hood can be used in an explosive and easily ignitable environment. The flow meter and a warning whistle for temporary and continuous monitoring of the air flow rate are included. Control valve mounted on the user's belt is included.

SUNDSTRØM COMPRESSED AIR FILTER SR 99-1

Prod.no 938-40285



SR 99-1 compressed air filter is used for conversion to clean air for inhalation from ordinary compressed air. The unit consists of a regulator, pre-separator and main filter (SR 292), all of which are mounted in a covering metal frame. The unit can be placed on the floor or mounted on a wall. The pre-separator, which has automatic drainage, separates coarse particles, water and oil. SR 292 main filter consists of a part in carbon filter (500g), surrounded by two P3 particle filters. The air is cleaned to remove residual particles / gases / vapors / odors. A Y-coupling that increases the number of outputs is available as an accessory. Max 3 users. Operating pressure (bar): 6-10.

SUNDSTRØM HOSE CONNECTION Y FOR SR 99-1

Prod.no 938-40257



Extra Y connection on SR 99-1 for up to 3 users. Mounted on the air outlet of the compressed air filter to increase the number of users.

SUNDSTRØM COMPRESSED AIR HOSE SR358, 30 MTR

Prod.no 938-12153515



Plastic hose, made of polyester-reinforced PVC. Oil and chemical resistant Sundstrøm compressed air hoses have been tested and approved and is intended for use with Sundstrøm SR 99-1 compressed air filters. This is also the only hoses approved for this use.

SUNDSTRØM FILTER CARTRIDGE SR 292 FOR SR 99-1

Prod.no 938-40228



SR 292 filter element is intended for use with Sundstrøm compressed air filter. Type A protects against oils, organic gases and vapors, such as solvents, with a boiling point > +65 ° C. Type P3 protects against all types of particulate pollutants, e.g. dust, steam and smoke

CHEF JACKET

Prod.no 938-378038
(white)
incl. buttons



Double button unisex model.
Machine wash 90°C.

Quality: 65% polyester, 35% cotton
Weight: 210 gr/m2.

Sizes: XS-3XL

EXTRA BUTTON FOR CHEF JACKET

Prod.no 71515-2

CHEF TROUSERS PEPITA

Prod.no 938-378117



Black and white Chef trousers, small router. Machine wash 90°C.

Quality: 67% poly 33% cotton
Weight: 190 g/m2.

Sizes: 48 - 60 (man)
XS - 4XL (woman)

CHEF TROUSERS BLACK

Prod.no 938-378118



Chef trousers elastic and light quality. Machine wash 60°C.

Colour: Black
Sizes: S - XXL

HEADWEAR FOR CATERING

Prod.no 945-P653



Chef hat w/welcro. Black or white.

Sizes: One size

APRON BLACK

Prod.no 71519-1 short apron



Apron art 3300 Comfort stretch twill. Machine wash 85°C.

Quality: 65% polyester 35% cotton.
Weight: 205 g/m²

APRON BLACK

Prod.no 71519-3 long apron



Apron art 3300 Comfort stretch twill. Machine wash 85°C.

Quality: 65% polyester 35% cotton.
Weight: 205 g/m²

COMBI CAPS

Prod.no 73821



Combi caps w/hair net. Washable. White or black

BANDANA

Prod.no 945-M805



Bandana long (Xtra) 100% cotton, black or white

BANDANA

Prod.no 71524



Chefs bandana
Machine wash 60°C.
Sizes: One size

HOOD, ANTIFLAME, JANUS

Prod.no 947-4450-875



EN ISO 11612

Sizes: One size

FLEECE

Prod.no 70057



Light micro fleece jacket. Turn inside out before washing, machine wash 40°C. Stretch when wet.

Quality: 100% micro fleece. 160g

Sizes: S-XXXL

WHITE POLO

Prod.no 71207



Soft and comfortable profile piqué shirt. Pre shrunk. Machine wash 60°C separately, stretches.

Quality: 100% combed cotton Piqué knitted.

Sizes: S-XXL

T-SHIRT

Prod.no 71206 (white)

Prod.no 71206-5 (red)



Machine wash 60°C separately, stretches.

Quality: 100% combed cotton.

Sizes: S-XXL

QUILTED LONG JACKET

Prod.no 938-37125



100% polyester, 280 g/m² Detachable lining. EN ISO 20471, kl 3

Sizes: S - XXL

MOCASSINES FOR FOOD AND CHEMICAL INDUS- TRY

Prod.no 938-15113 (Vesta black)

Prod.no 938-15209 (Luna white)



Upper section made of breathable, waterproof DRYTEC microfiber material. Chemical-resistant uppers and machine washable. Antimicrobial and bacterial treated. Slip resistant on wet and oily floors. Light-weight

Sizes: 35-48

WINTER GLOVE

Prod.no 938-WG-338W



Latex-coated double-dipped glove in acrylic, fully dipped. Cold-resistant glove that provides exceptional comfort, agility and flexibility. Simple lining in brushed acrylic, which provides extra insulation and protection against the cold

Sizes: 8 - 11

CUT RESISTANT GLOVE, TYPHOON

Prod.no 955-116.501 (non quilted)



EN 420:2003 - EN 388:2003 – EN 1186 - EN 388:2016 – CE Cat.II Available in sizes: 7-11 Washable 90 degrees.

FACE MASK

Prod.no 955-210 0022E



Face Masks (boks of 1000 pcs)
Non-woven polypropylene
• Layered. 3-layer material with soft, elastic band for ears.
• 100% latex-free.
• 99% particle filtration.
• Approved to be used in contact with food.

SHOE COVER



Disposable shoe cover.

955-210 0060: Shoe cover (size 38-45) 2000 pr box

955-210 0061: Shoe cover (size 40-47) 2000 pr box

955-210 0062: Shoe Cover double thickness, white (size 38,5-45,5) 1000 pr box

DISPOSABLE HAIR NET

Prod.no 955-210.0045



- Comfortable.
- Made of soft polypropylene fiber.
- Hygienic.
- Elastic hair net covers the hair 100%.
- Double elastic for extra comfort (latex-free).
- Suitable for direct contact with food.

DISPOSABLE NITRILE GLOVES

Prod.no 73848-ASAP



Food Grade!
Nitrile gloves powder-free, very agile and strong glove suitable for slaughterhouse - fishing industry

Price pr 100, Box of 10 x100

GLOVE DISPENSER

Prod.no 955-904.1000



Plexiglas
* Universal. Fits most boxes with disposable gloves.
• 25 cm long, 13 cm high and 8 cm deep.

DISPENSER FOR DISPOSABLE SHOE COVER, WALL MODEL

Prod.no 974-22749903



Disposable shoe dispenser for wall.
Dimensions:
H 34.5, W 23, D 27 cm

DISPENSER FOR DISPOSABLE SHOE COVER, FLOOR MODEL

Prod.no 974-845326102



Disposable shoe dispenser floor model.
Dimensions:
H 120, W 38, D 38 cm

DISPENSER PAL BLUE

Prod.no 73884



The PAL product is a multi purpose dispenser which is a dual purpose dispenser that can be installed horizontally to dispense aprons on a roll or vertically to dispense a range of headwear and workwear including mob caps, overshoes and over sleeves.

AKVAGROUPTM
EGERSUND TRADING

Egersund Trading AS

Tlf.: 55 08 85 00

ordre.trading@akvagroup.com

www.egersundtrading.no