


### STAINLESS STEEL


### CRYOGENIC GATE VALVES BOLTED BONNET



#### **CRYOGENIC** GATE VALVES BOLTED BONNET STAINLESS STEEL

| NO | NAME OF DART   |          | ASTM SPEC    | CIFICATION   |           |  |  |  |  |  |  |  |
|----|----------------|----------|--------------|--------------|-----------|--|--|--|--|--|--|--|
| NO | NAME OF PART   |          | HIGH TEMPERA | TURE SERVICE |           |  |  |  |  |  |  |  |
| 1  | BODY           | A351-CF8 | A351-CF8M    | A351-CF3     | A351-CF3M |  |  |  |  |  |  |  |
| 2  | BONNET         | A351-CF8 | A351-CF8M    | A351-CF3     | A351-CF3M |  |  |  |  |  |  |  |
| 3  | DISC           | A351-CF8 | A351-CF8M    | A351-CF3     | A351-CF3M |  |  |  |  |  |  |  |
| 4  | BODY SEAT RING | A240-304 | A240-316     | A240-304L    | A240-316L |  |  |  |  |  |  |  |
| 5  | STEM           | A276-304 | A276-316     | A276-304L    | A276-316L |  |  |  |  |  |  |  |
| 7  | BONNET BUSH    | A276-304 | A276-316     | A276-304L    | A276-316L |  |  |  |  |  |  |  |
| 8  | PACKING GLAND  | A276-304 |              |              |           |  |  |  |  |  |  |  |
| 9  | GLAND FLANGE   | A361-CF8 |              |              |           |  |  |  |  |  |  |  |
| 10 | YOKE SLEEVE    |          | A43          | 9-D2         |           |  |  |  |  |  |  |  |
| 11 | BONNET BOLT    | A320-B8  | A320-B8      | A320-B8      | A320-B8   |  |  |  |  |  |  |  |
| 12 | BONNET NUT     | A194-8   | A194-8       | A194-8       | A193-8    |  |  |  |  |  |  |  |
| 13 | GLAND BOLT     |          | A19          | 3-B8         |           |  |  |  |  |  |  |  |
| 14 | GLAND NUT      |          | A1           | 94-8         |           |  |  |  |  |  |  |  |
| 20 | HINGE PIN      |          | A27          | 6-304        |           |  |  |  |  |  |  |  |
| 24 | PACKING RING   | A276-304 | A276-316     | A276-304L    | A276-316L |  |  |  |  |  |  |  |
| 25 | YOKE           |          | A35          | 1-CF8        |           |  |  |  |  |  |  |  |


| NO | NAME OF PART     | ASTM SPECIFICATION |
|----|------------------|--------------------|
| 15 | HANDLE NUT       | AISI 304           |
| 17 | SLEEVE GLAND     | AISI 304           |
| 19 | HANDWHEEL        | A395               |
| 21 | PACKING          | COMMERCIAL         |
| 22 | GASKET           | COMMERCIAL         |
| 23 | GREASE NIPPLE    | STEEL              |
| 45 | WASHER           | AISI 304           |
| 49 | INSULATION PLATE | AISI 304           |
| 50 | STEM BEARING     | COMMERCIAL         |
| 51 | COTTER PIN       | AISI 304           |
| 52 | LIFT STOPPER     | AISI 304           |





### GT CLASS 150LB

CRYOGENIC VALVES
BOLTED BONNET
CRYOGENIC GATE VALV

| VALVE           | inch | 2    | 2.5  | 3     | 4     | 6     | 8     | 10    | 12    | 14     | 16     | 18     |
|-----------------|------|------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|
| SIZE            | mm   | 50   | 65   | 80    | 100   | 150   | 200   | 250   | 300   | 350    | 400    | 450    |
| L1              | inch | 7.0  | 7.5  | 8.0   | 9.0   | 10.5  | 11.5  | 13.0  | 14.0  | 15.0   | 16.0   | 17.0   |
|                 | mm   | 178  | 190  | 203   | 229   | 267   | 292   | 330   | 356   | 381    | 406    | 432    |
| L3              | inch | 8.5  | 9.5  | 11.1  | 12.0  | 15.9  | 16.5  | 18.0  | 19.8  | 22.5   | 24.0   | 26.0   |
| ы               | mm   | 216  | 241  | 283   | 305   | 403   | 419   | 457   | 502   | 572    | 610    | 660    |
| н               | inch | 29.4 | 32.5 | 34.3  | 37.5  | 44.4  | 61.2  | 67.9  | 74.3  | 88.0   | 97.2   | 105.0  |
|                 | mm   | 748  | 826  | 870   | 953   | 1127  | 1554  | 1725  | 1887  | 2234   | 2469   | 2666   |
| w               | inch | 9.8  | 9.8  | 11.0  | 11.8  | 15.7  | 17.7  | 23.6  | 27.2  | 28.0   | 28.0   | 31.5   |
| VV              | mm   | 250  | 250  | 280   | 300   | 400   | 450   | 600   | 690   | 710    | 710    | 800    |
| ∟ RF            | inch | 79.4 | 92.6 | 105.8 | 158.7 | 291.0 | 432.1 | 610.7 | 903.9 | 1106.7 | 1430.8 | 1977.5 |
| 동 <sup>Kr</sup> | mm   | 36   | 42   | 48    | 72    | 132   | 196   | 277   | 410   | 502    | 649    | 897    |
| WEIGHT          | , LB | 66.1 | 79.4 | 88.2  | 132.3 | 264.6 | 379.2 | 551.2 | 837.7 | 1036.2 | 1344.8 | 1889.3 |
| DVI             | Kg   | 30   | 36   | 40    | 60    | 120   | 172   | 250   | 380   | 470    | 610    | 857    |








## BOLTED BONNET


### GT CLASS 300LB


| VALVI  | inch | 2    | 2.5   | 3     | 4     | 6     | 8     | 10    | 12     | 14     | 16     | 18     |
|--------|------|------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| SIZE   | mm   | 50   | 65    | 80    | 100   | 150   | 200   | 250   | 300    | 350    | 400    | 450    |
| L1     | inch | 8.5  | 9.5   | 11.1  | 12.0  | 15.9  | 16.5  | 18.0  | 19.8   | 30.0   | 33.0   | 36.0   |
|        | mm   | 216  | 241   | 283   | 305   | 403   | 419   | 457   | 502    | 762    | 838    | 914    |
| L3     | inch | 9.1  | 10.1  | 11.7  | 12.6  | 16.5  | 17.1  | 18.6  | 20.4   | 30.6   | 33.6   | 36.6   |
|        | mm   | 232  | 257   | 298   | 321   | 419   | 435   | 473   | 518    | 778    | 854    | 930    |
| н      | inch | 30.0 | 33.5  | 34.9  | 38.1  | 49.5  | 60.0  | 68.0  | 82.1   | 89.8   | 101.5  | 109.5  |
| п      | mm   | 763  | 850   | 886   | 969   | 1257  | 1524  | 1726  | 2085   | 2281   | 2579   | 2782   |
| w      | inch | 11.8 | 9.8   | 14.0  | 15.7  | 19.7  | 27.2  | 27.2  | 28.0   | 35.4   | 35.4   | 35.4   |
| VV     | mm   | 300  | 250   | 355   | 400   | 500   | 690   | 690   | 710    | 900    | 900    | 900    |
| D      | inch | 88.2 | 110.2 | 138.9 | 205.0 | 377.0 | 637.1 | 943.6 | 1283.1 | 1763.7 | 2578.0 | 3309.1 |
| 높 RF   | mm   | 40   | 50    | 63    | 93    | 171   | 289   | 428   | 582    | 800    | 1251   | 1501   |
| WEIGHT | , LB | 77.2 | 94.8  | 114.6 | 180.8 | 352.7 | 595.2 | 884.0 | 1239.0 | 1717.4 | 2425.1 | 3108.5 |
| - DI   | Kg   | 35   | 43    | 52    | 82    | 160   | 270   | 401   | 562    | 779    | 1100   | 1410   |











### GT CLASS 600LB

# CRYOGENIC VALVES BOLTED BONNET CRYOGENIC GATE VAL

| VALVE  | inch | 2     | 2.5   | 3     | 4     | 6     | 8      | 10     | 12   | 14   | 16   | 18   |
|--------|------|-------|-------|-------|-------|-------|--------|--------|------|------|------|------|
| SIZE   | mm   | 50    | 65    | 80    | 100   | 150   | 200    | 250    | 300  | 350  | 400  | 450  |
| L1     | inch | 11.5  | 13.0  | 14.0  | 17.0  | 21.9  | 26.0   | 31.0   | 33.0 | 35.0 | 39.0 | 43.0 |
|        | mm   | 292   | 33.0  | 356   | 432   | 556   | 660    | 787    | 838  | 889  | 991  | 1092 |
| L3     | inch | 11.6  | 13.1  | 14.1  | 17.1  | 22.1  | 26.1   | 31.1   | 33.1 | 35.1 | 39.1 | 43.1 |
| ы      | mm   | 295   | 333   | 359   | 435   | 562   | 663    | 790    | 841  | 892  | 994  | 1095 |
| н      | inch | 29.2  | 35.2  | 36.4  | 39.9  | 53.5  | 68.2   | 79.5   |      |      |      |      |
|        | mm   | 742   | 895   | 924   | 1014  | 1359  | 1733   | 2020   |      |      |      |      |
| w      | inch | 9.8   | 9.8   | 11.0  | 15.7  | 23.6  | 24.8   | 31.5   |      |      |      |      |
| VV     | mm   | 250   | 250   | 280   | 400   | 600   | 630    | 800    |      |      |      |      |
| ∟ RF   | inch | 116.8 | 154.3 | 180.8 | 319.7 | 674.6 | 1113.3 | 1851.9 |      |      |      |      |
| 통      | mm   | 53    | 70    | 82    | 145   | 306   | 505    | 840    |      |      |      |      |
| WEIGHT | , LB | 99.2  | 136.7 | 154.3 | 286.6 | 595.2 | 1069.2 | 1818.8 |      |      |      |      |
| DVI    | Kg   | 45    | 62    | 70    | 130   | 270   | 485    | 825    |      |      |      |      |

